

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



PRICE LIST

FALL, 1940 — SPRING, 1941



Henry Kohankie & Son

PAINESVILLE, OHIO
30 Miles East of Cleveland on Rt. 20
Tel. 4380

PRICE LIST

E OFFER herein a complete list of hardy ornamental nursery stock. Our nursery of one thousand acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

All material will be freshly dug. We maintain no storage cellars since the superiority of freshly dug stock is recognized generally.

With few exceptions the plant names used conform to "Standardized Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

HENRY KOHANKIE & SON

Route 20
One Mile East of Painesville
PAINESVILLE, OHIO

Please Read Carefully

CONDITIONS OF SALE

Prices do not include packing. A charge for the cost of the boxes and material used in baling will be made.

Stock specially selected by customers at the nursery will be charged according to its value.

We give no warranty, expressed or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell.

Due to the perishable nature of nursery stock we cannot guarantee growth unless we charge a premium. may occur from causes beyond our control. The purchaser may subject the plants to undue exposure before planting, fail to plant properly, or neglect aftercare such as cultivation, irrigation, etc. On the other hand, if properly planted and cared for, the failures will be limited to an occasional plant which may be lost for no apparent reason and which loss is to be expected. The success or failure of a planting, beyond the nominal loss above referred to, is in the hands of the planter. Our method of handling and packing stock is modern and goods will be in good condition and well packed when they leave our hands. Our responsibility ends upon delivery to the carriers. If goods suffer through delay in transit, claim should at once be made on the transportation company.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us references and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C. O. D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities—We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R. R; American Railway Express and Motor Freight. A siding to our packing house direct from the main line of the New York Central railroad enables us to handle stock with a minimum of exposure.

Auto Truck Delivery—We are in a position to make deliveries by auto truck to points within seventy-five miles of Painesville. Charges are made according to the size of truck required and the distance.

CONTENTS

| Shrubs and Vines5-156 |
|---|
| Herbaceous Material (including Rock and Alpine Plants)157-197 |
| Fruit Garden Material197 |
| Large Specimen Material207 |
| Plants for Special Purposes207-209 |
| Schedule of B&B Charges210 |
| PLANT CLASSIFICATIONS |
| Coniferous Evergreens198-199 |
| Broad-leaved Evergreens199 |
| Deciduous Shade Trees199-200 |
| Deciduous Small Trees201-202 |
| Deciduous Shrubs202-206 |
| |

THE production of many of the plants in this list represents no little effort. More than a few of the items are not profitable which accounts for their general scarcity, but on the other hand they are indispensable to good landscape work.

Since we specialize in the execution of complete planting lists we aim to keep our assortment unbroken. To that end we hope you will co-operate by ordering material in reasonable assortment. We cannot always accept orders which are confined to plants that are scarce and our stock of which is limited.

Deciduous and Evergreen Trees Shrubs and Vines

We recommend that all items marked with an asterisk be lifted with a ball of earth and sewed in burlap. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve extra charges, a schedule of which will be found on the last page. In all instances where "B&B" is indicated these charges are included in the printed price.

The figures printed in italics following the common name, indicate the approximate height of the plant at maturity.

| maroure one approximate mergine 12 and | A | | |
|--|-------------|--------------|-----------------|
| | 1-4 Each | 5-24 Each | 25 & up Each |
| Abelia grandiflora. Glossy Abelia. 3' | | | |
| 12 to 15 in., 3 in. pots | .55 | .45 | .40 |
| 15 to 18 in., 3 in. pots | .65 | .55 | .50 |
| 18 to 24 in., 4 in. pots | .90 | .75 | .60 |
| 2 to 3 ftB&B | 1.25 | 1.00 | .90 |
| schumanni. 5' | | | |
| 12 to 18 in., 4 in. pots | 1.50 | 1.25 | |
| | | | |
| Abies balsamea. Balsam Fir. 50' | | 1000 | |
| 2 ftB&B | 3.00 | 2.50 | 2.00 |
| 3 ftB&B | 3.75 | | |
| 4 ftB&B | 4.75 | 4.00 | 3.50 |
| 5 ftB&B | 6.00 | 5.00 | |
| 6 ftB&B | 7.50 | 6.00 | |
| 7 ftB&B | 10.00 | | |
| For larger sizes to 15 ft., add | | per fo | ot. |
| a vertice The work | | | |
| concolor. White Fir. 70' | 0.50 | 0.00 | 1 50 |
| 18 inB&B | 2.50 | 2.00 | |
| 2 ftB&B | 3.50 | | |
| 3 ftB&B | 5.00 | 4.00 | |
| 4 ftB&B | 7.50 | 6.50 | 5.00 |
| 5 ftB&B | | 8.50 | |
| 6 ftB&B | 12.50 | 10.00 | |
| 7 ftB&B | | 12.50 | |
| 8 ftB&B | 18.00 | 15.00 | |
| 9 ftB&B | | 18.00 | |
| 10 ft B&B | 25.00 | 20.00 | |

For larger sizes to 25 ft., add \$10.00 per foot.

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--------------------------------------|-------------|--------------|-----------------|
| Abies. | Bach | Bach | Duc. |
| concolor violacea. Purplecone Whi | te Fir. | 70' | |
| 2 ftB&B | 5.00 | 4.50 | 4.00 |
| 3 ftB&B | 6.50 | 5.50 | 5.00 |
| 4 ftB&B | 10.00 | 7.50 | |
| 5 ftB&B | 12.50 | 10.00 | |
| 6 ftB&B | 15.00 | 12.50 | |
| firma. Momi Fir. 50' | | | |
| 2 ftB&B | 4.00 | 3.75 | |
| 3 ftB&B | 5.50 | 4.50 | little. |
| fraseri. Fraser Fir. 50' | | | |
| 2 ftB&B | 4.00 | 3.75 | |
| 3 ftB&B | 5.00 | 4.75 | |
| 4 ftB&B | 6.50 | 6.00 | |
| 5 ftB&B | 7.50 | 7.00 | |
| 6 ftB&B | 10.00 | * | |
| 7 ftB&B | 12.50 | | |
| homolepis. Nikko Fir. 60' | | | |
| 3 ftB&B | 6.00 | 5.00 | |
| 4 ftB&B | 7.50 | 6.50 | |
| 5 ftB&B | 10.00 | 8.00 | |
| nobilis glauca. Blueleaf Noble Fir. | . 20' | | |
| 15 inB&B | 5.00 | | |
| 18 in | 6.00 | | |
| nordmanniana. Nordmann Fir. 75 | , | | |
| 3 ftB&B | 5.00 | | |
| 4 ftB&B | 6.00 | | |
| pectinata. Silver Fir. 50' | | | |
| 2 ftB&B | 4.00 | 3.50 | |
| 3 ftB&B | 5.00 | 4.50 | |
| 4 ftB&B | 7.50 | | |
| pectinata pyramidalis. Sentinel Fir. | 10' | | |
| 18 inB&B | 4.00 | | |
| 2 ftB&B | 5.00 | | |
| veitchi. Veitch Fir. 80' | | | |
| 3 ftB&B | 5.00 | 4.50 | 3.50 |
| 4 ftB&B | 6.00 | 5.50 | 5.00 |
| 5 ftB&B | 10.00 | 8.50 | |
| 6 ftB&B | 12.50 | | |
| 12 ftB&B | 40.00 | | |
| 14 ftB&B | 60.00 | | |
| LARGE SPECIMEN SHRUBS QUOTED | ON REQ | UEST. | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---------------------------------------|-------------|--------------|-----------------|
| Acanthopanax pentaphyllum. Five-leave | | | 0.5 |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .60 | .45 | .35 |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | 1.00 | .75 | .65 |
| ricinifolium. Castor Aralia. 25' | | | |
| 6 to 8 ft | 6.50 | 6.00 | |
| 8 to 10 ft | 8.00 | 7.50 | |
| 10 to 12 ft | 10.00 | 9.00 | |
| 12 to 14 ft | 15.00 | 12.50 | |
| 14 to 16 ft | 20.00 | 15.00 | |
| ricinifolium maximowiczi. 25' | | | |
| 6 ft | 10.00 | | |
| 7 ft | 12.50 | | |
| 8 ft | 15.00 | | |
| 10 ft | 18.00 | | |
| Acer buergerianum. Trident Maple. 40 | , | | |
| 3 to 4 ft | 2.50 | 2.00 | 1.75 |
| 4 to 5 ft | 3.00 | 2.50 | 2.25 |
| 5 to 6 ft | 3.50 | 3.00 | _, |
| 6 to 8 ft | 5.00 | 4.00 | |
| campestre. Hedge Maple. 25' | | | |
| 3 to 4 ft | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft | 4.50 | 3.50 | 3.00 |
| 8 to 10 ft | 6.50 | 5.00 | 4.50 |
| 10 to 12 ft | 10.00 | 8.50 | |
| 12 to 14 ft | 15.00 | 12.50 | |
| 14 to 16 ft | 20.00 | 15.00 | |
| cappadocicum. Coliseum Maple. 40 |) ' | | |
| 12 to 14 ft | 15.00 | | |
| 14 to 16 ft | | | |
| dasycarpum. Silver Maple. 75' | | | |
| 8 to 10 ft | 1.50 | 1.25 | 1.10 |
| 1¼ to 1½ in | 2.00 | 1.60 | 1.35 |
| 1½ to 1¾ in | 2.50 | 1.90 | 1.65 |
| 1 3/4 to 2 in | 3.00 | 2.25 | 2.00 |
| 2 to 2½ in | 3.50 | 2.75 | 2.50 |
| 2½ to 3 in | 4.50 | 3.50 | 3.00 |
| 3 to 3½ in | 6.00 | 5.00 | |
| 3½ to 4 in | 7.50 | 6.50 | |
| Fan t | | | |

| Case Each Each Each Each Each | | 1-4 | 5-24 | 25 & up |
|--|-------------------------------------|-------------|------------|---------|
| 6 to 8 ft. 1.50 1.25 8 to 10 ft. 2.00 1.60 11½ to 1½ in. 2.50 1.90 1½ to 1¾ in. 2.75 2.25 dasycarpum wieri. Wier Maple. 76′ 8 to 10 ft. 2.00 1.60 1½ to 1½ in. 2.50 1.90 1½ to 1¾ in. 2.50 1.90 1½ to 1¾ in. 3.00 2.25 1½ to 2½ in. 3.50 2.75 2 to 2½ in. 5.00 3.50 ginnala. Amur Maple. 12′ 3 to 4 ft 75 .60 .50 4 to 5 ft. 1.00 .75 .65 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 2.25 1.75 1.50 8 to 10 ft. 7.50 6.00 10 to 12 ft. 10.00 7.50 japonicum aureum. Goldenmoon Maple. 15′ 2 to 3 ft. 8&B 5.00 3 to 4 ft. 9.8&B 7.50 mandshuricum. Manchurian Maple. 30′ 6 to 8 ft. 3.00 2.75 2.50 8 to 10 ft. 4.50 4.00 3.50 10 to 12 ft. 7.50 6.00 1½ to 1¾ in. 10.00 8.00 negundo. Box Elder. 60′ 6 to 8 ft. 1.00 85 .75 8 to 10 ft. 1.50 1.25 1.00 1½ to 1¾ in. 10.00 8.00 negundo. Box Elder. 60′ 6 to 8 ft. 1.50 1.25 1.00 1½ to 1½ in. 1.75 1.50 1.25 1½ to 1¾ in. 2.25 2.00 1.50 1¾ to 1½ in. 1.75 1.50 1.25 1½ to 1¾ in. 2.25 2.00 1.50 nigrum. Black Maple. 80′ | Acer | Each | Each | Each. |
| 6 to 8 ft. 1.50 1.25 8 to 10 ft. 2.00 1.60 1½ to 1½ in. 2.50 1.90 1½ to 1¾ in. 2.75 2.25 dasycarpum wieri. Wier Maple. 76' 8 to 10 ft. 2.00 1.60 1½ to 1½ in. 3.00 2.25 1½ to 1¾ in. 3.00 2.25 1¾ to 2 in. 3.50 2.75 2 to 2½ in. 5.00 3.50 ginnala. Amur Maple. 12' 3 to 4 ft 75 .60 .50 4 to 5 ft. 1.00 .75 .65 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 2.25 1.75 1.50 8 to 10 ft. 7.50 6.00 10 to 12 ft. 10.00 7.50 japonicum aureum. Goldenmoon Maple. 16' 2 to 3 ft. B&B 7.50 mandshuricum. Manchurian Maple. 30' 6 to 8 ft. 3.00 2.75 2.50 8 to 10 ft. 4.50 4.00 3.50 mandshuricum. Manchurian Maple. 30' 6 to 8 ft. 3.00 2.75 2.50 8 to 10 ft. 4.50 4.00 3.50 10 to 12 ft. 7.50 6.00 1½ to 1¾ in. 10.00 8.00 negundo. Box Elder. 60' 6 to 8 ft. 1.00 85 .75 8 to 10 ft. 1.50 1.25 1.00 1½ to 1¾ in. 10.00 8.00 negundo. Box Elder. 60' 6 to 8 ft. 1.50 1.25 1.00 1¼ to 1½ in. 1.75 1.50 1.25 1½ to 1¾ in. 2.25 2.00 1.50 nigrum. Black Maple. 80' | dasycarpum pyramidale. Pyramidal | Silver | Maple. | 75' |
| 1 ½ to 1 ½ in. 2.50 1.90 1 ½ to 1 ¾ in. 2.75 2.25 dasycarpum wieri. Wier Maple. 76' 8 to 10 ft. 2.00 1.60 1 ½ to 1 ½ in. 2.50 1.90 1 ½ to 1 ¾ in. 3.00 2.25 1 ¾ to 2 in. 3.50 2.75 2 to 2 ½ in. 5.00 3.50 ginnala. Amur Maple. 12' 3 to 4 ft 75 .60 .50 4 to 5 ft. 1.00 .75 .65 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 2.25 1.75 1.50 8 to 10 ft. 7.50 6.00 10 to 12 ft. 10.00 7.50 japonicum aureum. Goldenmoon Maple. 16' 2 to 3 ft. B&B 5.00 3 to 4 ft. 8&B 5.00 3 to 4 ft. 4.50 4.00 3.50 mandshuricum. Manchurian Maple. 30' 6 to 8 ft. 4.50 4.00 3.50 mandshuricum. Manchurian Maple. 30' 6 to 8 ft. 4.50 4.00 3.50 10 to 12 ft. 7.50 6.00 1 ½ to 1 ¾ in. 10.00 8.00 negundo. Box Elder. 60' 6 to 8 ft. 1.50 1.25 1.00 1 ¼ to 1 ½ in. 1.75 1.50 1.25 1 ½ to 1 ¾ in. 1.75 1.50 1.25 1 ½ to 1 ¼ in. 2.25 2.00 1.50 1 ¾ to 2 in. 3.00 2.50 nigrum. Black Maple. 80' | | | | |
| 1½ to 1¾ in 2.75 2.25 | 8 to 10 ft | 2.00 | 1.60 | |
| dasycarpum wieri. Wier Maple. 75' 8 to 10 ft. 2.00 1.60 1.14 to 1.12 in. 2.50 1.90 1.12 to 1.34 in. 3.00 2.25 1.34 to 2 in. 3.50 2.75 2 to 2.12 in. 5.00 3.50 | 1 1/4 to 1 1/2 in | 2.50 | 1.90 | |
| 8 to 10 ft. 2.00 1.60 1 1/4 to 1 1/2 in. 2.50 1.90 1 1/2 to 1 3/4 in. 3.00 2.25 1 3/4 to 2 in. 3.50 2.75 2 to 2 1/2 in. 5.00 3.50 ginnala. Amur Maple. 12' 3 to 4 ft | 1½ to 1¾ in | 2.75 | 2.25 | |
| 1 ½ to 1 ½ in 2.50 1.90 1 ½ to 1 ¾ in 3.00 2.25 1 ¾ to 2 in 3.50 2.75 2 to 2 ½ in 5.00 3.50 ginnala. Amur Maple. 12' 3 to 4 ft | dasycarpum wieri. Wier Maple. 75 | , | | |
| 1½ to 1¾ in 3.00 2.25 1¾ to 2 in 3.50 2.75 2 to 2½ in 5.00 3.50 ginnala. Amur Maple. 12' 3 to 4 ft | 8 to 10 ft | 2.00 | 1.60 | |
| 1 % to 2 in 3.50 2.75 2 to 2 ½ in 5.00 3.50 ginnala. Amur Maple. 12' 3 to 4 ft | $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 2.50 | 1.90 | • |
| ginnala. Amur Maple. 12' 3 to 4 ft | 1½ to 1¾ in | 3.00 | 2.25 | |
| ginnala. Amur Maple. 12' 3 to 4 ft | 1 3/4 to 2 in | 3.50 | 2.75 | |
| 3 to 4 ft | 2 to $2\frac{1}{2}$ in | 5.00 | 3.50 | |
| 4 to 5 ft. 1.00 .75 .65 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 2.25 1.75 1.50 8 to 10 ft. 2.50 2.25 2.00 griseum. Paperbark Maple. 25' 6 to 8 ft. 6.00 5.00 8 to 10 ft. 7.50 6.00 10 to 12 ft. 10.00 7.50 japonicum aureum. Goldenmoon Maple. 15' 2 to 3 ft. 8&B 5.00 3 to 4 ft. 8&B 7.50 mandshuricum. Manchurian Maple. 30' 6 to 8 ft. 3.00 2.75 2.50 8 to 10 ft. 4.50 4.00 3.50 10 to 12 ft. 7.50 6.00 1½ to 1¾ in. 10.00 8.00 negundo. Box Elder. 60' 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 1.50 1.25 1.00 1¼ to 1½ in. 1.75 1.50 1.25 1½ to 1¾ in. 2.25 2.00 1.50 1¾ to 2 in. 3.00 2.50 | ginnala. Amur Maple. 12' | | | |
| 5 to 6 ft | 3 to 4 ft | .75 | .60 | .50 |
| 6 to 8 ft. 2.25 1.75 1.50 8 to 10 ft. 2.50 2.25 2.00 griseum. Paperbark Maple. 25' 6 to 8 ft. 6.00 5.00 8 to 10 ft. 7.50 6.00 10 to 12 ft. 10.00 7.50 japonicum aureum. Goldenmoon Maple. 15' 2 to 3 ft. 8&B 5.00 3 to 4 ft. 8&B 7.50 mandshuricum. Manchurian Maple. 30' 6 to 8 ft. 3.00 2.75 2.50 8 to 10 ft. 4.50 4.00 3.50 10 to 12 ft. 7.50 6.00 1½ to 1¾ in. 10.00 8.00 negundo. Box Elder. 60' 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 1.50 1.25 1.00 1¼ to 1½ in. 1.75 1.50 1.25 1½ to 1¾ in. 2.25 2.00 1.50 1¾ to 2 in. 3.00 2.50 nigrum. Black Maple. 80' | 4 to 5 ft | 1.00 | .75 | .65 |
| ### Sto 10 ft | 5 to 6 ft | 1.50 | 1.25 | 1.00 |
| griseum. Paperbark Maple. 25' 6 to 8 ft | 6 to 8 ft | 2.25 | 1.75 | 1.50 |
| 6 to 8 ft 6.00 5.00 8 to 10 ft | 8 to 10 ft | 2.50 | 2.25 | 2.00 |
| 8 to 10 ft | griseum. Paperbark Maple. 25' | | | |
| 10 to 12 ft 10.00 7.50 japonicum aureum. Goldenmoon Maple. 15' 2 to 3 ft B&B 5.00 3 to 4 ft B&B 7.50 mandshuricum. Manchurian Maple. 30' 6 to 8 ft 3.00 2.75 2.50 8 to 10 ft 4.50 4.00 3.50 10 to 12 ft 7.50 6.00 1½ to 1¾ in 10.00 8.00 negundo. Box Elder. 60' 6 to 8 ft 1.00 .85 .75 8 to 10 ft 1.50 1.25 1.00 1¼ to 1½ in 1.75 1.50 1.25 1½ to 1¾ in 2.25 2.00 1.50 1¾ to 2 in 3.00 2.50 | 6 to 8 ft | 6.00 | 5.00 | |
| japonicum aureum. Goldenmoon Maple. 15' 2 to 3 ft. B&B 5.00 3 to 4 ft. B&B 7.50 mandshuricum. Manchurian Maple. 30' 6 to 8 ft. 3.00 2.75 2.50 8 to 10 ft. 4.50 4.00 3.50 10 to 12 ft. 7.50 6.00 1½ to 1¾ in. 10.00 8.00 negundo. Box Elder. 60' 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 1.50 1.25 1.00 1¼ to 1½ in. 1.75 1.50 1.25 1½ to 1¾ in. 2.25 2.00 1.50 1¾ to 2 in. 3.00 2.50 nigrum. Black Maple. 80' | 8 to 10 ft | 7.50 | 6.00 | |
| 2 to 3 ft | 10 to 12 ft | 10.00 | 7.50 | |
| 3 to 4 ft. B&B 7.50 mandshuricum. Manchurian Maple. 30' 6 to 8 ft. 3.00 2.75 2.50 8 to 10 ft. 4.50 4.00 3.50 10 to 12 ft. 7.50 6.00 1½ to 1¾ in. 10.00 8.00 negundo. Box Elder. 60' 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 1.50 1.25 1.00 1¼ to 1½ in. 1.75 1.50 1.25 1½ to 1¾ in. 2.25 2.00 1.50 1¾ to 2 in. 3.00 2.50 nigrum. Black Maple. 80' | japonicum aureum. Goldenmoon Mo | aple. 1 | 5 ' | |
| mandshuricum. Manchurian Maple. 30' 6 to 8 ft. 3.00 2.75 2.50 8 to 10 ft. 4.50 4.00 3.50 10 to 12 ft. 7.50 6.00 1½ to 1¾ in. 10.00 8.00 negundo. Box Elder. 60' 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 1.50 1.25 1.00 1¼ to 1½ in. 1.75 1.50 1.25 1½ to 1¾ in. 2.25 2.00 1.50 1¾ to 2 in. 3.00 2.50 nigrum. Black Maple. 80' | 2 to 3 ftB&B | 5.00 | | |
| 6 to 8 ft. 3.00 2.75 2.50 8 to 10 ft. 4.50 4.00 3.50 10 to 12 ft. 7.50 6.00 1½ to 1¾ in. 10.00 8.00 negundo. Box Elder. 60' 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 1.50 1.25 1.00 1¼ to 1½ in. 1.75 1.50 1.25 1½ to 1¾ in. 2.25 2.00 1.50 1¾ to 2 in. 3.00 2.50 nigrum. Black Maple. 80' | 3 to 4 ftB&B | 7.50 | | |
| 6 to 8 ft. 3.00 2.75 2.50 8 to 10 ft. 4.50 4.00 3.50 10 to 12 ft. 7.50 6.00 1½ to 1¾ in. 10.00 8.00 negundo. Box Elder. 60' 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 1.50 1.25 1.00 1¼ to 1½ in. 1.75 1.50 1.25 1½ to 1¾ in. 2.25 2.00 1.50 1¾ to 2 in. 3.00 2.50 nigrum. Black Maple. 80' | mandshuricum. Manchurian Mavle. | <i>30</i> ′ | | |
| 10 to 12 ft. 7.50 6.00 1½ to 1¾ in. 10.00 8.00 negundo. Box Elder. 60' 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 1.50 1.25 1.00 1¼ to 1½ in. 1.75 1.50 1.25 1½ to 1¾ in. 2.25 2.00 1.50 1¾ to 2 in. 3.00 2.50 nigrum. Black Maple. 80' | | | 2.75 | 2.50 |
| 1½ to 1¾ in 10.00 8.00 negundo. Box Elder. 60' 6' 6 to 8 ft 1.00 .85 .75 8 to 10 ft 1.50 1.25 1.00 1¼ to 1½ in 1.75 1.50 1.25 1½ to 1¾ in 2.25 2.00 1.50 1¾ to 2 in 3.00 2.50 nigrum. Black Maple. 80' | 8 to 10 ft | 4.50 | 4.00 | 3.50 |
| negundo. Box Elder. 60' 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 1.50 1.25 1.00 1¼ to 1½ in. 1.75 1.50 1.25 1½ to 1¾ in. 2.25 2.00 1.50 1¾ to 2 in. 3.00 2.50 nigrum. Black Maple. 80' | 10 to 12 ft | 7.50 | 6.00 | |
| 6 to 8 ft | 1½ to 1¾ in | 10.00 | 8.00 | |
| 8 to 10 ft | negundo. Box Elder. 60' | | | |
| 1¼ to 1½ in 1.75 1.50 1.25 1½ to 1¾ in 2.25 2.00 1.50 1¾ to 2 in 3.00 2.50 nigrum. Black Maple. 80' | 6 to 8 ft | 1.00 | .85 | .75 |
| 1½ to 1¾ in | 8 to 10 ft | 1.50 | 1.25 | 1.00 |
| 1 % to 2 in | 1½ to 1½ in | 1.75 | 1.50 | 1.25 |
| nigrum. Black Maple. 80' | 1½ to 1¾ in | 2.25 | 2.00 | 1.50 |
| | 1% to 2 in | 3.00 | 2.50 | |
| | nigrum. Black Maple. 80' | | | |
| | | 4.50 | 4.00 | |

| | • | 1-4 | 5-24 | 25 & up |
|-----|-----------------------------------|---------|-------------|------------|
| \ce | or | Each | Each | Each |
| | nikoense. 40' | | | |
| | 2 to 3 ft | 3.50 | | |
| | palmatum. Japanese Maple. 15' | | | |
| | 2 to 3 ftB&B | 2.25 | 1.75 | 1.50 |
| | 3 to 4 ftB&B | 2.50 | 2.00 | 1.75 |
| | 4 to 5 ftB&B | 3.50 | 2.75 | 2.25 |
| | 5 to 6 ftB&B | 4.50 | 3.50 | |
| | 6 to 8 ftB&B | 7.50 | 6.00 | |
| | 8 to 10 ftB&B | 10.00 | 7.50 | |
| | palmatum atropurpureum. | | | |
| | Bloodleaf Japanese Maple. 10' | | | |
| | 2 to 3 ftB&B | 3.50 | 3.00 | 2.50 |
| | 3 to 4 ftB&B | 5.00 | 4.50 | 4.00 |
| | 4 to 5 ftB&B | 7.50 | 6.00 | 5.00 |
| | 5 to 6 ft., heavyB&B | 15.00 | 12.50 | |
| | 6 to 8 ft., heavyB&B | 20.00 | 15.00 | |
| | 8 to 10 ft., heavyB&B | 25.00 | | |
| | palmatum dissectum atropurpureu | ım. | | |
| | Purple Threadleaf Japanese Maple | 9. 6' | | |
| | 18 to 24 inB&B | 8.50 | 7.50 | |
| | 2 to 3 ftB&B | | 8.50 | |
| | 3 to 4 ftB&B | | | |
| | palmatum filicifolium. Fernleaf M | anle. 1 | '0 ' | |
| | 2 to 3 ftB&B | _ | 6.00 | |
| | 3 to 4 ftB&B | | | |
| | 4 to 5 ftB&B | | 1.00 | |
| | Din | hadaa 1 | Ianlo 10 | . , |
| | palmatum roseo-marginatum. Pin | | tapie. 10 | |
| | 2 to 3 ftB&B | | | |
| | 3 to 4 ftB&B | 10.00 | | |
| | pennsylvanicum. Striped Maple. 2 | 25' | | |
| | 4 to 5 ft | 2.25 | 2.00 | |
| | 5 to 6 ft | 2.50 | 2.25 | |
| | 6 to 8 ft | 3.00 | 2.50 | |
| | | | | |

SEE PAGE 157 FOR A COMPLETE LIST OF HERBACEOUS STOCK.

| | | | | 1-4 Each | 5-24 Each | 25 & up Each |
|----------------|------|----------------|-------------------|-------------|--------------|-----------------|
| Acer | | | | Bacii | Bach | Bach |
| platanoi | des. | Nor | way Maple. 75' | | | |
| 6 | to | 8 | ft | 1.75 | 1.60 | 1.50 |
| 8 | to | 10 | ft | 2.25 | 2.00 | 1.90 |
| 1 1/4 | to | $1\frac{1}{2}$ | in | 2.75 | 2.50 | 2.25 |
| 1 1/2 | to | 1 3/4 | in | 3.50 | 2.75 | 2.50 |
| 1 3/4 | to | 2 | in | 4.50 | 3.50 | 3.00 |
| 2 | to | $2\frac{1}{2}$ | in | 5.50 | 4.25 | 3.75 |
| 2 1/2 | to | 3 | in | 7.00 | 5.50 | 4.50 |
| 3 | to | | in | 10.00 | 7.50 | |
| 3 ½ | to | 4 | in | 12.50 | 10.00 | |
| 4 | to | 5 | in. spec | 25.00 | | |
| | , | | | | 7 | |
| - | | _ | sum. Globe Nor | _ | <i>фе</i> . | |
| 2 y | ear, | , 6 It. | standards | 5.00 | | |
| platanoic | les | schwe | edleri. Schwedler | Maple. | <i>60'</i> | |
| 1 1/4 | | | in | 3.75 | 3.00 | |
| $1\frac{1}{2}$ | to | $1\frac{3}{4}$ | in | 4.50 | 3.75 | |
| 1 3/4 | to | 2 | in | 6.00 | 5.00 | |
| 2 | to | $2\frac{1}{2}$ | in | 10.00 | 7.50 | |
| $2\frac{1}{2}$ | to | 3 | in | 12.50 | 10.00 | |
| 3 | to | | in | 17.50 | 15.00 | |
| | | - | in | 25.00 | | |
| , , | | | 7 | 001 | | |
| | | | Sycamore Maple. | | 0.00 | |
| 6 | to | 8 | | 2.50 | 2.00 | |
| 8 | | 10 | ft | 3.00 | 2.25 | |
| 11/4 | to | | in | 3.75 | 2.75 | |
| 1 ½ | | | in | 4.50 | 3.75 | |
| 1 34 | | 2 | in | 5.50 | 4.50 | |
| 2 | to | 2 1/2 | in | 6.50 | 5.50 | |
| rubrum. | R | ed Ma | ple. 75' | | | |
| 6 | to | 8 | ft | 2.25 | 2.00 | 1.50 |
| 8 | to | 10 | ft | 3.00 | 2.50 | 2.00 |
| 1 1/4 | to | 1 1/2 | in | 3.75 | 3.00 | 2.50 |
| 1 1/2 | to | 1 3/4 | in | 4.50 | 4.00 | 3.25 |
| 1 3/4 | to | 2 | in | 6.50 | 5.50 | 4.50 |
| 2 | to | $2\frac{1}{2}$ | in | 9.00 | 7.50 | 6.50 |
| $2\frac{1}{2}$ | to | 3 | in | 12.50 | 10.00 | 8.50 |
| 3 | to | 3 1/2 | in | 15.00 | 12.50 | 10.00 |
| 3 1/2 | to | 4 | in | 20.00 | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Acer | | | |
| saccharum. Sugar Maple. 75' | | | |
| 8 to 10 ft | 2.25 | 1.75 | 1.50 |
| 1 1/4 to 1 1/2 in | 3.00 | 2.25 | 2.00 |
| 1½ to 1¾ in | 3.75 | 3.00 | 2.50 |
| 1 % to 2 in | 4.50 | 4.00 | 3.25 |
| 2 to 2½ in | 6.50 | 5.00 | 4.00 |
| 2½ to 3 in | 7.50 | 6.50 | 5.00 |
| 3 to 3½ in | 12.50 | 10.00 | 7.50 |
| 3½ to 4 in | 15.00 | 12.50 | |
| 4 to 4½ in | 25.00 | 20.00 | |
| 4½ to 5 in | 35.00 | | |
| 5 to 5½ in | 45.00 | | |
| spicatum. Mountain Maple. 20' | 0 | | |
| 3 to 4 ft | 1.00 | .75 | |
| 4 to 5 ft | 1.25 | 1.00 | |
| 5 to 6 ft | 1.75 | 1.25 | |
| | 1 | 1.20 | |
| tataricum. Tatarian Maple. 20' | | | |
| 4 to 5 ft | 1.25 | 1.00 | .75 |
| 5 to 6 ft | 1.50 | 1.25 | 1.00 |
| 6 to 8 ft | 2.25 | 1.75 | 1.50 |
| 8 to 10 ft | 3.00 | 2.50 | 2.00 |
| 10 to 12 ft | 5.00 | 4.50 | |
| Actinidia arguta. Bower Actinidia. 20' | | | |
| 2 year | .60 | .45 | .35 |
| Aesculus carnea. Red Horsechestnut. 4 | o ' | | |
| 4 to 5 in | 60.00 | | |
| 5 to 6 in | | | |
| glabra. Ohio Buckeye. 25' | | | • |
| | 3.00 | 2.50 | |
| 8 to 10 ft | | - | |
| 1¼ to 1½ in | | | |
| 1½ to 2 in | | | |
| 2 to 2½ in | 7.50 | | |
| 2½ to 3 in | 10.00 | | |
| 3 to 3½ in | 15.00 | | |
| CEE DAGE 157 FOR A COMPLETE LIST OF U | | NIC CTO | 3V |

SEE PAGE 157 FOR A COMPLETE LIST OF HERBACEOUS STOCK.

| hippocastanum. Horsechestnut. | | | |
|-------------------------------|--|--|----------------------------|
| hippocastaniim Horsechesimili | ~o! | | |
| | | 0.00 | 4 1 |
| 6 to 8 ft | | 2.00 | 1. |
| 8 to 10 ft | | 2.75 | 2. |
| 1½ to 1½ in | | 3.50 | 3. |
| 1½ to 1¾ in | | 4.00 | 3. |
| 1 % to 2 in | | 4.50 | |
| 2 to 2½ in | | 5.00 | |
| 2½ to 3 in | | 7.50 | |
| 3 to 3½ in | | 12.50 | |
| $3\frac{1}{2}$ to 4 in | | | |
| 4 to 5 in | 25.00 | | |
| hippocastanum baumanni. | | | |
| Double White Horsechestnut. | <i>50'</i> | | |
| 5 to 6 ft | 7.50 | | |
| C 1 . O £1 | 10.00 | | |
| 6 to 8 ft | | | |
| 8 to 10 ft | 12.50 | | |
| | 12.50 | | |
| 8 to 10 ft | 12.50 | | |
| 8 to 10 ft | 12.50 | 2 00 | ì. |
| 8 to 10 ft | 12.50 20.00 | | |
| 8 to 10 ft | 12.50 20.00 2.50 3.75 | 2.75 | 2. |
| 8 to 10 ft | 12.50 20.00 2.50 3.75 4.00 | 2.75 3.50 | 2. 3. |
| 8 to 10 ft | 12.50 20.00 2.50 3.75 4.00 5.00 | 2.75 3.50 4.00 | 2. 3. 3. |
| 8 to 10 ft | 12.50 20.00 2.50 3.75 4.00 5.00 5.50 | 2.75 3.50 4.00 4.50 | 2. 3. 3. 4. |
| 8 to 10 ft | 12.50 20.00 2.50 3.75 4.00 5.00 5.50 7.50 | 2.75 3.50 4.00 4.50 6.00 | 2. 3. 3. 4. 5. |
| 8 to 10 ft | 12.50 20.00 2.50 3.75 4.00 5.00 5.50 7.50 10.00 | 2.75 3.50 4.00 4.50 6.00 7.50 | 2. 3. 3. 4. 5. |
| 8 to 10 ft | 12.50 20.00 2.50 3.75 4.00 5.00 5.50 7.50 10.00 15.00 | 2.75 3.50 4.00 4.50 6.00 | 2. 3. 3. 4. 5. |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Ailanthus glandulosa. Tree of Heaven. | <i>50'</i> | | |
| 6 to 8 ft | 1.75 | 1.50 | 1.25 |
| 8 to 10 ft | 2.00 | 1.75 | 1.65 |
| 10 to 12 ft | 2.25 | 2.00 | |
| 1½ to 1¾ in | 2.75 | 2.50 | |
| 1 % to 2 in | 3.50 | 2.75 | |
| 2 to 2½ in | 4.00 | 3.25 | |
| vilmoriniana. 50' | | | |
| 10 to 12 ft | 2.25 | 2.00 | |
| 1½ to 1¾ in | 2.75 | 2.50 | |
| 1 % to 2 in | 3.50 | 3.00 | |
| 2 to 2½ in | 4.50 | 3.50 | |
| 2½ to 3 in | 6.00 | 5.00 | |
| 3 to 3½ in | 7.50 | | |
| Akebia lobata. Threeleaf Akebia. 15' | | | |
| 2 year | .75 | .60 | .50 |
| 3 year from pots | 1.00 | .75 | .60 |
| | 1.00 | ••• | .00 |
| quinata. Fiveleaf Akebia. 15' | 4 5 | 0.5 | 0.5 |
| 2 year | .45 | .35 | |
| 3 year | .55 | .40 | .30 |
| Albizzia julibrissin rosea. Silktree. 30 | 9 ' | | |
| 12 to 18 in. from 4 in. pots | | 1.00 | |
| 2 to 2½ ftB&B | | | |
| Alnus cordata. Italian Alder. 40' | | | |
| 6 to 8 ft | 1.75 | 1.50 | |
| | 2.50 | 2.00 | |
| 1½ to 1¾ in | 3.50 | 3.00 | |
| 1 % to 2 in | 5.00 | 4.00 | |
| glutinosa. European Alder. 60' | | | |
| 6 to 8 ft | 1.50 | 1.25 | |
| 8 to 10 ft | 1.75 | 1.50 | |
| 1 ½ to 1½ in | 2.00 | | |
| 1½ to 1¾ in | 2.75 | | |
| 1 3/4 to 2 in | 4.00 | | |
| 2 to 2½ in | 5.00 | 4.50 | |
| | 7.50 | | |
| 3 to 3½ in | 10.00 | 7.50 | |
| | 101 | | |
| glutinosa laciniata. Cutleaf Alder. | | | |
| 8 to 10 ft | 5.00 | | |

| Alnus | 1-4 Each | 5-24 Each | 25 & up Each |
|--------------------------------------|--------------|--------------|-----------------|
| incana. Speckled Alder. 50' | | | |
| 8 to 10 ft | 2.00 | 1.75 | 1.50 |
| 1 1/4 to 1 1/2 in | 2.50 | 2.00 | 1.75 |
| 1½ to 1¾ in | 3.00 | 2.50 | 2.00 |
| 1 % to 2 in | 3.75 | 3.50 | 3.00 |
| 2 to $2\frac{1}{2}$ in | 5.00 | 4.50 | 4.00 |
| $2\frac{1}{2}$ to 3 in | 7.50 | 6.00 | 5.00 |
| 3 to $3\frac{1}{2}$ in | 10.00 | | |
| japonica. Japanese Alder. 50' | | | |
| 6 to 8 ft | 2.25 | 2.00 | |
| 8 to 10 ft | 2.75 | 2.50 | |
| 1½ to 1¾ in | 3.50 | 3.00 | |
| 2 to $2\frac{1}{2}$ in | 5.0 0 | 4.00 | |
| $2\frac{1}{2}$ to 3 in | 7.50 | 6.00 | |
| pendula. 30' | | | |
| 2 yr. 4 ft. stems | 5.00 | | |
| rugosa. Hazel Alder. 10' | | | |
| 2 to 3 ft | 1.00 | .75 | |
| 3 to 4 ft | 1.25 | 1.00 | |
| 4 to 5 ft | 1.50 | 1.25 | |
| 5 to 6 ft | 1.75 | 1.50 | |
| 6 to 8 ft | 2.50 | 2.00 | |
| 8 to 10 ft | 4.00 | 3.00 | |
| viridis. European Green Alder. 6' | | | |
| 3 to 4 ft | 1.50 | 1.25 | |
| 4 to 5 ft | 2.00 | 1.50 | |
| Althea. (See Hibiscus). | | | |
| Amelanchier alnifolia. Saskatoon. 7' | | | |
| 3 to 4 ft | 1.50 | | |
| 4 to 5 ft | 1.75 | | |
| 5 to 6 ft | 2.50 | | |
| asiatica. 35' | | | |
| 3 to 4 ft | 1.25 | | |
| 4 to 5 ft | 1.50 | | |
| 5 to 6 ft | 2.00 | | |
| 6 to 8 ft | 2.50 | | |

| Amelanchier. | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------------------------|-------------|--------------|-----------------|
| Americaner. | | | |
| canadensis. Downy Shadblow. 30' | | | |
| 2 to 3 ft | .60 | .55 | .50 |
| 3 to 4 ft | .75 | .65 | .60 |
| 4 to 5 ft | 1.25 | 1.00 | .75 |
| 5 to 6 ft | 1.75 | 1.50 | 1.25 |
| 6 to 8 ft | 3.00 | 2.50 | |
| 8 to 10 ft | 7.50 | | |
| 10 to 12 ft | 12.50 | 0.00 | |
| 6 to 8 ft. standards | 3.50 | 3.00 | |
| 8 to 10 ft. standards | 5.00 | 4.00 | |
| | | | |
| laevis. Allegheny Serviceberry. 35' | | | |
| 3 to 4 ft | 1.00 | .75 | .60 |
| 4 to 5 ft | 1.25 | 1.00 | .75 |
| 5 to 6 ft | 1.75 | 1.50 | 1.25 |
| 6 to 8 ft | 3.00 | 2.50 | 2.00 |
| 8 to 10 ft | 3.50 | 3.00 | 2.50 |
| 6 to 8 ft. standards | 3.50 | 3.00 | |
| 8 to 10 ft. " | 5.00 | 4.00 | |
| 10 to 12 ft. " | 7.50 | | |
| | | | |
| laevis rosea. 35' | ٠ | | |
| 3 to 4 ft. standards | 2.00 | 1.75 | |
| 4 to 5 ft. " | 2.50 | 2.00 | |
| 5 to 6 ft. " | 3.50 | 3.00 | |
| 6 to 8 ft. " | 5.00 | 4.00 | |
| 8 to 10 ft. " | 7.50 | 6.50 | |
| | | | |
| oblongifolia. Thicket Shadblow. 25 | , | | |
| 2 to 3 ft | .60 | .55 | .50 |
| 3 to 4 ft | .75 | .65 | .60 |
| 4 to 5 ft | 1.25 | 1.00 | .75 |
| 5 to 6 ft | 1.75 | | |
| 6 to 8 ft | 3.00 | 2.50 | |
| 0 1 10 01 | 3.50 | 3.00 | 2.50 |
| 6 to 8 ft. clumpsB&B | 12.50 | | |
| | 15.00 | | |
| 10 to 12 ft. clumpsB&B | | | |
| | | | |

| TIENKT KOHANKE O 3 | OIN | | |
|---------------------------------------|-------------|--------------|-----------------|
| | 1-4 Each | 5-24 Each | 25 & up Each |
| Amelanchier | | | |
| rotundifolia, syn. vulgaris. | | | |
| European Shadblow. 25' | • | | • |
| 2 to 3 ft | .60 | .55 | .50 |
| 3 to 4 ft | .75 | .65 | .60 |
| 4 to 5 ft | 1.25 | 1.00 | .75 |
| 5 to 6 ft | 1.75 | 1.50 | 1.25 |
| 6 to 8 ft | 3.00 | 2.50 | 2.00 |
| 8 to 10 ft | 3.50 | 3.00 | 2.50 |
| 6 to 8 ft. standards | 3.50 | 3.00 | - |
| 8 to 10 ft. " | 5.00 | 4.00 | |
| 8 to 10 ft. clumpsB&B | 15.00 | | |
| 10 to 12 ft. "B&B | 20.00 | | |
| sanguinea. Roundleaf Shadblow. 8 | 3* | | |
| 3 to 4 ft | 1.00 | | |
| 4 to 5 ft | 1.25 | | |
| 5 to 6 ft | 2.00 | | |
| 6 to 8 ft | 2.50 | | |
| 8 to 10 ft | 3.50 | | |
| stolonifera. Running Shadblow. 4' | | | |
| 18 to 24 in | .50 | .40 | .35 |
| 2 to 3 ft | .60 | .55 | .50 |
| 3 to 4 ft | .75 | .65 | |
| Amorpha brachycarpa. 3' | | | |
| 18 to 24 in | .75 | .60 | .50 |
| canescens. Lead Plant. 2' | .10 | .00 | .50 |
| 15 to 18 in | .45 | .35 | .30 |
| 18 to 24 in | .50 | .40 | .35 |
| 2 to 3 ft | .60 | .45 | .40 |
| fruticosa. Indigobush. 10' | .00 | .40 | .40 |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .50 | .40 | .35 |
| 5 to 6 ft | .60 | .50 | .40 |
| 6 to 8 ft | .75 | .60 | .40 |
| Ampelopsis aconitifolia. Monkshood Vi | | .00 | |
| 2 year | .40 | .30 | .25 |
| 3 year | .50 | .40 | .35 |
| 4 year | .60 | .50 | .45 |
| henryana. Silvervein Creeper. 15' | | .00 | . 10 |
| from 4-inch pots | .75 | .60 | 50 |
| | | | .50 |
| LARGE SPECIMEN SHRUBS QUOTED | ON REQU | JEST, | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|---|---------------------|-----------------|
| Ampelopsis. heterophylla. Porcelain Ampelopsi | s. 25' | | |
| 2 year | .40 | .30 | .25 |
| 3 year | .50 | .40 | .35 |
| 4 year | .60 | .50 | .45 |
| heterophylla amurensis. Amur An | | | , |
| 2 year | .75 | .60 | .50 |
| 3 year | 1.00 | .75 | .60 |
| heterophylla elegans, syn. siebold | li. <i>15'</i> | | |
| 2 year | .40 | .30 | .25 |
| 3 year | .50 | .40 | .35 |
| 4 year | .60 | .50 | .45 |
| quinquefolia. Virginia Creeper. 30 | 5 ′ | | |
| 2 year | .35 | .25 | .15 |
| 3 year | .40 | .30 | .20 |
| 4 year | .50 | .40 | .30 |
| quinquefolia englemanni. Englema | nn Creej | oer. 35 | , |
| 2 year | .35 | .25 | .15 |
| 3 year | .40 | .30 | .20 |
| 4 year | .50 | .40 | .30 |
| quinquefolia murorum. Wall Creep | per. | | |
| 2 year | 1.00 | .75 | |
| quinquefolia saintpauli. St. Paul (| Creeper. | 35' | |
| 2 year | .35 | .25 | .20 |
| 3 year | .45 | .35 | .25 |
| tricuspidata veitchi. Boston Ivy. | 40 ' | | |
| 2 year | .40 | .30 | .20 |
| 3 year | .50 | .40 | .30 |
| 2 year from pots | .65 | .55 | .50 |
| tricuspidata lowi. Geranium Ivy. | <i>8</i> ′ | | |
| 2 year from pots | .65 | .60 | .50 |
| 3 year from pots heavy | 1.00 | .90 | .75 |
| Amygdalus davidiana. Chinese Wild Per | | | |
| 4 to 5 ft | 1.75 | 1.50 | |
| 5 to 6 ft | 2.25 | 2.00 | |
| 6 to 8 ft | - | | |
| 8 to 10 ft | 4.50 | | |
| davidiana alba. 25' | 0.50 | 0.00 | |
| 4 to 5 ft | 2.50 | $\frac{2.00}{2.50}$ | |
| 5 to 6 ft | $\begin{array}{c} 3.00 \\ 4.00 \end{array}$ | 2.50 | |
| 8 to 10 ft | 5.00 | | |
| 0 10 10 10 | 5.00 | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Amygdalus | | | |
| nana georgica. Russian Almond. 6 | | | |
| 2 to 3 ft | 1.25 | 1.00 | |
| 3 to 4 ft | 1.50 | 1.25 | |
| 4 to 5 ft | 2.00 | 1.50 | |
| persica. Double Flowering Peach. 16 |) ' | | |
| 3 to 4 ft | .60 | .50 | |
| 4 to 5 ft | 1.00 | .75 | |
| 5 to 6 ft | 1.25 | | |
| Alboplena—Double Whit | | | * |
| Clara Meyer—Double Pi | | | |
| Rosea Plena—Double Pin | | | |
| Rubroplena—Double Red | 1. | | |
| Andromeda. (See Pieris). | | | |
| Aralia japonica. Angelica Tree. 25' | | | |
| 5 to 6 ft | 1.40 | 1.00 | .90 |
| 6 to 8 ft | 2.00 | 1.75 | 1.25 |
| 0 00 0 10 | 2.00 | 1.70 | 1.20 |
| pentaphyllum. (See Acanthopanax) | | | |
| spinosa. Devil's Walkingstick. 25' | | | |
| 3 to 4 ft | .75 | .60 | .50 |
| 4 to 5 ft | 1.00 | .75 | .60 |
| 5 to 6 ft | 1.25 | 1.00 | .75 |
| 6 to 8 ft | 2.00 | 1.50 | 1.00 |
| 8 to 10 ft | 2.50 | 2.25 | 1.75 |
| 10 to 12 ft | 3.50 | 3.00 | 2.50 |
| Arctostaphylos uva-ursi. Bearberry. | | | |
| 3½ in. pots | .60 | .50 | .45 |
| | | .00 | .40 |
| Aristolochia sipho. Dutchman's Pipe. 3 | O' | | |
| 2 year | 1.25 | 1.00 | .75 |
| tomentosa. 30' | | | |
| 2 year | .75 | .60 | .50 |
| Avenia subutifalia Ded Chalabana e | , | | |
| Aronia arbutifolia. Red Chokeberry. 8 2 to 3 ft | .50 | 25 | .25 |
| 3 to 4 ft | .60 | .35 | .25 $.35$ |
| 4 to 5 ft | .75 | .60 | .50 |
| atropurpurea. Purple Chokeberry. | | .00 | .00 |
| 2 to 3 ft | .50 | .35 | .25 |
| 3 to 4 ft | .60 | .45 | .35 |
| 4 to 5 ft | .75 | .60 | .50 |
| | . , . | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|--------------|---------------------|-----------------|
| Aronia | Bach | Macii | Bach |
| melanocarpa. Black Chokeberry. | 6 ' | | |
| | .50 | . 3 5 | |
| 3 to 4 ft | .60 | .45 | .3 5 |
| melanocarpa elata. Glossy Chokebe | _ | | |
| 2 to 3 ft | .50 | .35 | |
| 3 to 4 ft | .60 | .45 | .35 |
| Artemesia abrotanum. Southernwood. | 5 ' | | |
| 3 to 4 ft | .35 | | .20 |
| 4 to 5 ft | .45 | .35 | .25 |
| 5 to 6 ft | .60 | .45 | .35 |
| Asimina triloba. Papaw. 30' | | | |
| 2 to 3 ft | 1.00 | .75 | |
| Azalea amoena. Amoena Azalea. 4' | | | |
| 10 to 12 inB&B | 1.25 | | |
| 12 to 15 inB&B | 1.75 | | |
| 15 to 18 inB&B | 2.25 | | |
| calendulacea. Flame Azalea. 6' | | | |
| 2 to 3 ftB&B | 3.75 | 3.00 | 2.75 |
| | 0,,0 | 0.00 | 2,, 0 |
| canescens. Piedmont Azalea. 6' 2 to 3 ftB&B | 3.50 | 9.75 | 9.50 |
| 2 to 3 lt | 5.50 | 2.75 | 2.50 |
| hinodegiri. Carmine Azalea. 3' | | | |
| 10 to 12 inB&B | 1.50 | | |
| 12 to 15 inB&B | 2.00 | | |
| kaempferi. Torch Azalea. 5' | | | |
| 15 to 18 inB&B | 2.75 | 2.50 | |
| 18 to 24 inB&B | 3.75 | 3.50 | 3.00 |
| 24 to 30 inB&B | | | 3.50 |
| 30 to 36 inB&B | 6.0 0 | 5.00 | |
| ledifolia. Snow Azalea. 6' | | | |
| 15 to 18 in | 3.00 | | |
| 18: to 24 inB&B | 3.50 | | |
| lutea. 10' | | | |
| 18 to 24 inB&B | 3.50 | 3.00 | 2.50 |
| 24 to 30 inB&B | 4.00 | 3.50 | 3.00 |
| 3 to 4 ftB&B | 5.00 | 4.50 | |
| mollis. Chinese Azalea. 6' | | | |
| 15 to 18 inB&B | 2.50 | 2.25 | 2.00 |
| 18 to 24 inB&B | | 2.75 | 2.50 |
| 24 to 30 inB&B | 4.50 | 3.50 | |
| | | | |

| | 1-4 | 5-24 | 25 & up |
|---|-------------|------|---------|
| Azalea | Each | Each | Each |
| mucronulatum. Dahurian Azalea. | 6' | | |
| 3 to 4 ftB&B | 6.00 | 5.00 | |
| nudiflora. Pinxterbloom. 4' | | | |
| 2 to 3 ftB&B | 3.50 | 2.75 | 2.50 |
| 3 to 4 ft $B\&B$ | 4.00 | 3.50 | |
| poukhanensis. Korean Azalea. 4' | | | |
| 18 to 24 inB&B | 3.50 | 3.00 | 2.50 |
| 24 to 30 inB&B | 4.00 | 3.50 | 3.25 |
| viscosa. Swamp Azalea. 6' | | | |
| 18 to 24 inB&B | 2.75 | 2.50 | |
| 24 to 30 inB&B | 3.50 | 2.75 | 2.50 |
| yodogawa. Yodogawa Azalea. 4' | | | |
| 18 to 24 inB&B | 3.00 | | |
| 24 to 30 inB&B | 3.50 | | |
| 3 to 4 ftB&B | 5.00 | | |
| Baccharis halimifolia. Groundselbush. 1 | '0 ' | | |
| 2 to 3 ft | .50 | .35 | .25 |
| 3 to 4 ft | .60 | .45 | .35 |
| 4 to 5 ft | .75 | .60 | .50 |
| *Benzoin aestivale. Spice Bush. 12' | | | |
| 2 to 3 ft | .50 | .40 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| | .75 | .60 | .50 |
| 5 to 6 ft | 1.00 | .85 | .75 |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft | 2.50 | 2.00 | 1.75 |
| 8 to 10 ft. clumps B&B | 15.00 | | |
| Berberis julianae. Wintergreen Barberry | y. 5' | | |
| 15 to 18 inB&B | 1.75 | 1.50 | 1.25 |
| 18 to 24 inB&B | 2.25 | 2.00 | 1.75 |
| 24 to 30 inB&B | 2.75 | 2.50 | 2.25 |
| 30 to 36 inB&B | 3.50 | 3.00 | 2.20 |
| koreana. Korean Barberry. 6' | 0,00 | 0.00 | |
| 2 to 3 ft | 1.50 | 1.25 | 1.00 |
| 3 to 4 ft | 1.75 | 1.50 | 1.00 |
| sargentiana. Sargent Barberry. 5' | | | |
| 15 to 18 in | 1.75 | 1.50 | 1.25 |
| 18 to 24 inB&B | 2.25 | 2.00 | 1.75 |
| 24 to 30 inB&B | 2.75 | 2.50 | 2.25 |
| | | | |

SEE PAGE 157 FOR A COMPLETE LIST OF HERBACEOUS STOCK.

| Berberis | 1-4 Each | 5-24 Each | 25 & up Each |
|---------------------------------------|-------------|--------------|-----------------|
| | | | |
| thunbergi. Japanese Barberry. 4' | | | |
| 15 to 18 in | .20 | .15 | .12 |
| 18 to 24 in | .25 | .18 | .14 |
| 24 to 30 in | .35 | .25 | .18 |
| 30 to 36 in | .50 | .35 | .25 |
| 2 to 2½ ft. spec | .85 | .75 | |
| 2½ to 3 ft. spec | 1.25 | 1.00 | |
| 3 to 3½ ft. spec | 1.75 | 1.50 | |
| thunbergi atropurpurea. Redleaf J | apanese | Barber | ry. 5' |
| 18 to 24 in | .40 | .30 | .25 |
| 24 to 30 in | .50 | .40 | .30 |
| 30 to 36 in | .60 | .50 | .40 |
| 36 to 42 in | 1.00 | .75 | .60 |
| thunbergi minor. Box Barberry. 2 | , | | |
| 12 to 15 in | .35 | .25 | .20 |
| 15 to 18 in | .40 | .30 | .25 |
| 18 to 24 in | .50 | .40 | .35 |
| 24 to 30 in | .60 | .50 | .45 |
| thunbergi pluriflora. 5' | | | |
| 18 to 24 in | .35 | .25 | .20 |
| 24 to 30 in | .45 | .35 | .25 |
| 30 to 36 in | .50 | .40 | .30 |
| thunbergi pluriflora erecta. Truehee | • | umnberi | ry. |
| 12 to 15 in | • | | |
| 15 to 18 in | | | |
| 18 to 24 in | .55 | .40 | .35 |
| triacanthophora. Threespine Barl | erry. | 5 ' | |
| 15 to 18 inB&B | 1.35 | 1.25 | 1.00 |
| 18 to 24 inB&B | 1.50 | 1.35 | 1.25 |
| verruculosa. Warty Barberry. 3' | 4 = 0 | | |
| 8 to 10 in | | | |
| 12 to 15 inB&B | 1.75 | | |
| Berchemia racemosa. Japanese Suppleja | ck. 3' | | |
| 15 to 18 in | .60 | .50 | .40 |
| 18 to 24 in | .75 | .60 | .50 |

| *Retula alba Eq | ropean White Birch. | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------|----------------------|-------------|--------------|-----------------|
| 6 to | 8 ft | 1.75 | 1.50 | 1.25 |
| | 10 ft | 2.00 | 1.75 | 1.50 |
| 1 ½ to | $1\frac{1}{2}$ in | 2.50 | 2.25 | 2.00 |
| | 1 3/4 in | 3.00 | 2.75 | 2.50 |
| 1 3/4 to | 2 in | 3.50 | 3.00 | 2.75 |
| 2 to | 2 ½ in | 5.00 | 4.00 | 3.50 |
| $2\frac{1}{2}$ to | 3 in | 6.00 | 5.00 | 0.00 |
| 3 to | 3½ in | | 7.50 | |
| *alba fastigia | ata. Pyramidal White | | | • |
| 6 to 8 | ft | 4.00 | 3.50 | |
| 8 to 10 | ft | 5.00 | 4.00 | |
| 10 to 12 | ft | 7.50 | 6.00 | |
| *alba lacinia | ta. Cutleaf Weeping | Birch. | 35' | |
| 6 to | 8 ft | 2.50 | 2.25 | |
| 8 to 1 | 0 ft | 3.00 | 2.75 | |
| $1\frac{1}{4}$ to | 1½ in | 3.75 | 3.50 | |
| 1½ to | 1 3/4 in | 4.50 | 4.00 | |
| 1¾ to | 2 in | 6.00 | 5.00 | |
| 2 to | $2\frac{1}{2}$ in | 7.50 | 6.00 | |
| $2\frac{1}{2}$ to | 3 in | 10.00 | 7.50 | |
| | Water Birch. 40' | | | |
| 6 to 8 f | t | 3.50 | | |
| *lenta. Swee | t Birch. 40' | | | |
| 6 to | 8 ft | 1.75 | 1.50 | 1.25 |
| 8 to 1 | 0 ft | 2.50 | 2.25 | 1.75 |
| | 1 ½ in | 3.00 | 2.75 | 2.25 |
| | 1 ¾ in | 3.50 | 3.00 | 2.75 |
| - | 2 in | 4.00 | 3.50 | 3.00 |
| | 2 ½ in | 5.00 | 4.50 | 4.00 |
| $2\frac{1}{2}$ to | 3 in | 7.50 | 6.00 | 5.00 |
| 3 to | 3½ in | 10.00 | 7.50 | |
| | w Birch. 50' | | | |
| | 8 ft | 2.00 | 1.75 | 1.50 |
| 8 to 1 | | 2.50 | 2.25 | 2.00 |
| | 1½ in | 3.00 | 2.75 | 2.50 |
| | 1 % in | 3.50 | 3.00 | |
| 1 % to 2 | | 4.00 | 3.50 | |
| | 3½ in | 5.00 | 4.50 | |
| | 3 in | 7.50 | 6.00 | |
| | | 10.00 | 7.50 | |
| $3\frac{1}{2}$ to | 4 in | 12.50 | 10.00 | |

| Betula | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------------------------|-------------|--------------|-----------------|
| *maximowicziana. Monarch Bird | .h. 60' | | |
| 6 to 8 ft | | 2.50 | |
| 8 to 10 ft | | 3.00 | |
| 1½ to 1¾ in | | 4.00 | |
| 1 % to 2 in | | 5.00 | |
| 2 to 2½ in | 7.50 | . 6.00 | |
| *nigra. River Birch. 50' | | | |
| 6 to 8 ft | 1.75 | 1.50 | 1.25 |
| 8 to 10 ft | | 2.25 | 2.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | 2.75 | _,,, |
| 6 to 8 ft. clumps B&B | | 7.00 | |
| 8 to 10 ft. clumps B&B | | 9.00 | |
| *papyrifera. Canoe Birch. 40' | | | |
| 6 to 8 ft | 2.00 | 1.75 | 1.50 |
| 8 to 10 ft | | 2.25 | 2.00 |
| 1 1/4 to 1 1/2 in | | 2.75 | 2.50 |
| 1½ to 1¾ in | | 3.25 | 3.00 |
| 1 % to 2 in | | 3.75 | 3.25 |
| 2 to 2½ in | | 4.50 | |
| 2½ to 3 in | | 6.00 | 5.00 |
| 3 to 3½ in | 10.00 | 7.50 | |
| 3½ to 4 in | 12.50 | 10.00 | |
| 6 to 8 ft. clumps B&B | 7.50 | 7.00 | |
| 8 to 10 ft. clumps B&B | 10.00 | 9.00 | |
| *papyrifera cordifolia. 40' | | | |
| 1½ to 1¾ in | 5.00 | | |
| 2 to 2½ in | 7.50 | | |
| 2½ to 3 in | 10.00 | | |
| *populifolia. Gray Birch. 40' | | | |
| 6 to 8 ft | 1.75 | 1.50 | 1.25 |
| 8 to 10 ft | 2.50 | 2.25 | 2.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 3.00 | 2.75 | 2.50 |
| 1½ to 1¾ in | 3.50 | 3.00 | 2.75 |
| 1 % to 2 in | 4.00 | 3.50 | 3.00 |
| 2 to 2½ in | 5.00 | 4.50 | 4.00 |
| 2½ to 3 in | 7.50 | 6.00 | 5.00 |
| 3 to 3½ in | 10.00 | 7.50 | 6.50 |
| 4 to 4½ in | 15.00 | 12.50 | |
| 6 to 8 ft. clumps B&B | | 7.00 | |
| 8 to 10 ft. clumps B&B | 10.00 | 9.00 | |

| Bignonia grandiflora. Chinese Trumpeto | 1-4 Each | 5-24 Each 20' | 25 & up Each |
|---|-------------|---------------------|-----------------|
| 2 year | .60 | .50 | .40 |
| 3 year | .75 | .60 | .50 |
| 4 year | 1.00 | .75 | .60 |
| grandiflora Mad. Gallen. 20' | | | |
| 2 year | 1.00 | .75 | .60 |
| radicans. Trumpetcreeper. 30' | | | |
| 2 year | .30 | .20 | .15 |
| 3 year | .35 | .25 | .20 |
| speciosa. Painted Trumpetcreeper. | 30' | | |
| 2 year | .75 | .60 | .50 |
| 3 year | 1.00 | .75 | |
| Bischoffia trifoliata. 12' | | | |
| 3 to 4 ft | 2.50 | | |
| | | | |
| Broussonetia papyrifera. Paper Mulber | | | |
| 5 to 6 ft | 3.00 | 2.50 | |
| 6 to 8 ft | 3.50 | 3.00 | |
| 8 to 10 ft | 5.00 | 4.00 | |
| Bruckenthalia spiculifolia. Spikeheath. | , | | |
| 6 in., 3 inch pots | 1.50 | 1.25 | 1.00 |
| Buddleia Charming. Pink Butterfly Bus. | h. 5' | | |
| 2 to 3 ft | | .50 | .40 |
| davidi. Orange-eye Butterfly Bush. | • | | |
| 2 to 3 ft | .30 | .20 | .15 |
| 3 to 4 ft | .40 | .30 | .20 |
| davidi superba. 5' | | | |
| 2 to 3 ft | .30 | .20 | .15 |
| 3 to 4 ft | .40 | .30 | .20 |
| 4 to 5 ft | .50 | .35 | .30 |
| davidi veitchi. Veitch Butterfly But | sh. 5' | | |
| 2 to 3 ft | .30 | .20 | .15 |
| 3 to 4 ft | .40 | .30 | .20 |
| 4 to 5 ft | .50 | .35 | .30 |
| Dubonnet 5' | | | |
| 18 to 24 in | .50 | .40 | |
| farquhari. δ' | | | |
| 2 to 3 ft | .30 | .20 | .15 |
| 3 to 4 ft | .40 | .30 | .20 |
| 4 to 5 ft | .50 | .35 | .30 |
| 5 to 6 ft | .60 | .50 | .40 |
| Ile de France. 4' | | | |
| 2 to 3 ft | .40 | .30 | .20 |
| 3 to 4 ft | .50 | .40 | .30 |

| Buddleia | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| | | | |
| intermedia. Wisteria Butterfly Bu 2 to 3 ft | | 20 | |
| 3 to 4 ft | .30 | .20 | .15 |
| | | .30 | .20 |
| lindleyana. Lindley Butterfly Bush | h. 5' | | |
| 2 to 3 ft | | .20 | .15 |
| 3 to 4 ft | .40 | .30 | .20 |
| paniculata. | | | |
| 3 to 4 ft | .40 | .35 | .25 |
| 4 to 5 ft | .50 | .40 | .35 |
| Buxus microphylla. | | | |
| 12 to 15 inB&B | 1.00 | .75 | .60 |
| 15 to 18 inB&B | 1.25 | 1.00 | .75 |
| 18 to 24 inB&B | 1.50 | 1.25 | 1.00 |
| microphylla koreana. | | | |
| 6 to 8 inB&B | .65 | .55 | .50 |
| 12 to 15 inB&B | 1.00 | .75 | .60 |
| 15 to 18 inB&B | 1.25 | 1.00 | .75 |
| sempervirens handsworthi. | | | |
| 8 to 10 inB&B | 1.00 | .75 | .60 |
| 10 to 12 inB&B | 1.25 | 1.00 | .75 |
| sempervirens suffruticosa. Dwarf | Boxwoo | d. I' | |
| 12 to 15 inB&B | 1.25 | 1.00 | .75 |
| 15 to 18 inB&B | 1.50 | 1.25 | 1.00 |
| Callicarpa americana. American Beautyl | harma 6 | | _,,, |
| 2 to 3 ft | .75 | | |
| giraldiana. 6' | .10 | .65 | |
| 2 to 3 ft | .75 | .65 | CO |
| giraldiana subincanescens. 6'. | .10 | .00 | .60 |
| 3 to 3½ ft | 1.50 | | |
| japonica. Japanese Beautyberry. 4' | _,,, | | |
| 18 to 24 in | .40 | .30 | .20 |
| 2 to 3 ft | .45 | .35 | .25 |
| purpurea. Chinese Beautyberry. 4' | | •00 | .20 |
| 18 to 24 in | .40 | .30 | .20 |
| 2 to 3 ft | .45 | .35 | .25 |
| Calluna vulgaris. Heather. 2' | | | |
| C to O : 4 : 1 | .75 | 60 | ۳۵ |
| 12 to 15 in., F. G | 1.25 | .60 | .50 |
| vulgaris alba. White Heather. 2' | 1.40 | 1.00 | |
| C +- O A + 1 | .75 | .60 | .50 |
| 12 to 15 in., F. G | 1.25 | 1.00 | .50 |
| | ~·~U | 1.00 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Calluna | Bacii | Bach | Zacii |
| vulgaris alporti. Alport Heather. 2 | , | | |
| 4 inch pots | .75 | .60 | |
| vulgaris aurea. 2 | | | |
| 6 to 8 in., 4 inch pots | .75 | .60 | .50 |
| 12 to 15 in., F. G | 1.25 | 1.00 | |
| vulgaris carnea. Flesh Heather. 2' | | | |
| 6 to 8 in., 4 inch pots | .75 | .60 | |
| vulgaris searlei. 2' | | | |
| 12 to 15 in., 4 inch pots | .75 | .60 | .50 |
| 12 to 15 in., F. G | 1.25 | 1.00 | |
| Calycanthus floridus. Sweet Shrub. 5' | | | |
| 18 to 24 in | .35 | .25 | .20 |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .35 |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | 1.00 | .75 | .60 |
| occidentalis. California Sweetshrub. | 12' | | |
| 18 to 24 in | 1.00 | .75 | |
| 2 to 3 ft | 1.25 | | |
| Caragana arborescens. Siberian Peatree | . 15' | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .50 | .40 | .30 |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .75 | .60 |
| boisi. 6' | _,, | • • • | ••• |
| 2 to 3 ft | 1.00 | .75 | |
| 3 to 4 ft | 1.50 | 1.25 | |
| frutex. Russian Pea-shrub. 10' | 2.00 | 2,20 | |
| 2 to 3 ft | 1.25 | 1.00 | .75 |
| 3 to 4 ft | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft | 1.75 | 1.50 | 1.00 |
| 5 to 6 ft | 2.50 | 2.00 | |
| Carpinus betulus. European Hornbeam. | | | |
| 3 to 4 ftB&B | 5.00 | 4.50 | 4.00 |
| 4 to 5 ft | 6.00 | 5.50 | 5.00 |
| 5 to 6 ftB&B | 9.00 | 8.00 | 7.50 |
| 6 to 8 ftB&B | _ | 11.00 | 10.00 |
| | 15.00 | 13.00 | 12.00 |
| 10 to 12 ftB&B | | 18.00 | 15.00 |
| Sheared plants, 4 to 8 ft. quoted | on requ | iest. | |

| PAINESVILLE, OHIO | | | 21 |
|---|-------------|---------------------|-----------------|
| Cominus | 1-4 Each | 5-24 Each | 25 & up Each |
| Carpinus | | | |
| caroliniana. American Hornbeam. | 40' | | |
| 2 to 3 ftB&B | 1.75 | 1.50 | 1.35 |
| 3 to 4 ftB&B | 2.50 | 2.25 | 2.00 |
| 4 to 5 ftB&B | | 3.00 | 2.75 |
| 5 to 6 ftB&B | 5.00 | 4.50 | 4.00 |
| 6 to 8 ftB&B | 7.50 | 6.00 | 5.50 |
| 8 to 10 ftB&B | 10.00 | 8.00 | 7.50 |
| 10 to 12 ftB&B | 18.00 | 15.00 | 12.50 |
| Sheared plants, 4 to 10 ft., quoted | on rec | uest. | |
| japonica. 40' | | | |
| 3 to 4 ft., bushyB&B | 4.00 | 3.50 | |
| 4 to 5 ft., bushyB&B | | 4.50 | |
| • | 6.50 | 5.50 | |
| 6 to 8 ftB&B | | 7.50 | |
| yedoensis. 25' | 10.00 | 1.00 | |
| 2 to 3 ftB&B | 3.00 | 2.50 | 2.00 |
| 3 to 4 ftB&B | 4.00 | $\frac{2.50}{3.50}$ | 3.00 |
| 4 to 5 ftB&B | 6.00 | 5.00 | 3.00 |
| 5 to 6 ftB&B | 7.50 | 6.50 | |
| | | | |
| 6 to 8 ftB&B | 10.00 | 8.00 | |
| Caryopteris incana. Bluebeard. 4' | | | |
| 15 to 18 in | .45 | .35 | .30 |
| 18 to 24 in | .55 | .45 | .40 |
| tangutica. 5' | | | |
| 10 to 12 in., 4 inch pots | 1.00 | .80 | .75 |
| Catalpa bignonioides nana syn. bungei. Umbrella Catalpa. 12' | | | |
| 2 yr. heads, | | | |
| 5 to 6 ft | 1.75 | 1.50 | |
| 6 to 8 ft | 2.25 | 2.00 | |
| kaempferi. Japanese Catalpa. 20' | | | |
| 6 to 8 ft | 1.75 | 1.50 | |
| 8 to 10 ft | 2.25 | 2.00 | |
| speciosa. Western Catalpa. 30' | | | |
| 8 to 10 ft | 1.50 | 1.25 | 1.00 |
| 1½ to 1¾ in | 1.75 | | |
| 1 3/4 to 2 in | 2.00 | 1.75 | |
| 1/4 00 2 111 | 2.00 | 1.10 | 1.00 |
| Ceanothus americanus. Jersey Tea. 3' | | | |
| 18 to 24 in | .50 | .35 | .25 |
| 2 to 3 ft | .60 | .45 | .35 |
| LARGE SPECIMEN SHRUBS QUOTED | ON REG | QUEST. | |
| | | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|---------------------|
| Cedrela sinensis. Chinese Cedrela. 50' | Each | Pacif | Басп |
| 5 to 6 ft | 3.00 | 2.50 | |
| 6 to 8 ft | 4.00 | 3.50 | |
| 8 to 10 ft | 5.00 | 4.50 | |
| 10 to 12 ft | 7.50 | 6.00 | |
| Cedrus deodara Deodar. 50' | | | |
| 2 ftB&B | 3.50 | 3.00 | |
| 3 ftB&B | 5.00 | 4.50 | |
| | | | |
| libani. Cedar of Lebanon. 50' | | | |
| 2 ftB&B | 3.50 | 3.00 | |
| 3 ftB&B | 5.00 | 4.50 | |
| | | | |
| Celastrus gemmata. Chinese Bitterswee | | | |
| 2 year | 1.00 | .75 | |
| orbiculatus. Oriental Bittersweet. | | 0.0 | 2.0 |
| 2 year | .40 | .30 | .20 |
| 3 year | .45 $.60$ | .35 | .25 . 3 5 |
| | .00 | .40 | .00 |
| scandens. Native Bittersweet. 25' | .40 | .30 | .25 |
| 2 year | .45 | .35 | .30 |
| 3 year | .60 | .45 | .40 |
| T year | .00 | .40 | .40 |
| Celtis occidentalis. Hackberry. 50' | | | |
| 5 to 6 ft | 1.75 | 1.50 | 1.25 |
| 6 to 8 ft | 2.25 | 2.00 | 1.75 |
| 8 to 10 ft | 2.75 | 2.50 | 2.25 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 3.00 | 2.75 | 2.50 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 3.50 | 3.25 | 3.00 |
| 1 \(\) to 2 in | 4.00 | 3.75 | |
| 2 to $2\frac{1}{2}$ in | 5.00 | 4.00 | |
| $2\frac{1}{2}$ to 3 in | 7.50 | 5.00 | |
| 3 to $3\frac{1}{2}$ in | 10.00 | 7.50 | |
| sinensis. Chinese Hackberry. 30' | | | |
| 4 to 5 ft | 2.50 | 2.00 | |
| 5 to 6 ft | 3.00 | 2.50 | |
| Cephalanthus occidentalis. Button Bush | . 6' | | |
| | | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .35 |
| 4 to 5 ft, | .65 | .55 | .50 |

| | 1-4 Each | 5-24 Each | 25 & up |
|-------------------------------------|-------------|--------------|---------|
| Cercidiphyllum japonicum. Katsura T | | | Each |
| 4 to 5 ftB&B | 3.00 | 2.75 | 2.50 |
| 5 to 6 ftB&B | 4.50 | 4.00 | 3.75 |
| 6 to 8 ftB&B | 6.00 | 5.00 | 4.50 |
| 8 to 10 ftB&B | 8.50 | 7.50 | 6.50 |
| 10 to 12 ftB&B | | 10.00 | 9.00 |
| 8 to 10 ft. specB&B | | | |
| 10 to 12 ft. specB&B | | | |
| 12 to 14 ft. specB&B | | | |
| 14 to 16 ft. specB&B | 35.00 | | |
| japonicum sinense. Chinese Katse | ura Tree | . 50' | |
| 2 to 3 ftB&B | 4.00 | | |
| 3 to 4 ftB&B | 5.00 | | |
| | | | |
| | 15' | | 2.0 |
| 3 to 4 ft | 1.00 | .75 | .60 |
| 4 to 5 ft | 1.25 | 1.00 | .90 |
| 5 to 6 ft | 1.75 | 1.50 | 1.25 |
| 6 to 8 ft | 2.25 | 2.00 | 1.75 |
| 8 to 10 ft | 3.00 | 2.75 | 2.50 |
| 6 to 8 ft. specB&B | 7.50 | | |
| 8 to 10 ft. specB&B | 10.00 | | |
| 10 to 12 ft. specB&B | 15.00 | | |
| canadensis alba. Whitebud. 15' | | | |
| 3 to 4 ftB&B | 5.00 | | |
| *chinensis. Chinese Redbud. 10' | | | |
| 2 to 3 ft | 1.50 | 1.25 | 1.00 |
| 3 to 4 ft | 2.00 | 1.50 | 1.25 |
| 4 to 5 ft | 3.00 | 2.50 | 2.00 |
| 5 to 6 ft | 5.00 | 4.00 | 3.50 |
| 6 to 8 ft | 7.50 | 6.00 | |
| | | | |
| Chamaecyparis lawsoniana. Lawson Cy | | 100' | |
| 2 ftB&B | | 2.50 | |
| 3 ftB&B | | | |
| 4 ftB&B | | | |
| 5 ftB&B | | | |
| 6 ftB&B | 12.50 | 10.00 | |
| lawsoniana alumi. Scarab Cypress | . 40' | | |
| 2 ftB&B | | | |
| 3 ftB&B | 6.00 | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|------------------------------------|-------------|--------------|-----------------|
| Chamaecyparis | | | • |
| lawsoniana Triomphe de Boskoop | | | |
| 3 ftB&B | 4.00 | 3.50 | 3.00 |
| 4 ftB&B | 6.00 | 5.00 | 4.00 |
| 5 ftB&B | 9.00 | 7.50 | |
| 6 ftB&B | 12.00 | | |
| nootkatensis. Nootka Cypress. 75' | | | |
| 2 ftB&B | 3.00 | 2.50 | 2.25 |
| 3 ftB&B | 4.00 | 3.00 | 2.75 |
| 4 ftB&B | 5.00 | 4.50 | |
| 5 ftB&B | 7.50 | 6.00 | |
| 6 ftB&B | 9.00 | 7.50 | |
| nootkatensis pendula. Weeping No | ootka C | unress. | 15 ' |
| 3 ftB&B | 7.50 | 6.00 | |
| 4 ftB&B | 10.00 | 8.00 | |
| 5 ftB&B | 12.50 | | |
| 6 ftB&B | | | |
| | | 4.0.0 | |
| obtusa compacta. Compact Hinoki | | | 2.25 |
| 2 ftB&B | 3.00 | 2.50 | 2.25 |
| 3 ftB&B | 4.00 | 3.50 | 3.25 |
| 4 ftB&B | 5.50 | 5.00 | 4.50 |
| 5 ftB&B | 7.50 | 6.00 | |
| 6 ftB&B | | 7.50 | |
| 7 ftB&B | 12.50 | 10.00 | |
| obtusa crippsi. Yellow Hinoki Cyp | ress. | 10' | |
| 3 ftB&B | 5.00 | | |
| 4 ftB&B | 6.00 | | |
| obtusa gracilis. Slender Hinoki Cy | press. | <i>15</i> ′ | |
| 2 ftB&B | 4.00 | 3.50 | |
| 3 ftB&B | 6.00 | 5.00 | |
| 4 ftB&B | 7.50 | 6.00 | |
| 5 ftB&B | | 7.50 | |
| 6 ftB&B | 12.50 | 10.00 | |
| 7 ftB&B | 15.00 | 12.50 | |
| obtusa nana. Dwarf Hinoki Cypre | ss. 3' | | |
| 12 inB&B | 3.50 | 3.00 | |
| 15 inB&B | 4.00 | 3.50 | |
| 18 inB&B | 6.00 | 5.00 | |
| 24 inB&B | 7.50 | | |
| 30 inB&B | 10.00 | | |

| | Each 1-4 | Each 5-24 | Each 25 & up |
|---------------------------------------|-------------|-----------|-----------------|
| Chamaecyparis | - 1 | 0 21 | zo ce up |
| pisifera. Sawara Cypress. 30' | | | |
| 2 ftB&B | 2.50 | 2.00 | 1.75 |
| 3 ftB&B | 3.75 | 3.00 | 2.75 |
| 4 ftB&B | 5.00 | 4.00 | 3.75 |
| 5 ftB&B | 6.50 | 5.00 | 4.50 |
| 6 ft. specB&B | 9.00 | 7.50 | |
| 7 ft. specB&B | 12.50 | 10.00 | |
| 8 ft. specB&B | 15.00 | 12.50 | |
| 9 ft. specB&B | 18.00 | 15.00 | |
| 10 ft. specB&B | 20.00 | 18.00 | |
| For larger sizes to 18 ft., add \$5.0 | 00 per | foot. | |
| p. aurea. Golden Sawara Cypress. | <i>30'</i> | | |
| 2 ftB&B | 3.00 | 2.50 | 2.00 |
| 3 ftB&B | 3.50 | 3.00 | 2.50 |
| 4 ftB&B | 5.00 | 4.00 | 3.50 |
| 5 ftB&B | 6.00 | 5.00 | 0.00 |
| 6 ft. specB&B | | 0.00 | |
| 7 ft. specB&B | | | |
| | 15.00 | | |
| 9 ft. specB&B | 17.50 | | |
| 10 ft. specB&B | | | |
| | | | |
| p. filifera. Thread-branched Japane | ese Cyp | ress. 15 | , |
| 2 ftB&B | 3.50 | 3.00 | 2.50 |
| 3 ftB&B | 4.00 | 3.50 | 3.00 |
| 4 ftB&B | 6.00 | 5.00 | 4.00 |
| 4 ft. specB&B | 12.00 | 10.00 | |
| 5 ft. spec | 15.00 | 12.50 | |
| 6 ft. specB&B | 18.00 | 15.00 | |
| 7 ft. specB&B | 20.00 | 18.00 | |
| 8 ft. spec | 25.00 | 22.50 | |
| 9 ft. specB&B | 35.00 | | |
| p. filifera aurea. | | | |
| Golden Thread-branched Japanese | Cypre | ss. 10' | |
| 18 in. spdB&B | 3.50 | 2.75 | |
| 24 in. spdB&B | 4.50 | 3.75 | |
| 30 in. spdB&B | 6.00 | 5.00 | |
| 36x36 in. spec | 10.00 | | |

| 1-4 5-24 Each Each | 25 & up Each |
|--|-----------------|
| Chamaecyparis p. filifera aurea | |
| 48x48 in. specB&B 15.00 | |
| 54x54 in. spec | |
| 60x60 in. specB&B 25.00 | |
| | |
| p. filifera aurea nova. | |
| Variegated Thread-branched Japanese Cypress. | 10' |
| 18 to 24 in. spdB&B 3.00 | |
| 24 to 30 in. spdB&B 4.00 | |
| 30 to 36 in. spdB&B 5.00 | • |
| 36 to 42 in. spdB&B 7.50 | |
| 42 to 48 in. spdB&B 10.00 | |
| 48 to 54 in. spdB&B 15.00 | |
| | |
| p. plumosa. Plume Cypress. 30' | 1 75 |
| 2 ft. shearedB&B 2.50 2.00 | |
| 3 ft. shearedB&B 3.75 3.00 | |
| 4 ft. shearedB&B 5.00 4.00 5 ft. shearedB&B 6.00 5.00 | |
| 5 ft. shearedB&B 6.00 5.00 6 ft. shearedB&B 8.00 7.00 | |
| 7 ft. shearedB&B 10.00 9.00 | |
| 8 ft. shearedB&B 15.00 12.50 | |
| 9 ft. shearedB&B 18.00 15.00 | |
| 10 ft. shearedB&B 20.00 18.00 | |
| For larger sizes to 18 ft., add \$5.00 per foot. | |
| 3 ft. high x 4 ft. spread ex. | |
| spec | |
| 4 ft. high x 5 ft. spread ex. | |
| spec | |
| 5 ft. high x 6 ft. spread ex. | |
| specB&B 15.00 | |
| | |
| p. plumosa aurea. Goldenplume Cypress. 25' | 1 77 |
| 2 ft. shearedB&B 2.50 2.00 | |
| 3 ft. shearedB&B 3.75 3.00 | |
| 4 ft. sheared | |
| 5 ft. sheared | |
| 6 ft. shearedB&B 8.00 7.00 7 ft. shearedB&B 10.00 8.50 | |
| 8 ft. shearedB&B 15.00 12.50 | |
| 9 ft. shearedB&B 18.00 15.00 | |
| 10 ft. shearedB&B 20.00 18.00 | |
| For larger sizes to 20 ft., add \$5.00 per foot. | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---------------------------------------|---------------------|---------------------|-----------------|
| Chamaecyparis p. plumosa aurea | | | |
| 2 ft. high x 3 ft. spread ex. | | | |
| specB&B | 5.00 | | |
| 3 ft. high x 4 ft. spread ex. | | | |
| specB&B | 7.50 | | |
| 4 ft. high x 5 ft. spread ex. | | | |
| specB&B | 12.50 | | |
| 5 ft. high x 6 ft. spread ex. | | | |
| specB&B | 15.00 | | |
| p. plumosa lutescens. (Globe form) |). <i>5'</i> | | |
| 18 inB&B | 2.50 | 2.00 | 1.75 |
| 24 inB&B | 3.00 | 2.50 | 2.00 |
| p. plumosa sulphurea. Sulphurplum | ne Cyp | ress. 25 | , |
| 4 ftB&B | | 4.50 | |
| 5 ftB&B | 6.50 | 5.50 | |
| 6 ftB&B | | 7.00 | |
| 7 ftB&B | | 8.50 | |
| | 15.00 | | |
| 9 ftB&B | 18.00 | 15.00 | |
| p. squarrosa. Moss Retinospora. 3 | | | |
| 2 ft. shearedB&B | | 2.50 | 2.00 |
| 3 ft. shearedB&B | | | |
| 4 ft. shearedB&B | | | |
| 5 ft. shearedB&B | 6.50 | 5.50 | 5.00 |
| 6 ft. shearedB&B | | | 6.00 |
| 7 ft. shearedB&B | | 9.00 | 0.00 |
| 8 ft. shearedB&B | | 12.50 | |
| For larger sizes to 15 ft., add \$5.0 | | | |
| Chamaedaphne calyculata. Leatherleaf. | | 2000. | |
| 15 to 18 in | | 2.50 | |
| 18 to 24 inB&B | | 3.00 | |
| 24 to 30 inB&B | | 4.00 | |
| Chionanthus virginica. White Fringe. | | 2.00 | |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | 1.00 | .75 | .65 |
| 4 to 5 ft | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft | $\frac{1.50}{2.25}$ | 1.75 | |
| 6 to 8 ft | 3.00 | 2.25 | 2.00 |
| 8 to 10 ft | 4.00 | $\frac{2.25}{3.00}$ | 2.00 |
| 5 to 6 ft. specB&B | 7.50 | 6.00 | |
| 6 to 8 ft. specB&B | 10.00 | 7.50 | |
| • | 12.50 | 1.00 | |
| o w in it. specb&b | 12.00 | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Cladrastis lutea. Yellow Wood. 30' | | | |
| 5 to 6 ftB&B | 6.00 | 5.50 | 5.00 |
| 6 to 8 ftB&B | 7.50 | 6.50 | 6.00 |
| 8 to 10 ftB&B | 10.00 | 9.00 | 8.00 |
| | 17.50 | 15.00 | 12.50 |
| 12 to 14 ftB&B | | | |
| | | | |
| Clematis apiifolia. October Clematis. 25 | , | | |
| 2 year | .50 | .40 | .30 |
| chrysocoma sericea. | | | |
| 2 year | 1.00 | .75 | .60 |
| 2 year | 1.00 | .10 | .00 |
| coccinea. (See texensis). | | | |
| crispa. Curly Clematis. | | ٠ | |
| 2 year | 1.00 | .75 | |
| • | | | |
| fargesi. | | | |
| 2 year, 3 in. pots | 1.00 | .75 | |
| flammula. Plume Clematis. 15' 2 year | 1.00 | .75 | |
| | | | |
| hybrids. Large Flowering Clematis. 2 year | .75 | .60 | |
| Jackmanni, Mad. Ed. Andre, Her | nryi, | | |
| Durch and of Edicham | | | |
| Duchess of Edinburg. | | | |
| ligusticifolia. Western Virgins-bowe | r. 15' | | |
| 2 year | | .60 | .50 |
| 2 your | ••• | | |
| montana rubens. | | | |
| 3 inch pots | 1.00 | .75 | .65 |
| montana undulata. | | | |
| | 1 00 | | |
| 3½ inch pots | 1.00 | | |
| montana wilsoni. | | | |
| 3 inch pots | 1.00 | .75 | |
| | _,,, | ••• | |
| paniculata. Sweet Autumn Clematis. | 25' | | |
| 2 year | .35 | .25 | .20 |
| 3 year | .45 | .35 | .25 |
| serratifolia. Korean Clematis. | | | |
| | 1.00 | | ۵۵ |
| 2 year | 1.00 | .75 | .60 |

| | 1-4 Each | | 25 & up Each |
|--|-------------|---------|-----------------|
| Clematis tangutica. Golden Clematis. 12' | | | |
| 2 year | 60 | .50 | .40 |
| | | | .40 |
| texensis syn. coccinea. Scarlet Clea | | | 40 |
| 2 year | .60 | .50 | .40 |
| veitchi. 10' | 4 00 | | |
| 3 inch pots | 1.00 | .75 | |
| viorna. Leatherflower. | | | |
| 2 year | 1.00 | .75 | |
| virginiana. Virgins-bower. 25' | | | |
| 2 year | | .25 | |
| 3 year | .45 | .35 | .25 |
| vitalba. Travelers-joy. 25' | | | |
| 2 year | .60 | .50 | .40 |
| viticella. Italian Clematis. 10' | | | |
| 2 year | .75 | .60 | |
| Clerodendron trichotomum. Harlequin | Horybo | wer. 6' | |
| 3 to 4 ft | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft | 2.00 | 1.75 | 1.50 |
| Clethra alnifolia. Sweet Pepper Bush. | <i>5</i> ′ | | |
| 18 to 24 in | .45 | .35 | .30 |
| 24 to 30 in | .50 | .45 | .40 |
| 2½ to 3 ft | .60 | .55 | .50 |
| 3 to 4 ft | .75 | .65 | .60 |
| 4 to 5 ft | 1.00 | .85 | .75 |
| barbinervis. Tree Clethra. 5' | | | |
| 2 to 3 ft | .60 | .55 | .50 |
| 3 to 4 ft | .75 | .65 | .60 |
| paniculata. 5' | | | |
| 18 to 24 in | 1.00 | .75 | .60 |
| 2 to 3 ft | 1.25 | 1.00 | .75 |
| Colutea arborescens. Bladder Senna. 10 | o ' | | |
| 3 to 4 ft | .45 | .35 | .30 |
| 4 to 5 ft | .60 | .50 | .45 |
| 5 to 6 ft | .75 | .65 | .60 |
| cilicica. Cilician Bladder Senna. 6' | | | |
| 2 to 3 ft | 1.50 | | |
| media. 10' | | | |
| 2 to 3 ft | 1.00 | .75 | .60 |
| 3 to 4 ft | 1.25 | 1.00 | .75 |
| 4 to 5 ft | 1.50 | 1.25 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---------------------------------------|-------------|--------------|-----------------|
| Comptonia asplenifolia. Sweetfern. 3' | | | |
| 18 to 24 in | .55 | .45 | .40 |
| 2 to 3 ft | .65 | .50 | |
| Cornus alba. Tatarian Dogwood. 10' | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .45 | .35 | .25 |
| 4 to 5 ft | .60 | .45 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .75 | |
| alba elegantissima. Silverblotch D | ogwood. | 8' | |
| 2 to 3 ft | .65 | .55 | .50 |
| 3 to 4 ft | .75 | .65 | .60 |
| 4 to 5 ft | .90 | .80 | .70 |
| 5 to 6 ft | 1.00 | .90 | |
| alba sibirica. Coral Dogwood. 10' | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .45 | .35 | .25 |
| 4 to 5 ft | .60 | .45 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .90 | |
| alba spaethi. Golden variegated Do | gwood. | 8' | |
| 2 to 3 ft | - | .55 | .50 |
| 3 to 4 ft | .75 | .65 | .60 |
| 4 to 5 ft | 1.00 | .75 | |
| alternifolia. Pagoda Dogwood. 20' | | | |
| 2 to 3 ft | .60 | .45 | .40 |
| 3 to 4 ft | .75 | .55 | .50 |
| 4 to 5 ft | 1.00 | .80 | .75 |
| 5 to 6 ft | 1.25 | 1.10 | 1.00 |
| 6 to 8 ft | 1.75 | 1.50 | |
| amomum syn. sericea. Silky Dogwe | ood. 10 | , | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .45 | .35 | .25 |
| 4 to 5 ft | .60 | .45 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .85 | .75 |
| 8 to 10 ft | 1.25 | 1.00 | .90 |
| baileyi. Bailey Dogwood. 10' | | | |
| 2 to 3 ft | .45 | .35 | .30 |
| 3 to 4 ft | .55 | .45 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | 1.00 | .75 | .60 |
| 6 to 8 ft | 1.25 | 1.00 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---------------------------------------|-------------|---------------|-----------------|
| Cornus | | | |
| florida. White Flowering Dogwood | d. 25' | | |
| 3 to 4 ftB&B | 2.00 | 1.75 | 1.50 |
| 4 to 5 ftB&B | 2.50 | 2.25 | 2.00 |
| 5 to 6 ftB&B | 4.00 | 3.50 | 3.25 |
| 6 to 8 ftB&B | 6.00 | 5.50 | 5.00 |
| 8 to 10 ftB&B | 9.00 | 8.00 | 7.50 |
| 5 to 14 ft., heavy spec., | | | |
| B&B at \$1.50 per foot. | | | |
| florida plena. Dbl. White Flg. Dog | | | |
| 3 to 4 ftB&B | | 4.00 | 3.50 |
| 4 to 5 ftB&B | | 5.00 | 4.50 |
| 5 to 6 ft. specB&B | 12.50 | 10.00 | |
| 6 to 8 ft. specB&B | | | |
| 8 to 10 ft. specB&B | 20.00 | | |
| florida rubra. Red Flowering Dog | wood. | 20' | |
| 3 to 4 ftB&B | 3.75 | 3.00 | 2.50 |
| 4 to 5 ftB&B | 5.50 | 4.50 | 3.75 |
| 5 to 6 ftB&B | 7.50 | 6.50 | 5.00 |
| 6 to 8 ftB&B | 10.00 | 8.50 | 7.50 |
| 8 to 10 ftB&B | 12.50 | 10.00 | 9.00 |
| 5 ft., heavy specB&B | 12.50 | | |
| 6 ft., heavy specB&B | 15.00 | | |
| For larger sizes to 12 ft., add \$5.0 | 0 per i | foot. | |
| florida welchi. Variegated-leaved | Dogw | ood. 25' | |
| 2 to 3 ftB&B | 3.50 | | |
| 3 to 4 ftB&B | 4.50 | | |
| 4 to 5 ftB&B | 6.00 | | |
| kousa. Kousa Dogwood. 20' | | | |
| 3 to 4 ftB&B | 2.00 | 1.75 | 1.50 |
| 4 to 5 ft. heavyB&B | 5.00 | 4.50 | |
| 5 to 6 ft. heavy $B\&B$ | 7.50 | 6.50 | |
| 6 to 8 ft. heavyB&B | 10.00 | 8.50 | |
| 8 to 10 ft. heavyB&B | 12.50 | 10. 00 | |
| kousa chinensis. Chinese Dogwood. | 25' | | |
| 2 ftB&B | 5.00 | | |
| mas. Cornelian Cherry. 20' | | | |
| 2 to 3 ft | 1.00 | .85 | .75 |
| 3 to 4 ft | 1.25 | 1.15 | 1.00 |
| 4 to 5 ft | 1.75 | 1.60 | 1.50 |
| 5 to 6 ft | 2.50 | 2.25 | 2.00 |
| 6 to 8 ft | 3.50 | 3.25 | 3.00 |
| 8 to 10 ft | 4.50 | 4.25 | 4.00 |
| 10 to 12 ft | 7.50 | 6.5 0 | 6.00 |

| Cornus | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|------------------|-----------------|
| | | , | |
| officinalis. Japanese Cornelian Che | | • | |
| 3 to 4 ft | 2.00 | | |
| paniculata. Gray Dogwood. 15' | | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .35 |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | 1.00 | .85 | .75 |
| pubescens. 15' | | | |
| 3 to 4 ft | .75 | .60 | .50 |
| 4 to 5 ft | 1.00 | .75 | ,,, |
| 5 to 6 ft | 1.25 | 1.00 | |
| rugosa. Roundleaf Dogwood. 10 | , | | |
| 4 to 5 ft | 1.25 | | |
| sanguinea. Bloodtwig Dogwood. 1 | 0' | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .45 | .35 | .25 |
| 4 to 5 ft | .60 | .45 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .75 | .60 |
| sanguinea viridissima. Greentwig | Dogwood | o d . 10' | |
| 2 to 3 ft | .50 | .40 | .30 |
| | | • | |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .75 | - | .55 |
| 5 to 6 ft | 1.00 | .75 | .65 |
| stolonifera. Red Osier Dogwood. | 8 ' | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .45 | .35 | .25 |
| 4 to 5 ft | .60 | .45 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| stolonifera flaviramea. Goldentwig | Dogwo | od. 8' | |
| 2 to 3 ft | .50 | .35 | .30 |
| 3 to 4 ft | .60 | .45 | .40 |
| 4 to 5 ft | .75 | .60 | |
| Corylopsis sinensis. Chinese Winterhaz | zel. 8' | | |
| 2 to 3 ftB&B | | 4.50 | |
| | 0.00 | 1.00 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Corylus americana. American Hazelnut | . 10' | | |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .60 | .50 | .45 |
| 4 to 5 ft | .75 | .60 | .55 |
| 5 to 6 ft | 1.00 | .80 | .75 |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| avellana. Filbert. 15' | | | |
| 2 to 3 ft | .55 | .45 | .40 |
| 3 to 4 ft | .65 | .55 | .50 |
| 4 to 5 ft | .90 | .75 | .65 |
| 5 to 6 ft | 1.10 | .90 | .85 |
| 6 to 8 ft | 1.75 | 1.50 | 1.25 |
| avellana atropurpurea. Purple Fil | bert. | 15 ' | |
| 2 to 3 ft | 4.00 | 3.50 | |
| 3 to 4 ft | 4.50 | 4.00 | |
| 4 to 5 ft | 6.00 | 5.00 | |
| 5 to 6 ft | 7.50 | 6.00 | |
| 6 to 8 ft | 10.00 | 7.50 | |
| 8 to 10 ft | 12.50 | 10.00 | |
| avellana aurea. Golden Filbert. | 151 | | |
| 5 to 6 ft | | | |
| | | 7 | 101 |
| heterophylla setchuenensis. Chin | | zeinut. | 12' |
| 2 to 3 ft | 2.50 | | |
| rostrata. Beaked Hazelnut. 6' | 1 00 | ~- | |
| 2 to 3 ft | 1.00 | .75 | .60 |
| 3 to 4 ft | 1.25 | | .75 |
| 4 to 5 ft | 1.50 | 1.25 | 1.00 |
| *Cotoneaster acutifolia. Peking Cotone | easter | 12' | |
| 2 to 3 ft | .50 | .40 | .35 |
| 0 1 4 01 | .60 | .50 | .45 |
| 4 to 5 ft | | | |
| 5 to 6 ft | | | .75 |
| | 1.00 | .00 | |
| *acutifolia villosula. 12' | | 45 | 40 |
| 2 to 3 ft | .55 | .45 | .40 |
| 3 to 4 ft | .65 | .55 | .50 |
| 4 to 5 ft | .75 | .65 | .60 |
| 5 to 6 ft | 1.00 | .80 | .75 |
| 6 to 8 ft | 1.25 | 1.00 | .90 |
| adpressa. Creeping Cotoneaster. 2 | ? | | |
| 6 to 8 in. from pots | 1.25 | 1.00 | .75 |

| Cotoneaster | 1-4 Each | 5-24 Each | 25 & up Each |
|---------------------------------------|-------------|--------------|-----------------|
| ambigua. 6' | | | |
| 2 to 3 ftB&B | 1.75 | 1.50 | 1.25 |
| 3 to 4 ftB&B | 2.00 | 1.75 | 1.50 |
| 18 to 24 in., 4 in. pots | 1.25 | 1.00 | .75 |
| apiculata. 6' | | | |
| 9 to 12 in. from pots | 1.50 | 1.25 | 1.00 |
| dammeri. 2' | | | |
| 6 to 8 in, from pots | 1.75 | 1.50 | |
| dielsiana. Diels Cotoneaster. 6' | | | |
| 2 to 3 ftB&B | 1.75 | 1.50 | 1.25 |
| 3 to 4 ftB&B | 2.00 | 1.75 | 1.50 |
| 4 to 5 ftB&B | 2.50 | 2.25 | 2.00 |
| 18 to 24 in., 4 in. pots | 1.25 | 1.00 | .75 |
| divaricata. Spreading Cotoneaster. | <i>6'</i> | | |
| 2 to 3 ftB&B | 1.75 | 1.50 | 1.25 |
| 3 to 4 ftB&B | 2.00 | 1.75 | 1.50 |
| 4 to 5 ftB&B | 2.50 | 2.25 | 2.00 |
| 12 to 18 in., 4 in. pots | 1.25 | 1.00 | .75 |
| foveolata. 10' | | | |
| 2 to 3 ftB&B | 1.75 | 1.50 | 1.25 |
| 3 to 4 ftB&B | 2.00 | 1.75 | 1.50 |
| 4 to 5 ftB&B | 2.50 | 2.25 | 2.00 |
| 5 to 6 ftB&B | 3.50 | 3.00 | |
| francheti. Franchet Cotoneaster. | 10' | | |
| 18 to 24 inB&B | 1.75 | 1.50 | |
| 2 to 3 ftB&B | 2.00 | 1.75 | |
| 12 to 18 in., 4 in. pots | 1.25 | 1.00 | .75 |
| himalaicus. 6' | | | |
| 8 to 10 in., 4 in. pots | 1.25 | 1.00 | .75 |
| horizontalis. Rock Cotoneaster. 3' | | | |
| 12 to 15 in. spd. from pots | 1.50 | 1.25 | 1.00 |
| 15 to 18 in. spd. from pots | 1.75 | 1.50 | 1.25 |
| 18 to 24 in. $\operatorname{spd}B\&B$ | 2.50 | 2.00 | 1.75 |
| horizontalis perpusilla. 3' | | | |
| 10 to 12 in., from pots | 1.50 | 1.25 | 1.00 |
| 12 to 15 in., from pots | 2.00 | 1.50 | 1.25 |
| hupehensis. Hupen Cotoneaster. 5 | , | | |
| 2 to 3 ft | 2.00 | 1.75 | |
| 3 to 4 ftB&B | 2.50 | 2.25 | |
| 15 to 18 in., 3 in. pots | 1.25 | 1.00 | |

| | | | THINESTIELE, ONIO | | | • • • |
|---------|------------|--------------------|----------------------|--------------------|------|-----------------|
| | | | | 1-4 Each | | 25 & up Each |
| Cotone | aster | | | | | |
| int | tegerrim | a. | European Cotoneaste | r. 6' | | |
| | 2 to | 3 f | tB&B | 2.00 | 1.75 | |
| | 3 to | 4 f | tB&B | 2.50 | 2.25 | |
| 41 | | | | | | |
| 711 | ucida. | | | | 20 | 5 0 |
| | | | t | | | .50 |
| | | | | | | |
| | | | t | • | | |
| | 5 to | 6 11 | t | 1.25 | 1.00 | .90 |
| m | elanocar | pa. | <i>6'</i> | | | |
| | 2 to | 3 f | tB&B | 2.00 | 1.75 | |
| | 3 to | 4 f | tB&B | 2.25 | 2.00 | |
| : | | _ | Rockspray. 6' | | | |
| m | | | | 1 50 | 1.25 | 1.00 |
| | 10 10 | 14 11 | n., 4 in. pots | 1.00 | 1.20 | 1.00 |
| me | oupinens | is. | Mupin Cotoneaster. | <i>10</i> ′ | | |
| | 15 to | 18 iı | n., 4 in. pots | 1.50 | 1.25 | 1.00 |
| | | | | | | |
| m | ultiflora. | | | | | |
| | | | tB&B | | | 1.50 |
| | | | tB&B | | | |
| | | | tB&B | | | |
| | 2 to | 3 f | t., 4 in. pots | 1.50 | 1.25 | 1.00 |
| ni | tens. 6 | , | | | | |
| | - | | D & D | 1 75 | 1 50 | 1.05 |
| | | | tB&B | | 1.50 | |
| | | | tB&B | | | |
| | 18 to 2 | 34 IN | ., 4 in. pots | 1.25 | 1.00 | .75 |
| ob | scura. | <i>10</i> ′ | | | | |
| | 2 to | 3 f | tB&B | 1.75 | 1.50 | 1.25 |
| | | | tB&B | | | |
| | | | tB&B | | | |
| | | | in., 4 in. pots | | | |
| | | | <u>-</u> | | | |
| ra | | | ongarica. 6' | | | |
| | | | tB&B | | 2.00 | |
| alle to | 3 to | 4 f | tB&B | 3.00 | 2.50 | 2.25 |
| ro | tundifol | ia. | Roundleaf Cotoneaste | er. 2' | | • |
| | | | n. from pots | 1.50 | 1.25 | 1.00 |
| | | | n. from pots | 1.75 | 1.50 | |
| | | | | | - | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--------------------------------------|--------------------|--------------|-----------------|
| Cotoneaster | Bach | Bacii | Bacii |
| rosea. 6' | | | |
| 2 to 3 ftB&B | 1.75 | 1.50 | 1.25 |
| 3 to 4 ftB&B | 2.00 | 1.75 | 1.50 |
| 4 to 5 ftB&B | 2.50 | 2.25 | 2.00 |
| 5 to 6 ftB&B | 3.50 | 3.00 | |
| salicifolia. Willowleaf Cotoneaster. | <i>10</i> ′ | | |
| 2 to 3 ftB&B | 2.50 | 2.00 | |
| salicifolia floccosa. 6' | | | |
| 15 to 18 in. from pots | 1.75 | 1.50 | 1.25 |
| 18 to 24 in. from pots | 2.00 | 1.75 | |
| simonsi. Simons Cotoneaster. 8' | | | |
| 2 to 3 ftB&B | 2.25 | 2.00 | |
| 3 to 4 ftB&B | 2.50 | 2.25 | |
| 12 to 18 in., 4 in. pots | 1.25 | 1.00 | .75 |
| tenuipes. 6' | | | |
| 8 to 12 in. from pots | 1.25 | 1.00 | .75 |
| 12 to 15 in. from pots | 1.50 | 1.25 | 1.00 |
| wilsoni. Wilson Cotoneaster. 5' | | | |
| 2 to 3 ftB&B | 1.75 | 1.50 | 1.25 |
| 3 to 4 ftB&B | 2.00 | 1.75 | 1.50 |
| 15 to 18 in., 4 in. pots | 1.25 | 1.00 | .75 |
| zabeli. 6' | | | |
| 15 to 18 in., from pots | 1.50 | 1.25 | 1.00 |
| | | | |
| *Crataegus aprica. 20' | | | |
| 3 to 4 ft | 2.50 | 2.00 | |
| 4 to 5 ft | 3.00 | 2.50 | |
| 5 to 6 ft | 3.50 | 3.00 | |
| *arkansana. Arkansas Hawthorn. | 30' | | |
| 4 to 5 ft | 2.00 | 1.75 | |
| 5 to 6 ft | 2.75 | 2.25 | |
| 6 to 8 ft | 3.50 | 3.00 | |
| 8 to 10 ft | 5.00 | 4.00 | |
| *arnoldiana. Arnold Hawthorn. 20 |) ' | | |
| 3 to 4 ft | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft | 2.75 | 2.25 | |
| 6 to 8 ft | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft | 5.00 | 4.00 | 3.50 |

| | | | | PAINESVILLE, OITIO | | | 75 |
|------|---------|------|------|-----------------------|-------------|--------------|-----------------|
| | | | | | 1-4 Each | 5-24 Each | 25 & up Each |
| *Cra | taegus | | | | · | Hacii | Buch |
| | *carrie | erei | | Carriere Hawthorn. 20 | ′ | | |
| Tro. | . 4 | to | 5 | ft | 2.00 | 1.75 | 1.50 |
| | . 5 | to | 6 | ft | 2.75 | 2.25 | 2.00 |
| | 6 | to | 8 | ft | 3.50 | 3.00 | 2.50 |
| | . 8 | to | 10 | ft | 5.00 | 4.00 | 3.50 |
| | 6 | to | 8 | ft. standards, quoted | on req | luest. | |
| | *cocci | nea | . 1 | Thicket Hawthorn. 20' | | | |
| | 3 | to | 4 | ft | 1.75 | 1.50 | 1.25 |
| | 4 | to | 5 | ft | 2.00 | 1.75 | 1.50 |
| | 5 | to | 6 | ft | 2.75 | 2.25 | 2.00 |
| | 6 | to | 8 | ft | 3.50 | 3.00 | 2.50 |
| | 8 | to | 10 | ft | 5.00 | 4.00 | 3.50 |
| | *cocci | nio | ides | . 20' | | | |
| | 4 | to | 5 | ft | 2.00 | 1.75 | 1.50 |
| | 5 | to | | ft | 2.75 | 2.25 | 2.00 |
| | 6 | to | | ft | 3.50 | 3.00 | |
| | *corda | ıta. | И | Vashington Hawthorn. | 20 ' | | |
| | 3 | to | | ft | 2.00 | 1.75 | 1.50 |
| | 4 | to | | ft | 2.50 | 2.25 | 2.00 |
| | 5 | to | | ft | 3.00 | 2.50 | 2.25 |
| | 6 | to | 8 | ft | 3.50 | 3.00 | 2.75 |
| | 8 | to | | ft | 5.00 | 4.50 | 4.00 |
| | 10 | to | 12 | ft | 7.50 | 6.00 | 5.00 |
| | *crusg | alli | i. | Cockspur Thorn. 30' | | | |
| | _ | to | | ft | 2.00 | 1.75 | 1.50 |
| | 4 | to | 5 | ft | 2.50 | 2.25 | 2.00 |
| | 5 | to | 6 | ft | 3.00 | 2.75 | 2.50 |
| | 6 | to | 8 | ft | 4.00 | 3.75 | 3.50 |
| | - 8 | to | 10 | ft | 6.00 | 5.00 | 4.50 |
| | 10 | ft. | sp | ec B&B | 18.00 | 15.00 | |
| | *cune | ata. | . 1 | Nippon Hawthorn. 20' | | | |
| | 5 | to | 6 | ft | 3.50 | 2.75 | 2.50 |
| | 6 | to | 8 | ft | 4.00 | 3.50 | 3.00 |
| | *hupe | hen | sis. | 20' | | | |
| | 3 | to | 4 | ft | 2.50 | 2.00 | |
| | 4 | to | 5 | ft | 3.25 | 2.75 | |
| | 5 | to | 6 | ft | 3.75. | 3.25 | |
| | 6 | to | 8 | ft | 4.50 | 4.00 | |
| | 8 | to | 10 | ft | 6.00 | 5.00 | |
| | *macr | aca | nth | a. Spike Hawthorn. 2 | 0' | | |
| | 3 | to | 4 | ft | 2.50 | | |

| Crataegus | | | 1-4 | 5-24 | 25 & up |
|-----------|--------------|-----------------------|-------------|--------------------|---------|
| *mollis. | D_{α} | wny Hawthorn. 20' | Each | Each | Each |
| 3 to | | ft | 1.75 | 1.50 | 1.25 |
| 4 to | | ft | 2.00 | 1.75 | 1.50 |
| 5 to | | ft | 2.75 | 2.25 | 2.00 |
| 6 to | | ft | 3.50 | 3.00 | 2.50 |
| | | ft | 5.00 | 4.00 | 3.50 |
| | | English Hawthorn. 20 | | | |
| 5 to | | ft | 3.00 | 2.50 | 2.00 |
| 6 to | | ft | 3.50 | 3.00 | 2.50 |
| 8 to | | ft | 5.00 | 4.00 | |
| *nitida. | | ssy Hawthorn. 15' | | | |
| 3 to | | ft | 2.00 | 1.75 | |
| | | ft | 2.50 | 2.25 | |
| 5 to | | ft | 3.00 | 2.50 | |
| 6 to | | ft | 4.00 | 3.00 | |
| | | ft | 6.00 | 5.00 | |
| | | English Hawthorn. | | | |
| 5 to | | ft | 2.50 | 2.00 | |
| 6 to | | ft | 3.50 | 3.00 | |
| 8 to | | ft | 4.50 | 4.00 | |
| | | | 7.50 | 6.00 | |
| 8 to | 10 | ft. specB&B | 12.50 | | |
| *oxyacan | tha | plena. Dbl. White T. | horn. | 15' | |
| | | ft | | 2.75 | 2.50 |
| 6 to | 8 | ft | 3.50 | 3.25 | 3.00 |
| 8 to | 10 | ft | 5.00 | 4.50 | |
| 10 to | 12 | ft | 7.50 | | |
| *oxyacan | tha | pauli. Paul's Scarlet | Thorn. | <i>15</i> ′ | |
| 5 to | 6 | ft | 3.00 | 2.75 | 2.50 |
| 6 to | 8 | ft | 3.50 | 3.25 | 3.00 |
| 8 to | 10 | ft | 5.00 | 4.50 | • |
| 10 to | 12 | ft | 7.50 | | |
| | | punicea. Sgl. Red Th | | <i>5'</i> | |
| 5 to | | ft | 3.00 | 2.75 | |
| 6 to | | ft | 3.50 | 3.25 | 3.00 |
| | | ft | 5.00 | 4.50 | |
| | | ft | 7.50 | | |
| _ | | Persian Hawthorn. 15 | | 0.00 | |
| 3 to | | ft | 2.50 | 2.00 | |
| 4 to | | ft | 3.00 | 2.50 | |
| 5 to 6 to | | ft | 3.50 | 3.00 | |
| | | ft | 5.00 7.50 | 4.00 | |
| 0 10 | TO | 10 | 1.50 | 6.00 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|------------------------------------|-------------|--------------|-----------------|
| rataegus. | | | |
| *persistens. 15' | | | |
| 3 to 4 ft | 2.00 | 1.75 | |
| 4 to 5 ft | 2.50 | 2.25 | |
| *pinnatifida major. Peking Hawth | orn. 2 | o ' | |
| 3 to 4 ft | 2.50 | 2.00 | |
| 4 to 5 ft | 2.75 | 2.50 | |
| 5 to 6 ft | 3.00 | 2.75 | |
| 6 to 8 ft | 4.00 | 3.75 | |
| *pruinosa. Frosted Hawthorn. 18' | • | | |
| 4 to 5 ft | 2.50 | 2.25 | |
| 5 to 6 ft | 3.50 | 2.75 | |
| 6 to 8 ft | 4.50 | 3.50 | |
| 8 to 10 ft | 6.00 | 5.00 | |
| *prunifolia. Plumleaf Hawthorn. | 2 5′ | | |
| 3 to 4 ft | 2.00 | 1.75 | 1.50 |
| 4 to 5 ft | 2.50 | 2.25 | 2.00 |
| 5 to 6 ft | 3.00 | 2.75 | 2.50 |
| 6 to 8 ft | 4.00 | 3.50 | 3.00 |
| *punctata. Dotted Hawthorn. 25' | | | |
| 3 to 4 ft | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft | 2.75 | 2.25 | 2.00 |
| 6 to 8 ft | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft | 5.00 | 4.00 | 3.50 |
| pyracantha coccinea. Scarlet Fire | ethorn. | 10 ' | |
| 12 to 15 in., 4 in. pots | | 1.00 | |
| pyracantha lalandi. Laland Firetho | .wn 10 | , | |
| 18 to 24 in. bushy B&B | | 3.00 | 2.75 |
| 2 to 3 ft. bushy B&B | | | |
| 3 to 3½ ftB&B | | | 0.20 |
| 3½ to 4 ftB&B | | | |
| 4 to 5 ftB&B | | 0.00 | |
| 5 to 6 ftB&B | | | |
| 12 to 15 in. 4 in. pots | | 1.00 | .75 |
| pyracantha yunnanensis. 10' | | | |
| 12 to 18 in., 4 in. pots | 1.25 | 1.00 | .75 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---------------------------------------|-------------|--------------|-----------------|
| Crataegus | | | |
| *succulenta. Fleshy Hawthorn. 2 | 0' | | |
| 4 to 5 ft | 2.50 | 2.25 | 2.00 |
| 5 to 6 ft | 3.50 | 2.75 | |
| 6 to 8 ft | 4.50 | 3.50 | |
| 8 to 10 ft | 6.00 | 5.00 | 0 |
| *tomentosa. Pear Hawthorn. 15' | | | |
| 3 to 4 ft | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft | 2.75 | 2.25 | 2.00 |
| 6 to 8 ft | 3.50 | 3.00 | |
| *viridis. 35' | | | |
| 5 to 6 ft | 3.00 | 2.50 | |
| 6 to 8 ft | 4.00 | 3.00 | |
| 8 to 10 ft | 5.00 | 4.00 | |
| Cryptomeria japonica lobbi. Lobb Cryp | otomeri | a. 20' | |
| 2 ftB&B | 2.50 | 2.25 | 2.00 |
| 3 ftB&B | 3.50 | 3.00 | 2.50 |
| 4 ftB&B | 5.00 | 4.50 | 4.00 |
| 5 ftB&B | 7.50 | 6.00 | 5.00 |
| 6 ftB&B | 10.00 | 7.50 | 6.50 |
| 7 ftB&B | 12.50 | 10.00 | 7.50 |
| 8 ftB&B | 15.00 | 12.50 | 10.00 |
| For larger sizes to 18 ft., add \$5.0 | 0 per | foot. | |
| Cydonia cathayensis. 8' | | | |
| 3 to 4 ft | 1.50 | | |
| 4 to 5 ft | 2.50 | | |
| | 2.00 | | |
| japonica. Flowering Quince. 5' | 95 | or. | 20 |
| 18 to 24 in | .35 | .25 | .20 |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .60 | .45 | |
| japonica alba. White Flg. Quince. 5 | 5 ′ | | |
| 15 to 18 in | 1.50 | 1.25 | |
| 18 to 24 in | 1.75 | | |
| japonica alpina. Salmon Flg. Quine | • | | |
| 18 to 24 in | 1.75 | 1.50 | |
| 2 to 3 ft | 2.00 | 1.75 | |
| japonica Columbia. Deep Rose Fi | lg. Quir | nce. 5' | |
| 18 to 24 in | 1.75 | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|--------------|--------------|-----------------|
| Cydonia | Each | Pacif | Pach |
| japonica Falconet Charlet. White | Flg. Qu | iince. 6' | • |
| 2 to 3 ft | 2.00 2.50 | | |
| japonica pygmaea. $Dwarf\ Jap.\ Qu$ | uince. 3 | 3' | |
| 18 to 24 in | .45 | .35 .45 | .30 .40 |
| japonica rosea grandiflora. Pink | | | |
| 15 to 18 in | | 1.25 | |
| japonica rosea plena. $Dbl.PinkF$ | lowering | g Quinc | ee. 5' |
| 2 to 3 ft | | | |
| japonica rubra. Red Flowering Qu 18 to 24 in | | 3′ | |
| japonica umbilicata. Navel Flower | ing Qui | nce. 8' | |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .60 | .50 | .45 |
| 4 to 5 ft | 1.00 7.50 | .75 | .60 |
| japonica Vermilion. Red Flg. Qui | | 1.50 | |
| kermesiana semi-plena. Rose Pinh | k Fla G | nince | /. ' |
| 2 to 3 ft | | 1.75 | 4 |
| maulei. Lesser Flowering Quince. | 5' | | |
| 18 to 24 in | .45 | .35 | .30 |
| 2 to 3 ft | .60 | .45 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| Cytisus hirsutus. 2'. | | | |
| 10 to 12 in., 4 in. pots | .60 | .50 | |
| nigricans. Spike Broom. 4' | | | |
| 12 to 15 in | .60 | .50 | |
| scoparius. Scotch Broom. 10' | | | |
| 18 to 24 in | | .50 | .45 |
| scoparius andreanus. Paradise Br | | | . = |
| 18 to 24 in | .60 | .50 | .45 |
| 10 to 12 in., 4 in. pots | .60 | .50 | o V |

| | 1-4 | 5-24 | 25 & up |
|---------------------------------------|-----------|------|---------|
| | Each | Each | Each |
| Daphne cneorum. Garland Flower. 1' | | | |
| 8 to 10 in. spd | .65 | .55 | .50 |
| 10 to 12 in. spdB&B | .75 | .65 | .60 |
| 12 to 15 in. spdB&B | 1.00 | .85 | .75 |
| mezereum. February Daphne. 4' | | | |
| 15 to 18 inB&B | 1.75 | 1.50 | 1.25 |
| 18 to 24 inB&B | 2.00 | 1.75 | 1.50 |
| 2 to 2½ ftB&B | 2.25 | 2.00 | 1.75 |
| 2½ to 3 ftB&B | 2.75 | 2.50 | 2.25 |
| mezereum alba. White February | Daphne. | 4' | |
| 18 to 24 inB&B | 2.25 | 2.00 | 1.75 |
| 24 to 30 inB&B | 2.50 | 2.25 | 2.00 |
| $2\frac{1}{2}$ to 3 ftB&B | | 2.75 | |
| | | | |
| Davidia involucrata. Dovetree. 40' | | | |
| 6 to 10 in. from pots | 6.00 | | |
| | | | |
| Decumaria barbara. | | | |
| 3 yr. from pots | .50 | .45 | .40 |
| Desmodium. (See Lespedeza). | | | |
| Deutzia gracilis. Slender Deutzia. 3' | | | |
| | 40 | .30 | .25 |
| 15 to 18 in | .40 | | |
| 18 to 24 in | .50 | .35 | .30 |
| 24 to 30 in | .60 | .45 | .40 |
| 30 to 36 in | .75 | .60 | .50 |
| lemoinei. Lemoine Deutzia. 5' | | | |
| 18 to 24 in | .40 | .30 | .25 |
| 24 to 30 in | .50 | .35 | .30 |
| $2\frac{1}{2}$ to 3 ft | .60 | .45 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| lemoine avalanche. Avalanche Deu | itzia. 4' | | |
| 2 to $2\frac{1}{2}$ ft | .50 | .40 | .35 |
| 2½ to 3 ft | .60 | .50 | .40 |
| lemoine compacta. 5' | | | |
| | .45 | .35 | .30 |
| 2 to 3 ft | .55 | .45 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| myriantha Boule Rose. Dbl. Pink | | | .00 |
| | | • | 0.0 |
| | .50 | .40 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| ningpoense. 5' | 0.00 | 1 50 | |
| 4 to 4½ ft | 2.00 | 1.50 | |
| • | | | |

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

| | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------------------------|-------------|--------------|-----------------|
| Deutzia | | 23011 | 2340-1 |
| parviflora. Mongolian Deutzia. 5' | | | |
| 18 to 24 in | .40 | .30 | .25 |
| 2 to 3 ft | .50 | .35 | .30 |
| rosea. Rose-panicle Deutzia. 5' | | | |
| 18 to 24 in | .50 | .35 | .30 |
| 24 to 30 in | .60 | .45 | .40 |
| 2½ to 3 ft | .75 | .60 | .50 |
| rosea campanulata. Bellflower Dev | ıtzia. | 5 ' | |
| 18 to 24 in | .50 | .35 | .30 |
| 2 to 3 ft | .60 | .45 | .40 |
| rosea carminea. Carmine Deutzia. | 4' | | |
| 18 to 24 in | .50 | .35 | .30 |
| 2 to 3 ft | .60 | .45 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| rosea eximea. Pink Choice Deutzia. | 5 ' | | |
| 18 to 24 in | .50 | .35 | .30 |
| 2 to 3 ft | .60 | .45 | .40 |
| rosea venusta. White-panicle Deutz | ia. 5' | | |
| 18 to 24 in | .50 | .35 | .30 |
| 2 to 3 ft | .60 | .45 | .40 |
| scabra. Fuzzy Deutzia. 12' | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .50 | .40 | |
| scabra candidissima. Snowflake Dev | itzia. | 12 ' | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| scabra Pride of Rochester. 12' | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .50 | .40 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .75 | .60 |
| scabra rosea plena. 12' | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .50 | .40 | .35 |
| scabra watereri. Waterer's Deutzia. | 12' | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |

| | 1-4 Each | 5-24 Each | |
|--|---------------------|--|--|
| Deutzia | | | |
| scabra wellsi. Wells Deutzia. 12' | | | |
| 3 to 4 ft | .60 | .50 | |
| 4 to 5 ft | .75 | .60 | |
| 5 to 6 ft | 1.00 | .75 | |
| schneideriana laxiflora. $6'$. | | | |
| 4 to 4½ ft | 2.00 | 1.50 | |
| vilmorinae. Vilmorin Deutzia. 10' | | | |
| 2 to 3 ft | .50 | .40 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| Diervilla sessilifolia. Southern Bush Ho | neysuck | ele. 5' | |
| $2\frac{1}{2}$ to 3 ft | .45 | .35 | .30 |
| 3 to 4 ft | .55 | .40 | .35 |
| 4 to 5 ft | .65 | .50 | .40 |
| trifida. Dwarf Bush Honeysuckle. | 4' | | |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .65 | .50 | .40 |
| (See also Weigela) | | | |
| Diospyros virginiana. Common Persimm | on. 15 | , | |
| 6 to 8 ft | | 2.50 | |
| | 4.00 | 3.50 | |
| 10 to 12 ft | 6.00 | 5.00 | |
| Dirca palustris. Leatherwood. 6' | | | |
| 18 to 24 in | 2.00 | | |
| | | | |
| Elaeagnus angustifolia. Russian Olive. | 20' | 4.0 | 0.5 |
| 3 to 4 ft | $.50 \\ .60$ | .40 | .35 |
| 4 to 5 ft | .00 .75 | .50 | .40 |
| 6 to 8 ft | 1.50 | $\begin{array}{c} .60 \\ 1.25 \end{array}$ | $\begin{array}{c} .50 \\ 1.00 \end{array}$ |
| 8 to 10 ft | $\frac{1.50}{2.00}$ | 1.75 | 1.50 |
| | | | 1.50 |
| 10 to 12 ft | 3.50 | 3.00 | |
| argentea. Silverberry. 12' | 0.0 | 7 0 | 0.0 |
| 3 to 4 ft | .80 | .70 | .60 |
| 4 to 5 ft | 1.00 | .85 | .75 |
| 5 to 6 ft | 1.50 | 1.25 | 1.00 |
| 6 to 8 ft | 1.75 | 1.50 | 1.2 5 |
| longipes. Cherry Elaeagnus. 6' | | | |
| 2 to 3 ft | .75 | .60 | |
| 3 to 4 ft | 1.00 | .75 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--------------------------------------|--------------------|--------------|-----------------|
| Elaeagnus | | | |
| parvifolia. Chinese Elaeagnus. 15' | | | |
| 2 to 3 ft | 1.00 | .75 | |
| 3 to 4 ft | 1.25 | 1.00 | |
| umbellata. Autumn Elaeagnus. 12 | • | | |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .65 | .50 | .45 |
| 4 to 5 ft | .75 | .65 | |
| 5 to 6 ft | 1.00 | .85 | |
| 6 to 8 ft | 1.50 | 1.25 | |
| Elsholtzia stauntoni. 4' | | | |
| 18 to 24 in | .60 | .50 | |
| 2 to 3 ft | .75 | .60 | |
| Enkianthus campanulatus. Redvein Enk | ianthus. | <i>15</i> ′ | |
| 12 to 18 in | 1.50 | 1.25 | |
| perulatus. White Enkianthus. 6' | | | |
| 12 to 18 in | 1.50 | 1.25 | |
| 12 to 18 m | 1.00 | 1.20 | |
| Erica carnea. Spring Heath. 1' | | | |
| 6 to 8 in., 4 in. pots | 1.00 | .75 | .60 |
| darleyensis. 2' | | | |
| 6 to 8 in., 4 in. pots | 1.00 | .75 | .60 |
| vagans. Cornish Heath. 1' | | | |
| 6 to 8 in., 4 in. pots | 1.00 | .75 | .60 |
| Eucommia ulmoides. 60' | | | |
| 4 to 5 ft | 3.00 | 2.50 | |
| 5 to 6 ft | 3.50 | 3.00 | |
| 6 to 8 ft | 5.00 | 4.00 | |
| Euonymus alatus. Winged Euonymus. | <i>10</i> ′ | | |
| 2 to 3 ft | 1.00 | .75 | .65 |
| 3 to 4 ft | 1.25 | 1.10 | 1.00 |
| 4 to 5 ft | 1.75 | 1.60 | 1.50 |
| 5 to 6 ft | 3.00 | 2.75 | 2.50 |
| 6 to 8 ft | 4.00 | 3.75 | 3.50 |
| 6 to 8 ft. heavyB&B | 7.50 | | |
| | 10.00 | | |
| alatus compacta. Dwarf Winged E | นดาบทาเ | s. 6' | |
| 2 to 3 ft | 1.50 | 1.25 | |
| 3 to 4 ft | 1.75 | 1.50 | |
| U W T IW | 1.10 | 1.00 | |

| TIENKT KOLIVITATE O SC | ,,, | | |
|-------------------------------------|-------------|--------------|-----------------|
| • | 1-4 Each | 5-24 Each | 25 & up Each |
| Euonymus | | | |
| americanus. Brook Euonymus. 8' | | | |
| 3 to 4 ft | 1.25 | 1.00 | |
| 4 to 5 ft | 1.50 | 1.25 | |
| | | | |
| atropurpureus. Native Wahoo. 15 | | | |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .60 | .50 | .45 |
| 4 to 5 ft | .75 | .65 | .60 |
| 5 to 6 ft | 1.00 | .85 | .75 |
| 6 to 8 ft | 1.25 | 1.10 | 1.00 |
| Language Wintonhamma Faranama | s. 15' | | |
| bungeanus. Winterberry Euonymu | | 4.0 | 95 |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .60 | .50 | .45 |
| 4 to 5 ft | .75 | .65 | .60 |
| 5 to 6 ft | 1.00 | .85 | .75 |
| 6 to 8 ft | 1.25 | 1.10 | 1.00 |
| europaeus. European Burning Bus | sh. 15' | | |
| 2 to 3 ft | | .35 | .30 |
| 3 to 4 ft | .55 | .45 | |
| | | | |
| 4 to 5 ft | .65 | .55 | |
| 5 to 6 ft | 1.00 | .85 | .75 |
| 6 to 8 ft | 1.25 | 1.10 | 1.00 |
| europaeus fructu-coccineus. 16' | | | |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .60 | | |
| 4 to 5 ft | .75 | | |
| | | .00 | .00 |
| latifolius. Broadleaf Burning Bush. | . 10' | | |
| 3 to 4 ft | .75 | .60 | .50 |
| 4 to 5 ft | 1.00 | .85 | .75 |
| 5 to 6 ft | 1.25 | 1.00 | |
| maacki. 10' | | | |
| | PP | 4 5 | 4.0 |
| 2 to 3 ft | .55 | .45 | .40 |
| 3 to 4 ft | .65 | .55 | .50 |
| 4 to 5 ft | 1.00 | | |
| 5 to 6 ft | 1.25 | 1.10 | 1.00 |
| nanus. Dwarf Burning Bush. 3' | | | |
| 12 to 15 in | 1.00 | .75 | .60 |
| 15 to 18 in | 1.25 | 1.00 | |
| | | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------------------------|-------------|--------------|-----------------|
| Euonymus | | | |
| obovatus. Running Euonymus. 1' | | | |
| 8 to 10 in | .40 | .30 | .25 |
| oxyphyllus 15' | | | |
| 4 to 5 ft | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft | 2.00 | 1.75 | 1.50 |
| patens syn. sieboldianus. 8' | | | |
| 18 to 24 in | .65 | .55 | .50 |
| 2 to 3 ft | .90 | .80 | .75 |
| 3 to 4 ft | 1.25 | 1.00 | .90 |
| radicans. Wintercreeper. 15' | | | |
| 8 to 12 in | .40 | .30 | .25 |
| 12 to 15 in | .50 | .35 | .30 |
| 15 to 18 in | .60 | .45 | .40 |
| 18 to 24 in | .75 | .60 | .50 |
| radicans acutus. Sharpleaf Winterd | reeper. | 1 ' | |
| 12 to 15 in | .50 | .40 | .35 |
| 15 to 18 in | .65 | .50 | .45 |
| radicans argenteo-marginatus. | | | |
| Silveredge Wintercreeper. 1' | | | |
| 8 to 12 in | .40 | .30 | .25 |
| 12 to 15 in | .50 | .35 | .30 |
| 15 to 18 in | .60 | .45 | .40 |
| | | | .40 |
| radicans carrieri. Glossy Wintercre | _ | | 0.2 |
| 12 to 15 in | | .40 | |
| | .60 | .50 | |
| 18 to 24 in | .75 | .65 | .55 |
| radicans colorata. 10' | | | |
| 12 to 15 in | .40 | .30 | .25 |
| 15 to 18 in | .55 | .45 | .35 |
| 18 to 24 in | .65 | .55 | .45 |
| radicans kewensis. Prostrate Baby | Winterc | reeper. | |
| 8 to 12 in. from pots | .45 | .35 | .30 |
| radicans minima. Baby Wintercree | per. 1' | | |
| 8 to 12 in. from pots | .45 | .35 | .30 |
| 12 to 15 in. from pots | .55 | .45 | .40 |
| radiana manatus Dialogi Wintonan | | , , | |
| radicans vegetus. Bigleaf Wintercre | eeper. 55 | 45 | .40 |
| | .65 | .45 | |
| | .80 | | |
| 24 to 30 in | 1.50 | | .00 |
| 4± 10 00 III | 1.00 | 1,40 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---------------------------------------|--------------------|--------------|-----------------|
| Euonymus | | | |
| sieboldianus (see patens) | | | |
| yedoensis. Yeddo Euonymus. 10' | | | |
| 2 to 3 ft | .55 | .45 | .40 |
| 3 to 4 ft | .65 | .55 | .50 |
| 4 to 5 ft | 1.00 | .80 | .75 |
| 5 to 6 ft | 1.25 | 1.10 | 1.00 |
| 6 to 8 ft | 1.50 | 1.35 | 1.25 |
| Euptelea polyandra. 20' | | | |
| 18 to 24 in | 2.00 | 1.75 | |
| 2 to 3 ft | 2.50 | 2.00 | |
| Evodia hupehensis. 25' | | | |
| 3 to 4 ft | 1.75 | 1.50 | |
| 4 to 5 ft | 2.50 | 2.00 | |
| 5 to 6 ft | 3.00 | 2.50 | |
| Exochorda grandiflora. Pearl Bush. 10 |) ' | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .30 |
| 4 to 5 ft | .65 | .55 | .45 |
| 5 to 6 ft | .75 | .65 | .55 |
| 6 to 8 ft | 1.00 | .75 | .65 |
| 8 to 10 ft | 1.25 | 1.00 | |
| 6 to 8 ft. specB&B | 10.00 | | |
| 8 to 10 ft. specB&B | 12.50 | | |
| giraldi wilsoni. Wilson Pearlbush. | <i>15</i> ′ | | |
| 2 to 3 ft | 2.00 | | |
| 3 to 4 ft | 2.50 | | |
| 4 to 5 ft | 3.00 | | |
| Fagus americana. American Beech. 60 | , | | |
| 3 to 4 ftB&B | 4.50 | 4.00 | 3.75 |
| 4 to 5 ftB&B | 6.00 | 5.00 | 4.75 |
| 5 to 6 ftB&B | 8.50 | 7.50 | 6.50 |
| 6 to 8 ftB&B | 12.50 | 10.00 | 8.50 |
| 8 to 10 ftB&B | 15.00 | 12.50 | |
| sylvatica. European Becch. 75' | | | |
| 3 to 4 ftB&B | 3.50 | 3.00 | 2.50 |
| 4 to 5 ftB&B | 4.50 | 4.00 | 3.50 |
| 5 to 6 ftB&B | 6.50 | 5.50 | 5.00 |
| 6 to 8 ftB&B | 9.00 | 8.00 | 7.50 |
| 8 to 10 ftB&B | 12.50 | 10.00 | 9.00 |
| 10 to 12 ftB&B | 20.00 | 15.00 | 12.50 |
| 12 to 14 ftB&B | 25.00 | 20.00 | |
| 14 to 16 ftB&B | 35.00 | 30.00 | |

| Fagus | 1-4 Each | 5-24 Each | 25 & up Each |
|---|--------------|--------------|-----------------|
| sylvatica fastigiata. Pyramidal Bee | | | |
| 10 to 12 ftB&B | 30.00 | | |
| sylvatica heterophylla. Fernleaf H | Beech. 2 | 5 ' | |
| 4 to 5 ftB&B | 10.00 | | |
| 5 to 6 ftB&B | 12.50 | | |
| 6 to 8 ftB&B | 15.00 | | |
| sylvatica pendula. Weeping Beech | . 50' | | |
| 8 to 10 ftB&B | 20.00 | | |
| 10 to 12 ftB&B | | | |
| 12 to 14 ftB&B | | | |
| Larger sizes quoted on reque | est. | | |
| sylvatica purpurea. Purple Beech. | 75 ' | • | |
| 3 to 4 ftB&B | 6.00 | 5.00 | |
| 4 to 5 ftB&B | 7.50 | 6.50 | |
| 5 to 6 ftB&B | 10.00 | 7.50 | |
| 6 to 8 ftB&B | 12.50 | 10.00 | |
| 8 to 10 ftB&B | 15.00 | | |
| 10 to 12 ftB&B | 20.00 | | |
| sylvatica riversi. River's Beech. 7 | 75 ' | | |
| 5 to 6 ftB&B | 12.50 | | |
| 6 to 8 ftB&B | 15.00 | | |
| 8 to 10 ftB&B | 20.00 | | |
| 10 to 12 ft., 1½ in B&B | 25.00 | | |
| Larger sizes quoted on reque | es t. | | |
| Fontanesia fortunei. Fortune Fontanesia | a. 15' | | |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | 1.00 | .75 | .60 |
| 6 to 8 ft | 1.25 | 1.00 | .75 |
| 8 to 10 ft | 1.50 | 1.25 | 1.00 |
| Forsythia europea. Albanian Forsythia. | 6 ' | | |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | 1.00 | .75 | .60 |
| 4 to 5 ft | 1.25 | 1.00 | |
| intermedia. Border Forsythia. 8' | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .50 | .40 | .30 |
| 5 to 6 ft | .65 | .55 | .45 |
| 6 to 8 ft | .90 | .75 | .60 |
| intermedia primulina. Primrose F | | | |
| 3 to 4 ft | 1.50 | 1.25 | |
| 4 to 5 ft | 1.75 | 1.50 | |

| | 1-4 | 5-24 | 25 & up |
|---|----------|---------|---------|
| Forsythia | Each | Each | Each |
| intermedia spectabilis. Showy Bore | der For | sythia. | 8' |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .50 | .40 | .30 |
| 5 to 6 ft | .65 | .55 | .45 |
| 6 to 8 ft | .90 | .75 | .60 |
| ovata. 8' | | | • |
| 2 to 3 ft | .75 | .50 | .40 |
| 3 to 4 ft | 1.00 | .75 | .60 |
| 4 to 5 ft | 1.25 | 1.00 | |
| | | _,,, | • |
| suspensa. Weeping Forsythia. 6' | 0 = | 0.5 | 0.0 |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .45 | .35 | .30 |
| 4 to 5 ft | .60 | .50 | .40 |
| 5 to 6 ft | .75 | .60 | .50 |
| suspensa atrocaulis. Purple Stem | For syth | ia. 6' | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .45 | .35 | .30 |
| 4 to 5 ft | .60 | .50 | .40 |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .90 | .75 |
| suspensa fortunei. Golden Bell. 8' | , | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .50 | .40 | .30 |
| 5 to 6 ft | .65 | .55 | |
| 6 to 8 ft | .90 | .75 | .60 |
| suspensa sieboldi. Siebold Forsythi | | | ••• |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .50 | .40 | .30 |
| 5 to 6 ft | .65 | .55 | .45 |
| 6 to 8 ft | .90 | .75 | .60 |
| | | .10 | .00 |
| viridissima. Greenstem Forsythia. 8 | | 0.5 | 0.0 |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .60 | .45 | .35 |
| Fothergilla gardeni. Dwarf Fothergilla. | 3' | | |
| 15 to 18 inB&B | 2.50 | 2.00 | |
| 18 to 24 inB&B | 3.50 | 3.00 | |
| Franklinia (see Gordonia) | | | |

| | 1-4 | 5-24 | 25 & up |
|--|---------------------|---|---------------------|
| Fraxinus americana. White Ash. 80' | Each | Each | Each |
| 8 to 10 ft | 1.75 | 1.50 | 1.25 |
| 1½ to 1½ in | 2.25 | 2.00 | 1.75 |
| 1½ to 1¾ in | 2.75 | 2.50 | 2.25 |
| 1 3/4 to 2 in | 4.00 | 3.75 | 3.50 |
| 2 to 2½ in | 5.00 | 4.50 | |
| 2½ to 3 in | 6.50 | 5.50 | |
| excelsior. European Ash. 100' | | | |
| 8 to 10 ft | 1.75 | 1.50 | 1.25 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 2.25 | 2.00 | 1.75 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 2.75 | 2.50 | 2.25 |
| 1 3/4 to 2 in | 4.00 | 3.75 | 3.50 |
| 2 to 2½ in | 5.00 | 4.50 | 4.00 |
| $2\frac{1}{2}$ to 3 in | 7.50 | 6.00 | |
| lanceolata. Green Ash. 60' | | | |
| 8 to 10 ft | 1.75 | 1.50 | 1.25 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 2.25 | 2.00 | 1.75 |
| 1½ to 1¾ in | 2.75 | 2.50 | 2.25 |
| 1 % to 2 in | 4.00 | 3.75 | 3.50 |
| 2 to 2½ in | 5.00 | 4.5 0 | 4.00 |
| 2½ to 3 in | 6.50 | 5.50 | • |
| mandshurica. Manchurian Ash. 80 | | | |
| 6 to 8 ft | 1.75 | 1.50 | 1.25 |
| 8 to 10 ft | 2.00 | 1.75 | 1.50 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | 2.25 | $\frac{2.00}{2.50}$ |
| 1½ to 1¾ in | 3.00 | 2.75 | 2.50 |
| nigra. Black Ash. 80' | 0.50 | 9.00 | |
| 8 to 10 ft | 2.50 | 2.00 | |
| pennsylvanica. Red Ash. 60' | 0.50 | 0.00 | |
| 8 to 10 ft | $\frac{2.50}{2.50}$ | 2.00 | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 3.50 | | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 4.50 | | |
| | 6.00 | 5.00 | |
| Gaylussacia baccata. Black Huckleberry 15 to 18 in | 2.50 | 9.00 | |
| 18 to 24 in | | $\begin{array}{c} 2.00 \\ 2.50 \end{array}$ | |
| Genista juncea. 2' | 3.00 | 2.00 | |
| 15 to 18 in. from pots | .60 | .50 | .40 |
| pilosa. Silky Leaf Broom. 1' | .00 | .00 | • 40 |
| 4 to 6 in | .60 | .50 | .40 |
| sagittalis. Arrowhead Broom. 9" | .00 | .00 | .40 |
| 4 to 6 in | .75 | .60 | .50 |
| scoparia. (See Cytisus). | ,,0 | | ••• |
| SEE PAGE 157 FOR A COMPLETE LIST OF H | EDPACE | OUS STO | r. |
| SEE LAGE 131 LOW & COMLITTEE F131 OF H | FUDACE | VO3 3100 | W17+ |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Genista | | | |
| tinctoria. Woadwaxen. 3' | | | |
| 18 to 24 in | .40 | .30 | .25 |
| 2 to 3 ft | .50 | .40 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| Ginkgo biloba. Maidenhair-tree. 60' | | | |
| 6 to 8 ft | 3.25 | 2.50 | 2.25 |
| 8 to 10 ft | 3.75 | 3.25 | 2.75 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 4.50 | 4.00 | 3.75 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 6.00 | 5.00 | 4.50 |
| 1 % to 2 in | 7.50 | 6.00 | 5.50 |
| 2 to $2\frac{1}{2}$ in | 10.00 | 8.50 | 7.50 |
| $2\frac{1}{2}$ to 3 in | 15.00 | 12.50 | 10.00 |
| 3 to $3\frac{1}{2}$ in | 25.00 | 20.00 | |
| $3\frac{1}{2}$ to 4 in | 30.00 | 25.00 | |
| Gleditsia elegantissima. 20' | | | |
| 3 to 4 ft | 2.50 | 2.00 | |
| 4 to 5 ft | 3.00 | 2.50 | |
| japonica. Japanese Honeylocust. | 40 ' | | |
| 3 to 4 ft | 2.50 | 2.00 | 1.75 |
| 4 to 5 ft | 3.00 | 2.50 | 2.25 |
| 5 to 6 ft | 3.50 | 3.00 | |
| 6 to 8 ft | 5.00 | 4.00 | |
| sinensis. Chinese Honeylocust. 40 |) ' | | |
| 3 to 4 ft | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft | 2.00 | 1.75 | 1.50 |
| triacanthos. Honey Locust. 60' | | | |
| 5 to 6 ft | 1.25 | 1.10 | 1.00 |
| 6 to 8 ft | 1.75 | 1.65 | 1.50 |
| 8 to 10 ft | 2.50 | 2.25 | 2.00 |
| 1¼ to 1½ in | 3.50 | 3.00 | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 4.50 | 3.50 | |
| $1\frac{3}{4}$ to 2 in | 6.50 | 5.00 | |
| 2 to $2\frac{1}{2}$ in | 9.00 | 7.50 | |
| $2\frac{1}{2}$ to 3 in | 12.50 | 10.00 | |
| triacanthos inermis. Thornless Ho | neylocu | st. 50' | |
| 6 to 8 ft | 3.00 | 2.75 | 2.50 |
| 8 to 10 ft | 3.50 | 3.25 | 3.00 |
| 1 3/4 to 2 in | 6.50 | 5.00 | |
| 2 to $2\frac{1}{2}$ in | 9.00 | 7.50 | |
| Glyptostrobus pensilis. Chinese Baldcy | | 15' | |
| 5 to 6 ftB&B | _ | | |
| 6 to 8 ftB&B | | | |
| 8 to 10 ftB&B | | | |
| | | | |

| | 1-4 | 5-24 | 25 & up |
|--|-------------------|------------|---------|
| Gordonia alatamaha. 20' | Each | Each | Each |
| 3 to 4 ft | 7 50 | | |
| 4 to 5 ftB&B | | | |
| 5 to 6 ftB&B | | | |
| | | | |
| Gymnocladus dioica. Kentucky Coffeetr | The second second | 0.50 | 0.00 |
| 5 to 6 ft | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft | 4.00 | 3.50 | 3.00 |
| 8 to 10 ft | 5.00 | 4.00 | 3.50 |
| 10 to 12 ft | 6.50 | 5.00 | |
| 2 to 3 in | 15.00 | | |
| Halesia tetraptera. Great Silverbell. 18 | 5 ' | | |
| 4 to 5 ft | .75 | .65 | .60 |
| 5 to 6 ft | 1.00 | .85 | .75 |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft | 2.50 | 2.00 | |
| 10 to 12 ft | 3.50 | 3.00 | |
| 8 to 10 ft. specB&B | 10.00 | | |
| Hamamelis japonica. Japanese Witchh | azel. 20 |) ' | |
| 2 to 3 ft | 1.50 | 1.25 | 1.00 |
| 3 to 4 ft | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft | 2.25 | 2.00 | 1.75 |
| japonica rubra. 20' | | | |
| 2 to 3 ft | 1.50 | 1.25 | 1.00 |
| 3 to 4 ft | 2.00 | 1.75 | 1.50 |
| 4 to 5 ft | 2.25 | 2.00 | 1.75 |
| vernalis. Vernal Witch Hazel. 6' | | | |
| 3 to 4 ft | 1.75 | 1.25 | 1.00 |
| 4 to 5 ft | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft | 2.25 | 2.00 | 1.75 |
| 6 to 8 ft | 3.00 | 2.50 | 2.25 |
| vernalis tomentella. 6' | | | |
| 3 to 4 ft | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft | 2.25 | 2.00 | 1.75 |
| 6 to 8 ft | 3.00 | 2.50 | 2.25 |
| virginiana. Witch Hazel. 15' | | | |
| 2 to 3 ft | .55 | .45 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| 4 to 5 ft | 1.25 | 1.00 | .75 |
| 5 to 6 ft | 1.50 | 1.25 | 1.00 |
| 6 to 8 ft | 1.75 | 1.50 | 1.25 |
| 8 to 10 ft | 2.00 | 1.75 | 1.50 |

| Hedera helix. English Ivy. 20' | 1-4 Each | 5-24 Each | 25 & up Each |
|--------------------------------------|-------------|--------------|-----------------|
| 2 year, 4 in. pots | | .30 | _ |
| 3 year, 4 in. pots | .50 | | |
| helix Albany. Albany Ivy. | | | |
| 2 yr., 3 in. pots | .75 | .60 | .50 |
| helix baltica. 16' | • • • | | |
| 2 year, 3 in. pots | .75 | .60 | .50 |
| helix conglomerata. 10' | | | •00 |
| 2 year, 3 in. pots | 1.00 | .75 | |
| helix gracilis. Small-leaved English | | | |
| | .40 | .30 | 25 |
| 3 year, 3 in. pots | .50 | .40 | .35 |
| helix Hahn's | | .10 | .00 |
| 2 year, 3 in. pots | .60 | .50 | .40 |
| 3 year, 3 in. pots | .75 | .60 | .50 |
| Helwingia japonica. δ' | ••• | | .00 |
| 12 to 15 in., 3 in. pots | 1.00 | .75 | |
| Hibiscus syriacus. Shrub Althea. 12' | 1.00 | | • |
| double varieties. | | | |
| 2 to 3 ft | .40 | .30 | .20 |
| 3 to 4 ft | .50 | .35 | .25 |
| | | | |
| 4 to 5 ft | .60 | .45 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .85 | .75 |
| 8 to 10 ft. hvy B&B | 10.00 | | |
| Ardens—Purple. | | | |
| Banner—Blush. | | | |
| Jeanne d'Arc—White. | | | |
| Lady Stanley—White, shaded | rose. | | |
| Rubra Plena—Red. | | | |
| Speciosa Plena—Pink. | | | |
| single varieties. | | | |
| 2 to 3 ft | .40 | .30 | .20 |
| 3 to 4 ft | .50 | .35 | .25 |
| 4 to 5 ft | .60 | .45 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| Coelestis—Blue. | | | • |
| Rosea—White, crimson eye. | | | |
| Rubis—Red. | | | |
| Totus albus—White. | | | |
| variegatus. Variegated leaved Althe | a. 8' | | |
| 2 to 3 ft | .45 | .35 | .30 |
| 3 to 4 ft | .60 | .45 | .40 |
| 4 to 5 ft | .75 | .55 | .50 |
| 5 to 6 ft | 1.00 | .75 | .60 |
| | | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--------------------------------------|-------------|--------------|-----------------|
| Hibiscus | | 47.1 | |
| variegatus meehani. Meehan's Var | | | |
| 2 to 3 ft | | | |
| 3 to 4 ft | .75 | .60 | .50 |
| Hicoria ovata. Shagbark Hickory. 75' | | | |
| 3 to 4 ft | 1.50 | | |
| 4 to 5 ft | 2.00 | | |
| Hippophae rhamnoides. Sea-buckthorn. | 12' | | |
| 3 to 4 ft | 1.25 | 1.00 | |
| 4 to 5 ft | 1.75 | 1.50 | |
| 5 to 6 ft | 2.50 | 2.00 | |
| 6 to 8 ft | 3.00 | 2.50 | |
| 8 to 10 ft | 3.50 | 3.00 | |
| 10 to 12 ft | 5.00 | | |
| Holodiscus discolor ariaefolius. 4' | | | |
| 2 to 3 ft | 1.50 | | |
| 2 00 0 10 | 1.00 | | |
| *Hovenia dulcis. Raisintree. 6' | | | |
| 3 to 4 ft | 2.00 | 1.50 | 1.25 |
| 4 to 5 ft | 2.50 | 2.00 | 1.50 |
| 5 to 6 ft | 3.50 | 2.50 | 2.00 |
| Hydrangea arborescens. Smooth Hydro | angea. | 6 ' | |
| 2 to 3 ft | .50 | .40 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| arborescens grandiflora. Snowhill | Hudran | agea. 6' | |
| 2 to 3 ft | .45 | • | .25 |
| 3 to 4 ft | .55 | .40 | .30 |
| 4 to 5 ft | .65 | .50 | .40 |
| cineria sterilis. Ashy Hydrangea. | <i>6'</i> | | |
| 2 to 3 ft | .50 | .40 | |
| 3 to 4 ft | .75 | .50 | |
| opuloides Otaksa. 3' | | | |
| 4 year | .75 | .60 | .50 |
| opuloides Thos. Hogg. 3' | | | |
| 4 year | .75 | .60 | .50 |
| paniculata. Panicle Hydrangea. 10 |) ' | | |
| 2 to 3 ft | .45 | .35 | .30 |
| 3 to 4 ft | .55 | .45 | .40 |
| 4 to 5 ft | .65 | .55 | .50 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------------|-----------------|
| Hydrangea paniculata grandiflora. Peegee Hyd | dranaca | <i>10</i> ′ | |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .60 | .50 | .45 |
| 4 to 5 ft | .75 | .65 | .55 |
| 3 to 4 ft., tree form | 1.25 | 1.00 | .00 |
| 4 to 5 ft., tree form | 1.50 | 1.25 | |
| paniculata praecox. 10' | 1.00 | 1.20 | |
| 2 to 3 ft | .75 | .60 | |
| 3 to 4 ft | 1.00 | .75 | ٠ |
| petiolaris. Climbing Hydrangea. | | | • |
| 4 inch pots | 1.00 | .85 | .75 |
| quercifolia. Oakleaf Hydrangea. 4 | | | |
| 2 to 3 ft | 1.00 | .85 | |
| 3 to 4 ft | 1.25 | | |
| radiata. Silverleaf Hydrangea. 6' | | | |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| Hypericum arnoldianum. 5' | | | |
| 18 to 24 in | .75 | .60 | |
| 2 to 3 ft | .90 | .75 | |
| aureum. Golden St. Johnswort. 4' | | | |
| 18 to 24 in | .40 | .30 | .25 |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .60 | .50 | .40 |
| bucklei. Mountain St. Johnswort. | 1' | | |
| 6 inches | .75 | .60 | .50 |
| densiflorum. 5' | | | |
| 18 to 24 in | .40 | .30 | .25 |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .60 | .50 | .40 |
| kalmianum. 4' | | | |
| 18 to 24 in | .40 | .30 | .25 |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .60 | .50 | .40 |
| | .00 | | •10 |
| lobocarpum. 6' 2 to 3 ft | E 0 | 40 | 95 |
| | .50 | .40 | .35 |
| 3 to 4 ft | .60 | .50 | .40 |
| moserianum. Goldflower. 2' | | | |
| 15 to 18 in | .50 | .40 | .35 |
| 18 to 24 in | .60 | .50 | .40 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------------------------|-------------|--------------|---------------------|
| Hypericum | | | |
| patulum. Japanese Hypericum. 3' | 2.0 | * 0 | |
| 18 to 24 in | .60 | .50 | .40 |
| patulum henryi. Henry Hypericum. | 4' | | |
| 18 to 24 in | .50 | .40 | .35 |
| 2 to 3 ft | .60 | .50 | .40 |
| prolificum. Shrubby St. Johnswort. | <i>5'</i> | | |
| 18 to 24 in | .40 | .30 | .25 |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .60 | .50 | .40 |
| Idesia polycarpa. 40' | | | |
| 3 to 4 ft | 1.50 | 1.25 | |
| 4 to 5 ft | 2.00 | 1.75 | |
| Ilex cornuta. Chinese Holly. 10' | | | |
| 18 to 24 inB&B | 2.00 | | |
| crenata. Japanese Holly. 10' | | | |
| 15 inB&B | 2.50 | 2.00 | 1.50 |
| 18 inB&B | 3.00 | 2.50 | 2.00 |
| 24 inB&B | 3.50 | 3.00 | $\frac{2.50}{2.50}$ |
| 30 inB&B | 5.00 | 4.00 | |
| crenata bullata. 10' | | | |
| 12 to 15 inB&B | 2 50 | 2.00 | 1.50 |
| 15 to 18 inB&B | | | 1.00 |
| crenata latifolia. 10' | | | |
| 18 to 24 inB&B | 3.00 | 2.50 | • |
| 24 to 30 inB&B | | | |
| crenata microphylla. Little Leaf Ja | | | 10' |
| 15 inB&B | | | |
| 18 inB&B | | | |
| 24 inB&B | | | 2.00 |
| | 0.00 | 1.00 | |
| geniculata. 5' 3 to 4 ft | 1.50 | 1.25 | |
| glabra. Inkberry. 8' | 2.00 | 2.20 | |
| 12 to 15 in | 1.75 | 1.50 | 1.35 |
| 15 to 18 in | 2.25 | | 1.75 |
| 18 to 24 inB&B | | | |
| 24 to 30 inB&B | 3.50 | | 2.75 |
| 30 to 36 inB&B | | | |
| 36 to 42 inB&B | 6.00 | 5.00 | |

| Ilex | 1-4 Each | 5-24 Each | 25 & up Each |
|--------------------------------------|-------------|--------------|-----------------|
| laevigata. Smooth Winterberry. 6' | | | |
| 2 to 3 ft | .75 | .60 | .50 |
| monticola. Mountain Winterberry. | <i>10</i> ′ | | |
| 3 to 4 ft | 1.25 | 1.00 | |
| opaca. American Holly. 40' | | | |
| 2 ftB&B | 3.00 | 2.50 | 2.25 |
| 3 ftB&B | 4.50 | 3.75 | 3 .25 |
| 4 ftB&B | 6.50 | 5.00 | 4.50 |
| 5 ftB&B | 10.00 | 7.50 | 6.00 |
| 6 ftB&B | 12.50 | 10.00 | 7.50 |
| 7 ftB&B | 15.00 | 12.50 | |
| 8 ftB&B | 20.00 | | : |
| serrata. syn. sieboldi. Finetooth H | Iolly. | 12' | |
| 2 to 3 ft | 1.25 | 1.00 | .75 |
| 3 to 4 ft | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft | 2.50 | 2.00 | 1.75 |
| verticillata. Common Winterberry. | <i>6'</i> | | |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| 4 to 5 ft | .85 | .70 | .60 |
| 5 to 6 ft | 1.00 | .85 | .75 |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| verticillata chrysocarpa. Yellow-fri | uited V | Vinterber | ry. 6' |
| 2 to 3 ft | 1.50 | 1.25 | 1.00 |
| 3 to 4 ft | 1.75 | 1.50 | |
| Indigofera amblyantha. Pink Indigo. | 3' | | |
| 2 to 3 ft | 1.25 | 1.00 | .75 |
| kirilowi. Kirilow Indigo. 4' | | | |
| 2 ft | 2.00 | | |
| potanini. Potanin Indigo. 5' | | | |
| 2 to 3 ft | 1.25 | 1.00 | .75 |
| 3 to 4 ft | 1.50 | 1.25 | 1.00 |
| Itea virginica. Sweetspire. 3' | | | |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | 1.00 | .85 | .75 |
| Jasminum nudiflorum. Winter Jasmine. | | | |
| 15 to 18 in | .50 | .40 | .30 |
| 18 to 24 in | .60 | .50 | .40 |
| 12 to 15 in. $2\frac{1}{2}$ in. pots | .60 | .50 | .40 |
| stephanense. 3' | | | |
| 2 ft., 4 in. pots | 1.25 | 1.00 | .75 |
| | -,· | | , , , |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Juglans cinerea. Butternut. 75' | 2.00 | | |
| 5 to 6 ft | 2.00 | 1.50 | |
| 6 to 8 ft | 2.50 | 2.00 | |
| 8 to 10 ft | 3.00 | 2.50 | |
| nigra. Black Walnut. 80' | | | |
| 6 to 8 ft | 2.00 | 1.75 | 1.50 |
| 8 to 10 ft | 2.50 | 2.25 | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 3.50 | 3.00 | |
| 1 3/4 to 2 in | 4.50 | 4.00 | |
| regia. English or Persian Walnut. | <i>50'</i> | | |
| 3 to 4 ft | 1.75 | 1.50 | |
| 4 to 5 ft | 2.50 | 2.00 | |
| 5 to 6 ft | 3.00 | 2.50 | |
| sieboldiana. Japanese Walnut. 50' | | | |
| 5 to 6 ft | 2.00 | 1.50 | |
| 6 to 8 ft | 2.50 | 2.00 | |
| 8 to 10 ft | 3.00 | 2.50 | |
| Juniperus chinensis. Chinese Juniper. | 20 ' | | |
| 2 ftB&B | 3.00 | 2.50 | 2.00 |
| 3 ftB&B | 4.00 | 3.50 | 3.25 |
| 4 ftB&B | 5.50 | 5.00 | 4.50 |
| 5 ftB&B | 7.50 | 7.00 | 6.50 |
| 6 ftB&B | 10.00 | 8.50 | 7.50 |
| 7 ftB&B | | | 9.00 |
| 8 ftB&B | | | |
| For larger sizes to 16 ft., add \$5.00 | 0 per fo | ot. | |
| chinensis albovariegata. Whiteleaf | Chinese | Junipe | r. 20' |
| 3 ftB&B | 7.50 | 6.00 | 5.00 |
| 4 ftB&B | 8.50 | 7.50 | |
| 5 ftB&B | 10.00 | | |
| 6 ftB&B | 12.50 | | |
| chinensis columnaris. Columnar C | hinese J | uniper. | 20' |
| 4 ftB&B | 6.00 | 5.00 | 4.00 |
| 5 ftB&B | 7.50 | 6.50 | 5.50 |
| 6 ftB&B | 10.00 | 8.00 | 7.00 |
| 7 ftB&B | 12.50 | 10.00 | |
| 8 ftB&B | 15.00 | 12.50 | |
| chinensis globosa. Globe Chinese J. | uniper. | 5 ' | |
| 18 inB&B | 4.00 | 3.50 | 3.00 |
| 24 inB&B | 4.50 | 4.00 | 3.50 |
| 36 inB&B | 6.00 | 5.00 | |
| | | | |

| 1-4 5-24 Each Each | 25 & up Each |
|--|-----------------|
| Juniperus | Bach |
| chinensis mas. 10' | |
| | 2.50 |
| 2 ½ ftB&B 4.00 3.50 | |
| 3 ftB&B 6.00 5.00 | |
| 3 ½ ftB&B 7.50 6.00 | 2.00 |
| 4 ftB&B 10.00 7.50 | |
| chinensis neaboriensis. Conical Chinese Juniper. | 10 ' |
| 3 ftB&B 4.50 4.00 | |
| 4 ftB&B 5.50 | ** |
| 5 ftB&B 6.50 | |
| 6 ftB&B 8.50 | |
| 7 ftB&B 12.50 | |
| 8 ftB&B 15.00 | |
| 9 ft | |
| | |
| chinensis oblonga. $8'$ | |
| 6 ftB&B 10.00 | |
| 7 ftB&B 12.50 | |
| 8 ftB&B 15.00 | |
| chinensis pfitzeriana. Pfitzer's Juniper. 6' | |
| 18 to 24 in. spdB&B 2.50 2.25 | 2.00 |
| 2 to 2½ ft. spdB&B 3.00 2.75 | 2.50 |
| 2½ to 3 ft. spdB&B 4.00 3.50 | 3.25 |
| 3 to 3½ ft. spdB&B 5.50 4.50 | |
| 3½ to 4 ft. spdB&B 6.50 5.50 | |
| 4 to 4½ ft. spdB&B 7.50 6.50 | |
| $4\frac{1}{2}$ to 5 ft. spdB&B 10.00 8.50 | |
| - | 10.00 |
| 6 to 7 ft. spdB&B 18.00 15.00 | |
| 7 to 8 ft. spdB&B 20.00 18.00 | |
| 8 to 9 ft. spdB&B 25.00 20.00 | |
| (Upright form can be furnished in sizes 18" | to 6') |
| chinensis sargenti. Sargent Juniper. 2' | |
| 18 inB&B 3.00 2.75 | |
| 24 in | |
| 30 inB&B 6.00 5.00 | |
| chinensis smithi. Smith Chinese Juniper. 8 | |
| 18 in | |
| 2 ft | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|---|---|---|
| Juniperus | | | |
| communis. Common Juniper. 25' | 0.75 | 0.00 | 0.50 |
| 3 ftB&B | 3.75 | $\frac{3.00}{2.50}$ | 2.50 |
| 4 ftB&B | 4.00 | 3.50 | 3.00 |
| 5 ftB&B 6 ftB&B | $\begin{array}{c} 5.00 \\ 6.00 \end{array}$ | $4.50 \\ 5.50$ | 4.00 |
| 6 ftB&B 7 ftB&B | 7.50 | 6.50 | $\begin{array}{c} 5.00 \\ 6.00 \end{array}$ |
| 8 ftB&B | 9.00 | 8.00 | 7.50 |
| | 3.00 | 0.00 | 7.50 |
| communis dayi 25' 4 ftB&B | 5.00 | 4.00 | |
| 5 ftB&B | | 5.00 | |
| 6 ftB&B | 7.50 | 6.50 | |
| | | | |
| communis depressa Prostrate Jun | _ | | 0.00 |
| 18 to 24 in. spdB&B | | 2.25 | |
| 24 to 30 in. spdB&B | | 2.75 3.50 | |
| 2½ to 3 ft. spdB&B 3 to 4 ft. spdB&B | | | |
| 4 to 5 ft. spdB&B | | 6.00 | 5.00 |
| | | | |
| communis depressa aurea. Golden P | | | er. 3' |
| 18 to 24 in. spdB&B | 3.00 | 2.50 | |
| 24 to 30 in. spdB&B | | | |
| 2½ to 3 ft. spdB&B | | | |
| 3 to 3½ ft. spdB&B | | | |
| $3\frac{1}{2}$ to 4 ft. spdB&B 4 to 5 ft. spdB&B | | $6.00 \\ 7.50$ | |
| | 10.00 | 1.50 | |
| communis depressa plumosa. | | | |
| Purple Spreading Juniper. 3' | . = = | | 4 = = |
| 18 to 24 inB&B | | 2.25 | |
| 24 to 30 inB&B | | | |
| 2½ to 3 ftB&B | | | 3.00 |
| , <u>, , , , , , , , , , , , , , , , , , </u> | 6.00 | $\begin{array}{c} 5.00 \\ 6.50 \end{array}$ | |
| $3\frac{1}{2}$ to 4 ftB&B 4 to $4\frac{1}{2}$ ftB&B | | 0.50 | |
| 4 to 472 it | 10.00 | | |
| communis hibernica. Irish Juniper. | <i>15'</i> | | |
| 2 ftB&B | 2.50 | 2.00 | 1.75 |
| 3 ftB&B | 3.00 | 2.50 | 2.25 |
| 4 ftB&B | 4.00 | 3.50 | 3.00 |
| 5 ftB&B | | 4.50 | |
| 6 ftB&B | | 6.00 | 5.50 |
| | 10.00 | 7.50 | |
| 8 ftB&B | | 10.00 | |
| 9 ftB&B | 15.00 | | |

| | 1-4 | 5-24 | 25 & up |
|---|----------|---------|------------|
| Juniperus | Each | Each | Each |
| communis kraccovica. Polish Junip | | | |
| 2 ftB&B | 2.50 | | |
| 3 ftB&B | 3.00 | | |
| communis suecica. Swedish Junipe | r. 25' | | |
| 2 ftB&B | 2.50 | 2.25 | 2.00 |
| 3 ftB&B | 3.50 | 3.25 | 3.00 |
| 4 ftB&B | 5.00 | 4.50 | 4.00 |
| 5 ftB&B | 7.50 | 6.00 | |
| communis suecica nana. Dwarf Su | vedish J | uniper. | 6 ' |
| 2 ftB&B | 3.50 | 3.00 | |
| 3 ftB&B | 4.50 | 4.00 | |
| 4 ftB&B | 6.00 | 5.00 | |
| conferta. Shore Juniper. 5' | | | |
| 18 in | 4.00 | 3.50 | |
| 2 ftB&B | 5.00 | 4.50 | |
| 2 ½ ftB&B | 6.50 | 5.50 | |
| excelsa. Greek Juniper. 50' | | | |
| 3 ftB&B | 3.50 | 3.00 | |
| 4 ft | 4.50 | 4.00 | |
| 5 ftB&B | 6.00 | 5.50 | |
| 6 ftB&B | 7.50 | 6.50 | |
| 7 ftB&B | 8.50 | 7.50 | |
| 8 ft | · - | 10.00 | |
| 9 ftB&B | | 12.50 | |
| 10 ftB&B | | 15.00 | |
| | | 10.00 | |
| excelsa stricta. Spiny Greek Junip | | 0.00 | 1 77 5 |
| 18 inB&B 2 ftB&B | | 2.00 | |
| | | 2.50 | 2.25 |
| $2\frac{1}{2}$ ftB&B | | 3.00 | |
| 3 ftB&B | | | |
| $3\frac{1}{2}$ ftB&B | | 6.00 | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | | 7.50 | |
| 4 ½ ftB&B | | | |
| 5 ftB&B | | | 9.00 |
| 5½ ftB&B | | 12.50 | |
| 6 ftB&B | | 15.00 | |
| 7 ftB&B | | | |
| 8 ftB&B | | | |
| horizontalis. Creeping Juniper. 1' | | 0.05 | 0.00 |
| 18 to 24 in. spdB&B | | 2.25 | |
| 24 to 30 in. spdB&B | | | |
| 2½ to 3 ft. spdB&B | | | |
| 3 to $3\frac{1}{2}$ ft. spd B&B | 4.50 | 4.00 | 3.50 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|------------------------------------|-------------|-----------|-----------------|
| Juniperus | Each | Each | Each |
| horizontalis glauca. Blue Creeping | Juniper | r. 1' | |
| 18 to 24 in. spdB&B | 2.50 | 2.25 | 2.00 |
| 24 to 30 in. spdB&B | 3.00 | 2.75 | 2.50 |
| $2\frac{1}{2}$ to 3 ft. spdB&B | | | 3.50 |
| 3 to 3½ ft. spdB&B | 5.00 | 4.50 | |
| japonica. Japanese Juniper. 8' | | | |
| 18 inB&B | 2.50 | 2.25 | 2.00 |
| 2 ftB&B | 3.50 | 2.75 | 2.50 |
| 3 ftB&B | 5.00 | 4.00 | 3.50 |
| 4 ftB&B | 7.50 | 6.00 | |
| 5 ftB&B | 10.00 | | |
| japonica aurea. Golden Japanese J | uniper. | 8' | |
| 18 inB&B | 3.50 | 3.00 | |
| 2 ftB&B | 4.50 | 4.00 | |
| 3 ftB&B | 6.00 | | |
| recurva. Himalayan Juniper. 30' | | | |
| 2 ftB&B | 3.50 | | |
| 3 ftB&B | 5.00 | | |
| rigida. Needle Juniper. 30' | | | |
| 2 ftB&B | 4.00 | 3.00 | |
| 3 ftB&B | 5.00 | 4.00 | |
| sabina. Savin Juniper. 6' | | | |
| 18 to 24 in. spdB&B | 2.50 | 2.25 | 2.00 |
| 2 to 2½ ft. spdB&B | 3.00 | 2.50 | 2.25 |
| $2\frac{1}{2}$ to 3 ft. spdB&B | | | |
| 3 to $3\frac{1}{2}$ ft. spdB&B | | | |
| $3\frac{1}{2}$ to 4 ft. spdB&B | | | |
| 4 to $4\frac{1}{2}$ ft. spdB&B | | | 6.00 |
| $4 \frac{1}{2}$ to 5 ft. spdB&B | 12.50 | 10.00 | |
| sabina tamariscifolia. Tamarix San | | | |
| 18 to 24 in. spdB&B | | | |
| 24 to 30 in. spdB&B | | | |
| 2½ to 3 ft. spdB&B | | | |
| 3 to 3½ ft. spdB&B | 7.50 | 6.00 | 5.50 |
| sabina Von Ehron. 10' | | | |
| 24 to 30 in. spdB&B | | | |
| 30 to 36 in. spdB&B | | | |
| 36 to 42 in. spdB&B | 7.50 | 6.00 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------------------------|-------------|---------------------|---------------------------------------|
| Juniperus | | e por | Tr. |
| scopulorum. Colorado Juniper. 40' | , | | * * * * * * * * * * * * * * * * * * * |
| 3 ftB&B | 4.00 | 3.50 | 3.25 |
| 4 ftB&B | 6.00 | 5.00 | 4.50 |
| 5 ftB&B | 7.50 | 6.50 | 6.00 |
| 6 ftB&B | 10.00 | 8.50 | 7.50 |
| 7 ftB&B | | 10.00 | 9.00 |
| 8 ftB&B | 15.00 | 12.50 | 10.00 |
| For larger sizes to 16 ft., add | \$5.00 | per foo | t. |
| sphaerica. | | | |
| 2 ftB&B | | 3.00 | |
| 3 ftB&B | | 4.00 | |
| 4 ftB&B | 6.50 | 5.00 | |
| squamata. Japanese Trailing Junipe | er. 3' | | |
| 2 to $2\frac{1}{2}$ ft. spdB&B | 5.00 | | |
| squamata meyeri. Meyer Juniper. | 4' | | |
| 18 to 24 inB&B | 3.50 | 3.00 | 2.50 |
| 24 to 30 inB&B | 4.00 | 3.50 | 3.00 |
| $2\frac{1}{2}$ to 3 ft | 5.00 | 4.50 | 4.00 |
| virginiana. Red Cedar. 40' | | | |
| 3 ftB&B | 3.50 | 3.00 | 2.50 |
| 4 ftB&B | 4.50 | 4.00 | 3.50 |
| 5 ftB&B | 6.00 | 5.50 | 5.00 |
| 6 ftB&B | 7.50 | 7.00 | 6.50 |
| | 10.00 | $\boldsymbol{9.00}$ | 8.00 |
| 8 ftB&B | | 12.50 | 10.00 |
| | 18.00 | 15.00 | 12.50 |
| 10 ftB&B | | 18.00 | 15.00 |
| For larger sizes to 20 ft., add \$ | 5.00 p | er foot. | |
| virginiana burki. Syn. virginiana v | enusta | ı. | |
| virginiana cannarti. Cannart Red | Cedar. | | |
| $3 \text{ ft.} \dots B\&B$ | 5.00 | 4.50 | 4.00 |
| 4 ftB&B | | 5.50 | 5.00 |
| 5 ftB&B | | 7.00 | 6.50 |
| 6 ftB&B | | 9.00 | 8.00 |
| | 15.00 | 12.50 | 10.00 |
| | 18.00 | 15.00 | 12.50 |
| | 22.50 | | 15.00 |
| 10 ftB&B | | 22.50 | 18.00 |
| For larger sizes to 18 ft., add | \$5.00 | per fo | ot. |

| | 1-4 Each | $\begin{array}{c} 5-24 \\ \mathbf{Each} \end{array}$ | 25 & up Each |
|------------------------------------|-------------------|--|-----------------|
| Juniperus | | | |
| virginiana elegantissima. Goldtip | Red Ce | dar. 15' | |
| 2 ftB&B | 4.50 | 4.00 | 3.50 |
| 3 ftB&B | 5.00 | 4.50 | 4.00 |
| 4 ftB&B | 6.50 | 5.50 | |
| 5 ftB&B | 7.50 | | |
| 6 ftB&B | 10.00 | | |
| For larger sizes to 12 ft., add 3 | \$5. 0 0 p | er foot. | |
| virginiana glauca. Silver Red Cede | ar. 25' | | |
| 3 ftB&B | 5.00 | 4.50 | 4.00 |
| 4 ftB&B | 6.50 | 5.50 | 5.00 |
| 5 ftB&B | 8.50 | 7.50 | 6.50 |
| 6 ftB&B | 12.00 | 10.00 | |
| 7 ftB&B | 15.00 | 12.50 | |
| 8 ft | 18.00 | 15.00 | |
| 9 ftB&B | 22.50 | | |
| For larger sizes to 18 ft., add | d \$5.00 | per fo | ot. |
| virginiana globosa. Globe Red Ced | lar. 4' | | |
| 18 to 24 inB&B | 4.00 | 3.50 | 3.00 |
| 24 to 30 inB&B | 5.00 | 4.50 | 4.00 |
| 3 to 3½ ftB&B | 6.00 | 5.50 | 5.00 |
| 3½ to 4 ftB&B | 7.50 | 6.50 | |
| virginiana keteleeri. 15' | | | |
| 2 ftB&B | 3.50 | 3.25 | 3.00 |
| 3 ftB&B | 4.50 | 4.00 | 3.75 |
| 4 ftB&B | 7.50 | 6.00 | |
| 5 ftB&B | 10.00 | 7.50 | |
| 6 ftB&B | 12.50 | 10.00 | |
| 7 ftB&B | 15.00 | 12.50 | |
| virginiana kosteri. Koster Red Ce | dar. 4' | | |
| 2 to 2½ ft. spdB&B | | | 2.75 |
| $2\frac{1}{2}$ to 3 ft. spdB&B | | | 3.50 |
| 3 to 3½ ft. spdB&B | | | |
| 3½ to 4 ft. spdB&B | | | |
| 4 to 4½ ft. spdB&B | | | |
| 4½ to 5 ft. spdB&B | | | |
| 5 to 6 ft. spdB&B | | | |
| virginiana pendula. Weeping Red | Cedar. | <i>15</i> ′ | |
| 6 ftB&B | 12.00 | | |
| 7 ftB&B | 15.00 | | |
| | | | |

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|---------------------|
| Juniperus | Each | Dacii | Bach |
| virginiana schotti. Schott Red Ced | dar. 15 | , | |
| 3 ftB&B | 5.00 | 4.50 | 4.00 |
| 4 ftB&B | 6.00 | 5.50 | 5.00 |
| 5 ftB&B | 8.50 | 7.50 | 6.50 |
| 6 ftB&B | 12.50 | 10.00 | 8.00 |
| 7 ftB&B | 15.00 | 12.50 | 10.00 |
| For larger sizes to 18 ft., add \$ | \$5.00 p | er foot. | |
| virginiana tripartita. Fountain Re | d Cedar | r. 5' | |
| 2 ftB&B | 4.50 | 4.00 | |
| 2 ½ ftB&B | 5.50 | 5.00 | |
| 3 ftB&B | 8.50 | 7.50 | |
| $3\frac{1}{2}$ ftB&B | 10.00 | 9.00 | |
| 4 ftB&B | 12.50 | 10.00 | |
| virginiana venusta. 15' | | | |
| 3 ftB&B | 5.00 | 4.50 | 4.00 |
| 4 ftB&B | 6.00 | 5.50 | 5.00 |
| 5 ftB&B | 8.50 | 7.50 | |
| 6 ftB&B | 12.50 | 10.00 | |
| 7 ftB&B | 15.00 | 12.50 | |
| 8 ftB&B | 18.00 | 15.00 | |
| Kalmia latifolia. Mountain Laurel. 6' | | | |
| 18 to 24 in | 3.00 | 2.50 | 2.25 |
| 2 to 3 ftB&B | | | 2.75 |
| 3 to 4 ft | 5.00 | 4.00 | $\frac{2.15}{3.75}$ |
| | 0.00 | 4.00 | 0.10 |
| Kerria japonica. Kerria. 4' | | | |
| 18 to 24 in | .50 | .40 | .35 |
| 2 to 3 ft | .60 | .50 | .45 |
| japonica florepleno. Double Kerric | a. 4' | | |
| 18 to 24 in | 1.00 | .75 | |
| Koelreuteria paniculata. Goldenrain Tr | ·ee. 25' | | |
| 4 to 5 ft | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft | 2.00 | 1.75 | 1.50 |
| 6 to 8 ft | 3.00 | 2.75 | 2.50 |
| 8 to 10 ft | 4.00 | 3.50 | |
| Kolkwitzia amabilis. Beauty Bush. 8' | | | |
| 2 to 3 ft | .60 | .50 | .45 |
| 3 to 4 ft | .75 | .60 | .55 |
| 4 to 5 ft | 1.00 | .85 | .75 |
| 5 to 6 ft | 1.25 | 1.00 | .90 |
| 6 to 8 ft | 1.50 | 1.25 | |
| | _,,, | _, | |

| | | | | | | | 1-4 | 5-24 | 25 & up |
|-------------|-----|------------|---------|-------|-------------------|------------|--------------|-------------|---------|
| *Laburnum | al | pin | um. A | Scot | ch Labu | rnum | Each . 30' | Each | Each |
| | | _ | | | | | 3.50 | | |
| | | | | | · · · · · · · · · | | | | |
| | | | | | B | | | | |
| | | | | | B | | | | |
| | | | | | | | | | |
| ¥ossi, | | | 0. | | D | 0.77 | 00 00 | | |
| | | | | | B | | _ | | |
| 10 | to | 12 | It | | B | WВ | 25.00 | | |
| *vulga | re. | G | oldencl | hain. | . <i>20</i> ′ | | | | |
| 4 | to | 5 | ft | | | | 2.50 | 2.00 | |
| 5 | to | 6 | ft | | | | 3.50 | 3.00 | |
| 6 | to | 8 | ft. he | eavy | 7B | &B | 12.50 | | |
| 8 | to | 10 | ft. h | eavy | 7 B | &B | 15.00 | | |
| 10 | to | 12 | ft. h | eavy | 7B | &B | 20.00 | | |
| Lagerstroer | nia | ine | dica ru | ıbra | . Red (| Crap | emyrtle. | 12 ' | |
| | | | | | pots | | | 1.00 | |
| | | | | | P | • | | _,,, | |
| Larix europ | ea | . E | uroped | ın I | Larch. 60 |) ' | | | |
| 5 | to | 6 | ft | | B | &B | 6.00 | 5.00 | |
| 6 | to | 8 | ft | | B | &B | 7.50 | 6.00 | |
| _ 8 | to | 10 | ft | | B | &B | 10.00 | 7.50 | |
| laricin | a. | An | nerican | La | rch. 50' | | | | |
| 6 | to | 8 | ft | | B | &B | 10.00 | | |
| 8 | to | 10 | ft | | B | &B | 12.50 | | |
| 10 | to | 12 | ft | | В | &B | 15.00 | | |
| lentole | nie | | Tanane | ea T | arch. 50 |) ' | | | |
| _ | _ | | _ | | B | | 5.00 | 4.00 | |
| | | _ | | | B | | | 5.00 | |
| | | | | | B | | | | |
| | | | | | B | | | | |
| | | | | | B | | _ | 12.50 | |
| | | | | | B | | | | |
| | | - | | | | | | | |
| Lauroceras | | | | | _ | | | | |
| | | | | | pots | | | | 1 00 |
| | | | | | B | | | | 1.00 |
| 24 | to | 3 0 | 111 | • • • | B | ab | 2.00 | 1.50 | |
| Leiophyllui | m k | ouxi | ifoliun | ı pr | ostratun | n. | | | |
| Alle | ghe | gny | Sandm | yrtl | e. 2' | | | | |
| 8 | to | 12 | in | • • • | B | &B | 2.50 | 2.00 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--------------------------------------|-------------|--------------|-----------------|
| Lespedeza bicolor. Shrub Bushclover. | | | |
| 2 to 3 ft | - | | |
| 3 to 4 ft | .75 | .60 | |
| 4 to 5 ft | 1.00 | .75 | |
| 5 to 6 ft | 1.25 | 1.00 | |
| formosa syn. penduliflorum. Pur | ple Bush | hclover. | 4' |
| 2 year | .50 | .40 | .30 |
| 3 year | .60 | .50 | .40 |
| formosa albiflora. Japanese Bush | clover. | 5 ' | |
| 2 year | .60 | .50 | .40 |
| Leucothoe catesbaei. Drooping Leuco | thoe. 4' | | |
| 15 to 18 inB&B | 2.00 | 1.75 | 1.50 |
| 18 to 24 inB&B | 2.50 | 2.00 | 1.75 |
| 24 to 30 inB&B | | | |
| Libocedrus decurrens. Incense Ceda | r. 100' | | |
| 18 to 24 inB&F | 3 2.25 | 2.00 | |
| 24 to 30 inB&F | 3.00 | 2.50 | |
| 3 to 3½ ftB&I | | 3.50 | |
| | | | |
| Ligustrum acuminatum. 10' | 4.0 | 0.0 | o # |
| 2 to 3 ft | V - V | | .25 |
| • 3 to 4 ft | .50 | .40 | .35 |
| acuminatum macrocarpum. $Bigbe$ | erry Pri | vet. 10' | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .35 |
| amurense. Amur Privet. 15' | | | |
| 18 to 24 in | .25 | .18 | .15 |
| 2 to 3 ft | .35 | .25 | .18 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .55 | .45 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .80 | .75 |
| ibolium. Ibolium Privet. 8' | | | |
| 18 to 24 in | .25 | .18 | .12 |
| 2 to 3 ft | | .20 | .15 |
| 3 to 4 ft | | | |
| | | .30 | .25 |
| | .50 | .45 | .40 |
| ibota. Ibota Privet. 10' | | | |
| 2 to 3 ft | .30 | .20 | .15 |
| 3 to 4 ft | .35 | .25 | .20 |
| 4 to 5 ft | .50 | .40 | .35 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Ligustrum | | | |
| ibota nanum. Pygmy Privet. 6' | 0.5 | 0.5 | 2.0 |
| 18 to 24 in | .35 | .25 | .20 |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .35 | .30 |
| 4 to 5 ft | .60 | .45 | .40 |
| ibota regelianum. Regel Privet. 6 | 3' | | |
| 18 to 24 in. spd | .40 | .30 | .25 |
| 24 to 30 in. spd | .50 | .40 | .35 |
| $2\frac{1}{2}$ to 3 ft. spd | .75 | .60 | .50 |
| 3 to 4 ft. spd | 1.25 | 1.00 | .75 |
| 4 to 5 ft. spd | 1.75 | 1.50 | |
| lodense. Dwarf Privet. 3' | | | |
| 12 to 15 in | .35 | .25 | .20 |
| 15 to 18 in | .45 | .35 | .30 |
| 18 to 24 in | .55 | .45 | .40 |
| 24 to 30 in | .65 | .55 | .50 |
| ovalifolium. California Privet. 10 | , | | |
| 18 to 24 in | .20 | .10 | .06 |
| 24 to 30 in | .25 | .12 | .07 |
| ovalifolium variegatum. Golden Pr | rivet. | '0 ' | |
| 15 to 18 in | .40 | .30 | .25 |
| 18 to 24 in | .45 | .35 | .30 |
| 24 to 30 in | .50 | .40 | .35 |
| 3 to 4 ft | .60 | .50 | .40 |
| vulgare. European Privet. 12' | | | |
| 2 to 3 ft | .35 | .25 | .18 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .50 | .40 | .35 |
| 5 to 6 ft | .65 | .55 | .50 |
| 6 to 8 ft | 1.00 | .80 | .75 |
| vulgare foliosum. 10' | | | |
| 2 to 3 ft | .45 | .35 | .30 |
| vulgare leucocarpum. Yellowberry | Privet. | 12' | |
| 2 to 3 ft | .45 | .35 | .30 |
| 3 to 4 ft | .55 | .40 | .35 |
| | .65 | | |
| 5 to 6 ft | | | .50 |
| Lindera benzoin. (See Benzoin aestivale | | | |
| *Liquidambar formosana Formosa Swe | etaum | 60' | |
| 6 to 8 ft | | • | |
| 8 to 10 ft | | | |
| O OO IO IO | # 0.00 | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---------------------------------------|-----------------|--------------|-----------------|
| Liquidambar | | | |
| *styraciflua. Sweetgum. 60' | | | |
| 6 to 8 ft | 3.00 | 2.75 | 2.50 |
| 8 to 10 ft | 3.75 | 3.25 | 3.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 4.50 | 4.00 | 3.50 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 5.00 | 4.50 | 4.00 |
| $1 \frac{3}{4}$ to 2 in | 6.00 | 5.50 | 5.00 |
| 2 to $2\frac{1}{2}$ in | 7.50 | 6.50 | 6.00 |
| $2\frac{1}{2}$ to 3 in | 12.50 | 10.00 | 7.50 |
| 3 to $3\frac{1}{2}$ in | 20.00 | 15.00 | |
| 4 to 5 in | 35.00 | 30.00 | • |
| 5 to 6 in | 50.00 | | |
| *styraciflua aurea. Golden Sweet, | $gum.$ θ | 80' | |
| 4 to 5 ft | 4.00 | | |
| 5 to 6 ft | 5.00 | | |
| *Liriodendron chinense. Chinese Tulip | Tree. | 70 ' | • |
| 5 to 6 ft | 6.00 | | |
| 6 to 8 ft | 7.50 | | |
| *tulipifera. Tuliptree. 80' | | | |
| 6 to 8 ft | 2.00 | 1.75 | 1.50 |
| 8 to 10 ft | 2.50 | 2.25 | 2.00 |
| 1 1/4 to 1 1/2 in | 3.50 | 3.00 | 2.75 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 4.50 | 3.75 | 3.50 |
| 1 3/4 to 2 in | 5.00 | 4.50 | 4.00 |
| | 7.50 | 6.00 | 5.00 |
| $2\frac{1}{2}$ to 3 in | | 10.00 | 7.50 |
| 3 to 3½ in | | 15.00 | |
| $3\frac{1}{2}$ to 4 in | | 18.00 | |
| 4 to 5 in | | | |
| *tulipifera pyramidale. Pyramid ' | | e. 70' | |
| 6 to 8 ft | - | | |
| 8 to 10 ft | | | |
| 1½ to 1¾ in | | | |
| 2 to $2\frac{1}{2}$ in | | | |
| $2\frac{1}{2}$ to 3 in | | | |
| 3 to $3\frac{1}{2}$ in | | | |
| Lonicera alseuosmoides. | | | |
| 2 year | .75 | .60 | .50 |
| bella albida. White Belle Honeyst | | | .00 |
| 2 to 3 ft | | .25 | .20 |
| 3 to 4 ft | | .30 | .25 |
| | .50 | .40 | .35 |
| ~ | .75 | .60 | .50 |
| 6 to 8 ft | | .85 | .75 |
| | | , 00 | , , Y |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|------------------------------------|-------------|--------------|-----------------|
| Lonicera | | | |
| bella rosea. Belle Honeysuckle. 10 | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .50 | .40 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| billardi. 8' | | | |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .50 | .40 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| browni plantierensis. Orange Hone | ysuckle. | 4' | |
| 2 year | .50 | .40 | .35 |
| 3 year | .60 | .50 | |
| caprifolium. Sweet Honeysuckle. 1 | '0 ' | | |
| 2 year | .50 | .40 | .30 |
| chrysantha. Coralline Honeysuckle. | <i>10'</i> | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .30 |
| 4 to 5 ft | .60 | .50 | .40 |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .85 | .75 |
| conjugialis. 8' | | | |
| 3 to 4 ft | .50 | .40 | .35 |
| 4 to 5 ft | .75 | .60 | .50 |
| dioica. Limber Honeysuckle. 10' | | | |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .60 | .50 | .40 |
| fragrantissima. Winter Honeysuck | le. 8' | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .50 | .35 | .30 |
| 4 to 5 ft | .65 | .50 | .40 |
| 5 to 6 ft | .75 | .65 | |
| fuchsioides. | | | |
| 2 year | .75 | .65 | .60 |
| gracilipes. Spangled Honeysuckle. | 6' · | | |
| 2 to 3 ft | .50 | .40 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| | | .00 | . 10 |
| heckrotti. Everblooming Honeysuck | | 40 | 9.0 |
| 2 year | .50 | .40 | .30 |
| henryi. Henry Honeysuckle. 15' | | | |
| 2 year | 1.00 | .85 | .75 |

| *! | 1-4 | | 25 & up |
|------------------------------------|------------|----------|---------|
| Lonicera | Each | Each | Each |
| hirsuta. Hairy Honeysuckle. 15' | | | |
| 2 year | .50 | .40 | 6 |
| 3 year | .60 | | 4 |
| | | | |
| japonica. Japanese Honeysuckle. 1 | | .20 | .15 |
| 2 year | .35 | | |
| 3 year | | | |
| japonica halleana. Hall Japanese | | | |
| 2 year | | | |
| 3 year | .35 | .25 | .18 |
| japonica reticulata aurea. | | | |
| Yellow Japanese Honeysuckle. 15 | 5 ′ | | |
| 2 year | .45 | .35 | .25 |
| kesselringi. Black fruited Honeys | uckle. | 10' | |
| 2 to 3 ft | | | |
| 3 to 4 ft | | | |
| koehneana. 12' | | • • • | |
| 18 to 24 in | .60 | 50 | 40 |
| 2 to 3 ft | .75 | .50 | |
| | | | .50 |
| korolkowi floribunda. Broad Bluelo | eaf Ho | neysuckl | le. 10' |
| 2 to 3 ft | .55 | .45 | .40 |
| 3 to 4 ft | | • • • | .50 |
| 4 to 5 ft | .75 | .65 | |
| ledebouri. 10' | | | |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .75 | .50 | |
| maacki. Amur Honeysuckle. 10' | | | |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .60 | .45 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | 1.00 | .75 | .60 |
| 6 to 8 ft | 1.25 | 1.00 | .75 |
| maacki podocarpa. Late Honeysuc | | • | |
| 3 to 4 ft | .60 | .50 | |
| 4 to 5 ft | .75 | .60 | |
| 5 to 6 ft | 1.00 | .75 | |
| morrowi. Morrow Honeysuckle. 8' | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .45 | .35 | .25 |
| 4 to 5 ft | .60 | .45 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |

| | 1-4 Each | 5-24 Each | |
|------------------------------------|-------------|--------------|------|
| onicera | 234011 | Bach | Each |
| morrowi. (Yellow Fruited). 8' | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .45 | .35 | .25 |
| 4 to 5 ft | .60 | .45 | .35 |
| 5 to 6 ft | .75 | .60 | |
| muendeniensis. Muenden Honeysu | ckle. 8' | • | |
| 5 to 6 ft | | | .50 |
| 6 to 8 ft | | .65 | .60 |
| nitida. 3' | | | |
| 6 to 12 in | .50 | .40 | .30 |
| periclymenum belgica. Dutch Woo | | | |
| 2 year | | .30 | .25 |
| 3 year | | | .35 |
| | .00 | .40 | .00 |
| pileata. Privet Honeysuckle. 2' | co. | 50 | 40 |
| 6 to 12 in | | .50 | .40 |
| prolifera syn. sullivanti. Grape H | | .45 | .35 |
| 3 year | | • | .00 |
| 3 to 4 ft | | .50 | |
| 4 to 5 ft | | .60 | |
| 5 to 6 ft | | .75 | |
| ruprechtiana. Manchurian Honeys | | | |
| 2 to 3 ft | | .25 | .20 |
| 3 to 4 ft | .45 | .35 | .25 |
| 4 to 5 ft | .60 | .45 | |
| 5 to 6 ft | .75 | .60 | |
| saccata. 6' | | .00 | .00 |
| 2 to 3 ft | .50 | .40 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| sempervirens. Trumpet Honeysuck | | | |
| 2 year | .40 | .30 | .25 |
| 3 year | .50 | .40 | .30 |
| spinosa alberti. Thorn Honeysuck | le. 2' | | |
| 12 to 15 in | .45 | .35 | .30 |
| 15 to 18 in | .55 | .45 | .40 |
| 18 to 24 in | .75 | .60 | .55 |
| standishi. b' | | | |
| 2 to 3 ft | .50 | .40 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | 1.00 | .75 | |
| | | | |

SEE PAGE 157 FOR A COMPLETE LIST OF HERBACEOUS STOCK.

| | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------------------------|-------------|--------------|--------------------|
| Lonicera | | | |
| syringantha. Lilac Honeysuckle. 4 | , | | |
| 15 to 18 in., 4 inch pots | 1.00 | .75 | |
| 2 to 3 ft., field grown | 1.50 | 1.25 | 1.00 |
| syringantha wolfi. Wolf Honeysuc | kle. 6' | | |
| 15 to 18 in., 4 in. pots | 1.00 | .75 | |
| 2 to 3 ft., field grown | 1.50 | 1.25 | |
| tatarica. Red Tatarian Honeysuckl | e. 10' | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .45 | .35 | .25 |
| 4 to 5 ft | .60 | .45 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .75 | |
| tatarica alba. White Tatarian Hon | eysuckle | e. 10' | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .45 | .35 | .25 |
| 4 to 5 ft | .60 | .45 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .75 | .65 |
| tatarica grandiflora. Pink Tatarian | Honer | ısuckle. | <i>10</i> ′ |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .45 | .35 | .25 |
| | .60 | .45 | .35 |
| | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .75 | .65 |
| | | | |
| tatarica lutea. Yellow Tartarian H | - | кіе. 10 | |
| 5 to 4 ft | .75 | | |
| tatarica siberica. Siberian Honeysu | | 10" | |
| 2 to 3 ft | .35 | .25 | .20 |
| | .45 | .35 | .25 |
| 4 to 5 ft | .60 | .45 | .35 |
| | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .75 | .65 |
| tellmanniana. | | | |
| 2 year | 1.00 | .90 | |
| thibetica. Tibetan Honeysuckle. 4' | | | |
| 2 year | 1.25 | 1.00 | |
| verna. δ' | | | |
| 2 year | .50 | .35 | .30 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|-----------------------------------|-------------|--------------|-----------------|
| Lonicera | | | |
| virginalis alba. Maiden Hone | | | |
| 2 to 3 ft | | .30 | .25 |
| 3 to 4 ft | | .35 | .30 |
| 4 to 5 ft | | .50 | .40 |
| 5 to 6 ft | | .60 | .50 |
| 6 to 8 ft | 1.00 | .75 | .65 |
| xylosteum. Fly Honeysuckle. | 8' | | |
| 2 to 3 ft | 40 | .30 | .25 |
| 3 to 4 ft | 50 | .35 | .30 |
| 4 to 5 ft | 60 | .50 | .40 |
| Lycium chinense. Chinese Matrimo | ony Vine. 5 | , | |
| 2 to 3 ft | 25 | .20 | .15 |
| 3 to 4 ft | 35 | .25 | .20 |
| halimifolium. Common Matrin | nony Vine. | 6' | |
| 2 to 3 ft | 25 | .20 | .15 |
| 3 to 4 ft | 35 | .25 | .20 |
| Lyonia ligustrina. He-Huckleberry | 1. 12. | | |
| 15 to 18 in | | 1.00 | |
| 18 to 24 in | | 1.25 | |
| Maackia amurensis. Amur Maackia | | .,_0 | |
| 2 to 3 ft | • | | |
| 3 to 4 ft | | | |
| Maclura pomifera. Osage-orange. | | | |
| 4 to 5 ft | | 50 | |
| 5 to 6 ft | | .50 .75 | |
| 6 to 8 ft | | 1.00 | |
| | | 1.00 | |
| Magnolia acuminata. Cucumber Tre | | 0.50 | |
| 4 to 5 ft | | 2.50 | • |
| 5 to 6 ft | | 4.00 | |
| 6 to 8 ft | | 6.00 | |
| 8 to 10 ft | | 7.50 | |
| 10 to 12 ftB | &B 12.50 | 10.00 | |
| conspicua. Yulan. 50' | " TO 00 | | |
| 4 to 5 ft | | | |
| 5 to 6 ft | | | |
| 6 to 8 ft | | | |
| 8 to 10 ft | &B 20.00 | | |
| fraseri. Fraser Magnolia. 50' | | | |
| 5 to 6 ftB | | | |
| 6 to 8 ftB | &B 12.50 | | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------------------|----------------|-------------|--------------|-----------------|
| Magnolia | | | | |
| glauca. Sweetbay. 25' | | | | |
| 2 to 3 ftB | &B | 3.00 | 2.50 | 2.00 |
| 3 to 4 ftB | & B | 4.00 | 3.50 | 3.00 |
| 4 to 5 ftB | & B | 5.00 | 4.50 | 4.00 |
| 5 to 6 ftB | & B | 7.50 | 6.00 | 5.50 |
| 6 to 8 ftB | & B | 10.00 | 8.00 | 7.00 |
| 8 to 10 ftB | &B | 12.50 | 10.00 | 9.00 |
| 10 to 12 ftBo | &B | 17.50 | 15.00 | 12.50 |
| hypoleuca. Silver Magnolia. 5 | <i>'</i> 00 | | | |
| 4 to 5 ftB | | 10.00 | 7.50 | |
| 5 to 6 ftB | & B | 12.50 | 10.00 | |
| 6 to 8 ftB | | | 12.50 | |
| 8 to 10 ftB | | | 17.50 | |
| 10 to 12 ftBo | &B | 25.00 | 20.00 | |
| kobus. 30' | | | | |
| 4 to 5 ftB | | 5.00 | 4.00 | 3.50 |
| 5 to 6 ftB | &B | 7.50 | 6.50 | 6.00 |
| 6 to 8 ftB | &B | 10.00 | 9.00 | 8.50 |
| 8 to 10 ftB | & \mathbf{B} | 12.50 | 11.00 | 10.00 |
| 8 to 10 ft. specB | | | | |
| Larger sizes quoted on re- | ques | st. | | |
| lennei. Lenne Magnolia. 20' | | | | |
| 2 to 3 ftB | &B | 4.00 | | |
| 3 to 4 ftB | &B | 6.00 | | |
| 4 to 5 ftB | | | | |
| 5 to 6 ftB | | | | |
| 6 to 8 ftB | &B | 15.00 | | |
| macrophylla. Large-leaved Cu | cum | ber-tree | . 50' | |
| 8 to 10 ftB | | | | |
| 10 to 12 ftB | & \mathbf{B} | 25.00 | | |
| parviflora. Oyama Magnolia. | 30' | | | |
| 3 to 4 ftB | & B | 10.00 | 7.50 | |
| 4 to 5 ftB | | | 10.00 | |
| 5 to 6 ftB | & B | 15.00 | | |
| soulangeana. Saucer Magnolia | | O' | | |
| 3 to 4 ft | | 5.00 | 4.00 | |
| 4 to 5 ft | | | 5.00 | |
| 5 to 6 ft | | | 7.50 | |
| 6 to 8 ftB | &B | 12.50 | | |
| soulangeana nigra. 20' | | | 0 | |
| 5 to 6 ft | &B | 15.00 | | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|--|---|---------------------|---------------------|---------------------|
| Magnolia | | | 23.2011 | 230011 |
| stellata, Star I | Magnolia. 8' | | | |
| 2 to 3 ft | B&B | 6.00 | 5.00 | |
| 3 to 4 ft | B&B | 7.50 | 6.50 | |
| | B&B | | | |
| stellata rosea. | Pinkstar Magnolia. | 15' | | |
| 2 to 3 ft | B&B | 7.50 | | |
| 3 to 4 ft | B&B | 10.00 | | |
| 4 to 5 ft | B&B | 12.50 | | |
| 5 to 6 ft | B&B | 15.00 | | |
| tripetala. Umb | rella Magnolia. 30' | | | |
| 5 to 6 ft. | B&B | 6.00 | 5.00 | |
| 6 to 8 ft. | B&B | 7.50 | 6.00 | |
| 8 to 10 ft. | B&B | 10.00 | 7.50 | |
| 10 to 12 ft. | | 12.50 | 10.00 | |
| Mahonia aquifolium. | Oregon Hollygrap | e. 5' | | |
| | | 2.00 | 1.75 | 1.50 |
| 24 to 30 in. | B&B | 2.50 | 2.00 | 1.75 |
| 30 to 36 in. | B&B | 3.00 | 2.75 | 2.50 |
| Malus angustifolia. | Southern Crab 25 | , | | |
| | | 1.50 | 1.25 | |
| | | 2.00 | 1.75 | |
| | | | 2.25 | |
| 6 to 8 ft. | | 3.50 | 3.00 | |
| | | 5.00 | 4.00 | |
| arnoldiana. Ar | nold Crab. 12' | | | |
| | | 1.50 | 1.25 | 1.00 |
| | | 2.00 | 1.75 | 1.50 |
| | | 2.50 | 2.25 | |
| | | 3.50 | 3.00 | 2.50 |
| Control of the contro | an Crab. 30' | 1.50 | 1.07 | 1.00 |
| | • | 1.50 | 1.25 | 1.00 |
| | | 1.75 | 1.50 | 1.25 |
| | | $\frac{2.00}{2.00}$ | 1.75 | 1.50 |
| | | 3.00 | 2.50 | 2.00 |
| | • • • • • • • • • • • • • • • • | 5.00 | 4.00 | 3.50 |
| | | | 7.50 | |
| | urica. Manchurian | 1.75 | 30' 1.50 | 1 05 |
| | • | 2.00 | 1.50 1.75 | 1.25 1.50 |
| | | $\frac{2.00}{3.00}$ | $\frac{1.78}{2.50}$ | $\frac{1.50}{2.00}$ |
| | • | 4.00 | $\frac{2.50}{3.50}$ | $\frac{2.00}{3.00}$ |
| 0 00 0 10 | • | 4.00 | 3.00 | 3.00 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|------------------------------------|-------------|--------------|-----------------|
| Malus | | | |
| brevipes. 12' | | | |
| 3 to 4 ft | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft | 2.50 | 2.00 | |
| 6 to 8 ft | 3.50 | 3.00 | |
| coronaria. Wild Sweet Crab. 30' | | | |
| 3 to 4 ft | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft | 2.00 | 1.75 | 1.50 |
| 6 to 8 ft | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft | 5.00 | 4.50 | |
| 10 to 12 ft | 10.00 | 7.50 | |
| coronaria Charlotte. 16' | | | |
| 3 to 4 ft | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft | 2.50 | 2.00 | |
| 5 to 6 ft | 3.00 | 2.50 | |
| 6 to 8 ft | 3.50 | 3.00 | |
| 8 to 10 ft | 5.00 | 4.00 | |
| | 10.00 | 7.50 | |
| dolga. 15' | | | |
| 4 to 5 ft | 1.75 | 1.50 | |
| 5 to 6 ft | 2.25 | 1.75 | |
| 6 to 8 ft | 3.00 | 2.50 | |
| 8 to 10 ft | 5.00 | 4.00 | |
| | 10.00 | 7.50 | |
| | | 1.00 | |
| Elisa Rathke. Weeping Flg. Apple. | | | |
| 3 to 4 ft. spread | 3.00 | | |
| 4 to 5 ft. spread | 4.00 | | |
| 5 to 6 ft. spread | 5.00 | | |
| 6 to 8 ft. spread | 6.00 | | |
| florentina. Florentine Crab. 20' | | | |
| 3 to 4 ft | 1.75 | 1.50 | |
| 4 to 5 ft | 2.25 | 2.00 | |
| 5 to 6 ft | 2.75 | 2.50 | |
| floribunda. Japanese Flowering Cre | ab. 20' | | |
| 3 to 4 ft | 1.50 | 1.25 | |
| 4 to 5 ft | 1.75 | 1.50 | |
| 5 to 6 ft | 2.50 | 1.75 | |
| 6 to 8 ft | 3.50 | 3.00 | |
| 8 to 10 ft | 5.00 | 4.50 | 4 |

| | 1-4 13ach | 5-24 15ach | 26 & up Each |
|---------------------------------|--------------|---------------|-----------------|
| lus | | | |
| floribunda atrosanguinea. Curmi | ne Crub. | 2.11 | |
| 3 to 4 ft | 1.50 | 1.25 | 1,00 |
| 4 to 5 ft | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft | 2.50 | 1.75 | 1.50 |
| 6 to 8 ft | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft | 5,00 | 4.50 | |
| 10 to 12 ft | 10.00 | 7.50 | |
| 8 to 10 ft. spec B&B | 12.50 | | |
| floribunda lemoinei. 15' | | | |
| 3 to 4 ft | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft | 2.00 | 1.75 | 1,50 |
| 5 to 6 ft | | 2.00 | 1.75 |
| 6 to 8 ft | 3,50 | 3.00 | 2.50 |
| % to 10 ft | | 4.50 | |
| fuses, Oregon Crab. 20' | | | |
| 4 to 5 ft | 1.75 | 1.50 | |
| 5 to 6 ft | | 2.00 | |
| 6 to 8 ft | | 3.00 | |
| 8 to 10 ft | | 4.00 | |
| glaucescens. Dunbur Crab. 12' | | | |
| 3 to 4 ft | 1.50 | 1.25 | 1,00 |
| 4 to 5 ft | | 1.75 | 1.50 |
| 5 to 6 ft | | 2.25 | 2,00 |
| 6 to 8 ft | | 3.00 | 2.50 |
| halliana. Hall Crab. 16' | | | |
| 6 to 8 ft | 6.00 | 5.00 | |
| 8 to 10 ft | | | |
| halliana parkmani. Purkmun Cra | b. 18' | | |
| 3 to 4 ft | | 1.50 | 1.25 |
| 4 to 5 ft | | 2.00 | 1.75 |
| 5 to 6 ft | | 3.00 | 2,50 |
| 6 to 8 ft | | 4.00 | 3.50 |
| 8 to 10 ft | | 5.00 | |
| 10 to 12 ft | | 7.50 | |
| hope. Red Flowering Crub. 12' | | | |
| 4 to 5 ft | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft | 2.50 | 2.00 | 1.75 |
| 6 to 8 ft | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft | 6,00 | 5.00 | |
| hupshensis. 16' | | | |
| 5 to 6 1t | 5.00 | | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|-----------|-------------------------------|-------------|--------------|-----------------|
| Malus | | | | |
| | Prairie Crab. 25' | 1 5 5 | 1 50 | 1.05 |
| 3 to | 4 ft | 1.75 | 1.50 | 1.25 |
| 4 to | 5 ft | 2.00 | 1.75 | 1.50 |
| 5 to | 6 ft | 3.00 | 2.50 | |
| 6 to | 8 ft | 4.00 | 3.50 | |
| 8 10 | 10 ft | 6.00 | 5.00 | |
| | chteli. Bechtel Crab. 15' | | Α. | |
| 3 to | 4 ft | 1.75 | 1.50 | 1.25 |
| 4 to | 5 ft | 2.00 | 1.75 | 1.50 |
| 5 to | 6 ft | 3.00 | 2.50 | |
| 6 to | 8 ft | 4.00 | 3.50 | |
| | 10 ft | 6.00 | 5.00 | |
| 10 to | 12 ft | 10.00 | 7.50 | |
| micromalı | is. Midget Crab. 10' | | | |
| 4 to | 5 ft | 2.00 | 1.50 | |
| 5 to | 6 ft | 2.50 | 2.00 | |
| 6 to | | 3.50 | 3.00 | |
| 8 to | 10 ft | 5.00 | 4.00 | |
| niedzwetz | kyana. <i>Redvein Crab.</i> 2 | 0' | | |
| 3 to | 4 ft | 1.50 | 1.25 | 1.00 |
| 4 to | 5 ft | 1.75 | 1.50 | 1.25 |
| 5 to | 6 ft | 2.50 | 2.00 | 1.75 |
| 6 to | 8 ft | 3.50 | 3.00 | 2.50 |
| 8 to | 10 ft | 5.00 | 4.00 | |
| Oekonemu | ırat Echtermeyer. 15' | | | |
| | 4 ft | 1.75 | 1.50 | 1.25 |
| | 5 ft | 2.50 | 2.00 | 1.75 |
| | 6 ft | 3.50 | 3.00 | 2.50 |
| | 8 ft | 5.00 | 4.00 | 3.50 |
| purpurea. | Purple Crab. 15' | | | |
| 3 to | 4 ft | 1.50 | 1.25 | 1.00 |
| 4 to | 5 ft | 2.00 | 1.75 | 1.50 |
| 5 to | 6 ft | 2.50 | 2.25 | 2.00 |
| 6 to | 8 ft | 3.50 | 3.00 | 2.50 |
| 8 to | 10 ft | 5.00 | 4.00 | _,, |
| | aldenhamensis. 15' | | | |
| 3 to | 4 ft | 1.75 | 1.50 | 1.25 |
| 4 to | 5 ft | 2.00 | 1.75 | 1.50 |
| 5 to | 6 ft | 3.00 | 2.50 | 2.00 |
| 6 to | 8 ft | 4.00 | 3.50 | 3.00 |
| | 10 ft | 5.00 | 4.50 | 4.00 |
| 2 00 | | 0.00 | 2.00 | 2.00 |

| PAINESVILLE, OHIO | | 87 |
|--------------------------------------|---------------------------|-----------------|
| Malua 1 | ach Each | 25 & up Each |
| purpurea eleyi. Eley Flowering Crab. | | Bach |
| 3 to 4 ft | .50 1.25 | 1.00 |
| 4 to 5 ft 2 | 2.00 1.75 | 1.50 |
| | 2.50 2.25 | 2.00 |
| | 3.50 3.00 | |
| | 6.00 	 4.00 | |
| prunifolia rinki. Chinese Apple. 15' | | |
| | 75 1.50 | 1.25 |
| • | 2.50 2.00 | 1.75 |
| | 3.00 | 2.50 |
| | .00 4.00 | 3.50 |
| | 7.50 | |
| robusta. Cherry Crab. 15' | 77 170 | 1 05 |
| | 1.75 1.50 | 1.25 |
| | 2.00 1.75 | 1.50 |
| | 3.00 2.50 | |
| | 1.00 3.50 | |
| robusta fastigiata. 15' 3 to 4 ft | 75 1.50 | |
| | 2.00 1.75 | |
| | 3.00 	 1.73 	 3.00 	 2.50 | |
| | $\frac{2.50}{1.00}$ | |
| | 5.00 	 3.50 $6.00 	 4.50$ | |
| robusta persicifolia. 12' | 4.00 | |
| | 2.00 1.75 | |
| | 3.00 	 2.50 | |
| | 1.00 3.50 | |
| | 5.00 4.50 | |
| sargenti. Sargent Crab. 6' | 2.00 | |
| | 2.00 1.75 | 1.50 |
| | 2.50 2.00 | 1.75 |
| | 3.00 2.75 | 2.50 |
| | 1.00 3.50 | |
| scheideckeri. Scheidecker Crab. 20' | | |
| 3 to 4 ft 1 | 1.75 | |
| 4 to 5 ft 2 | 2.00 1.75 | |
| 5 to 6 ft 2 | 2.50 2.25 | |
| 6 to 8 ft 4 | 3.50 | |
| sieboldi. Toringo Crab. 15' | | |
| 3 to 4 ft 1 | 1.50 1.25 | 1.00 |
| 4 to 5 ft 1 | 1.75 1.50 | 1.25 |
| 5 to 6 ft | 2.00 1.75 | 1.60 |
| | 3.00 2.75 | 2.50 |
| | 5.00 	 4.00 | |
| 10 to 12 ft | 7.50 | |
| | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|---|---------------------|-----------------|
| Malus | 151 | | |
| spectabilis. Chinese Flowering Cral | | 1.05 | |
| 3 to 4 ft | 1.50 | 1.25 | |
| 4 to 5 ft | $1.75 \\ 2.50$ | $\frac{1.50}{2.00}$ | |
| 5 to 6 ft | $\frac{2.50}{3.50}$ | $\frac{2.00}{3.00}$ | |
| | | | 1 |
| spectabilis alba plena. Dbl. White | | | 15' |
| 3 to 4 ft | $\frac{1.75}{2.05}$ | 1.50 | |
| 4 to 5 ft | $\frac{2.25}{2.00}$ | $\frac{2.00}{2.50}$ | |
| | $\frac{3.00}{4.00}$ | $\frac{2.50}{3.50}$ | |
| | 4.00 | 5.50 | |
| 8 to 10 ft | 5.00 | | |
| | 12' | 1 55 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 2.00 | 1.75 | |
| 5 to 6 ft | 2.50 | 2.25 | |
| 6 to 8 ft | 3.50 | 3.00 | |
| 8 to 10 ft | 5.00 | 4.50 | |
| theifera. Tea Crab. 20' | | | |
| 4 to 5 ft | 2.00 | 1.50 | |
| 5 to 6 ft | 2.75 | 2.25 | |
| 6 to 8 ft | 4.00 | 3.50 | |
| theifera rosea. 20' | 0.05 | 0.00 | 1 77 5 |
| 4 to 5 ft | 2.25 | 2.00 | 1.75 |
| 5 to 6 ft | 2.75 | 2.50 | 2.25 |
| | $\begin{array}{c} 4.00 \\ 6.00 \end{array}$ | $3.50 \\ 5.00$ | 3.00 |
| 8 to 10 ft | 10.00 | 7.50 | |
| toringoides. Cutleaf Crab. 15' | 10.00 | 7.80 | |
| 4 to 5 ft | 2.00 | | |
| 5 to 6 ft | $\frac{2.00}{2.50}$ | | |
| 6 to 8 ft | $\frac{2.50}{3.50}$ | | |
| 8 to 10 ft | 5.00 | | |
| tschonoski. 20' | 0.00 | | |
| 3 to 4 ft | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft | 3.00 | 2.50 | 2.25 |
| 6 to 8 ft | 4.00 | 3.50 | 3.00 |
| 8 to 10 ft | 5.00 | 4.50 | 4.00 |
| yunnanensis veitchi. 25' | | | |
| 3 to 4 ft | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft | 2.00 | 1.75 | |
| 5 to 6 ft | 2.50 | 2.25 | |
| 6 to 8 ft | 3.50 | 3.00 | |
| 8 to 10 ft | 5.00 | 4.50 | |
| | | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---------------------------------------|-------------|--------------|-----------------|
| Malus | | | |
| zumi. Zumi Crab. 12' | | | |
| 4 to 5 ft | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft | 2,50 | 2.00 | 1.50 |
| 6 to 8 ft., | 3,50 | 3.00 | 2.50 |
| 8 to 10 ft | 6,00 | 5.00 | |
| 10 to 12 ft | 10.00 | 7.50 | |
| zumí calocarpa. 16' | | | |
| 4 to 5 ft | 1,75 | 1.50 | 1.25 |
| 5 to 6 ft | 2.50 | 2.00 | 1.50 |
| 6 to 8 ft | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft | 5.00 | 4.50 | |
| Morus alba pendula, Weeping Mulberr | y. 10° | | |
| 3 yr. heads, 5 to 7 ft. stems | 3,00 | | |
| alba tatarica. Itussion Mulberry. | 60' | | |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1,00 | .85 | .75 |
| 8 to 10 ft | 1.50 | 1.25 | 1,00 |
| 1 1/2 to 1 1/4 in | 2.00 | 1.75 | 1.50 |
| 1 1/4 to 2 in | 2,50 | 2.25 | 2.00 |
| 2 to 21/2 in | 3.50 | 3.00 | |
| Myrica carolinensis. Northern Buyberr | y. 6' | | |
| 18 to 24 in | .75 | .60 | .50 |
| 24 to 30 in | 1,00 | .75 | ,60 |
| 3 to 4 ft | 1,25 | 1,00 | .75 |
| cerifora. Bouthern Waxmyrtle, 5' | | | |
| 18 to 24 in | .75 | ,60 | ,50 |
| 2 to 3 ft | 1,00 | .75 | ,60 |
| 3 to 4 ft | 1.25 | 1,00 | .75 |
| 4 to 5 ft | 1,50 | 1.25 | 1,00 |
| gale, Busetyale, h' | | | |
| 18 to 24 in | 2.00 | 1,50 | |
| 2 to 3 ft | 2,50 | 2.00 | |
| Nandina domestica, Nandina, 8' | | | |
| 18 to 24 in | 2.50 | 2.00 | |
| Neillia longeracemosa. 10' | | | |
| 2 to 3 ft | .75 | ,60 | ,50 |
| 3 to 4 ft | 1,00 | .75 | .60 |
| 4 to 5 ft | 1.25 | 1.00 | .75 |
| sinensis. Tube Neillia, 6' | ,,,,,,, | ,,,,, | , , , , , |
| 2 to 3 ft | .75 | .60 | ,50 |
| 3 to 4 ft | 1,00 | .75 | ,60 |
| 4 to 5 ft | 1.25 | 1.00 | .75 |
| | , , , , , | ,,,,,, | , 1 -/ |

| | 1.4 | 5 94 | 25 6 112 |
|---------------------------------------|-------------|--------------|-----------------|
| | 1-4 Each | 5-24 Each | 25 & up Each |
| Nemopanthus mucronatus. Mountain H | folly. 1 | O' | |
| 3 to 4 ft | 1.50 | | |
| 4 to 5 ft | 2.00 | | |
| Neviusia alabamensis. Snow-wreath. 6' | | | |
| 2 to 3 ft | 1.25 | | |
| 3 to 4 ft | 1.50 | | |
| *Nyssa aquatica. Big Tupelo. 40' | | | |
| 2 to 3 ft | 2.00 | | |
| *sylvatica. Tupelo. 40' | 6 | | |
| 3 to 4 ft | 2.00 | 1.75 | * |
| 4 to 5 ft | 3.00 | 2.50 | |
| 5 to 6 ft | 3.50 | 3.00 | |
| 6 to 8 ft | 5.00 | 4.50 | |
| 8 to 10 ft | 7.50 | 6.50 | |
| 10 to 12 ft | 12.50 | 10.00 | |
| Osmanthus aquifolium. Holly Osmanth | hus. 15' | • | |
| 12 to 18 in., 4" pots | | | |
| Ostrya virginiana. American Hophornb | beam. 4 | <i>io</i> ' | |
| 5 to 6 ft | 1.75 | 1.50 | |
| 6 to 8 ft | 2.50 | 2.00 | |
| 8 to 10 ft | 3.50 | 3.00 | |
| 10 to 12 ft | 5.00 | 4.50 | |
| *Oxydendrum arboreum. Sourwood. | 40 ' | | |
| 2 to 3 ft | 1.25 | 1.00 | .75 |
| 3 to 4 ft | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft | 2.25 | 1.75 | 1.50 |
| 5 to 6 ft | 3.50 | 2.50 | 2.00 |
| 6 to 8 ft | 4.00 | 3.50 | 3.00 |
| 8 to 10 ft | 6.50 | 5.50 | 4.50 |
| 10 to 12 ft | 10.00 | 7.50 | |
| Pachistima canbyi. Canby Pachistima. | 1' | | |
| 3 inch pots | .75 | .60 | .50 |
| Paeonia suffruticosa. Tree Peony. 6' | | | |
| 8 to 10 in., 3 year | 3.00 | 2.50 | |
| Paulownia tomentosa. Royal Paulowni | ia. 30' | | |
| 6 to 8 ft | 4.00 | 3.50 | |
| 8 to 10 ft | 5.00 | 4.50 | |
| 10 to 12 ft | 7.50 | | |
| Periploca graeca. Silk Vine. 30' | | | |
| 2 year | .50 | .40 | .30 |
| 3 year | .60 | .50 | .40 |
| | | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------------------------|-------------|--------------|-----------------|
| Periploca Chinasa Gillmina 05' | | | |
| sepium. Chinese Silkvine. 25' | 1.05 | | |
| 2 year | 1.25 | | |
| Perowskia atriplicifolia. 4' | | | |
| 2 to 3 ft | 1.50 | 1.25 | 1.00 |
| 3 to 4 ft | 2.00 | 1.50 | 1.25 |
| Phellodendron amurense. Amur Corkta | ree. 50' | | |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft | 2.00 | 1.75 | 1.50 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 2.50 | 2.25 | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 3.00 | 2.75 | |
| 1 % to 2 in | 4.00 | 3.50 | |
| 2 to $2\frac{1}{2}$ in | 5.50 | 4.50 | |
| chinense. Chinese Corktree. 30' | | | |
| 8 to 10 ft | 3.00 | 2.50 | |
| lavallei. 30' | | | |
| 8 to 10 ft | 4.00 | | |
| sachalinense. Sakhalin Corktree. | 50 ' | | |
| 6 to 8 ft | 3.50 | 3.00 | |
| 8 to 10 ft | 4.00 | 3.50 | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 4.50 | 4.00 | |
| Philadelphus Albatre. 6' | | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .30 |
| 4 to 5 ft | .60 | .50 | |
| Argentine. 5' | | | |
| 2 to 3 ft | .50 | .40 | |
| 3 to 4 ft | .60 | .50 | |
| Avalanche. 5' | | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | |
| Banniere. 8' | | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .30 |
| Bouquet Blanc. 5' | | | |
| 2 to 3 ft | .40 | .35 | .30 |
| 3 to 4 ft | .50 | .40 | .35 |
| coronarius. Sweet Mockorange. 1 | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .55 | .45 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .85 | .75 |
| | _ | | _ |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Philadelphus | | | |
| coronarius aureus. Golden Mocko | range. | 4' | |
| 18 to 24 in | .50 | .45 | .40 |
| 24 to 30 in | .65 | .55 | .50 |
| 3 to 4 ft | .75 | .65 | .60 |
| 4 to 5 ft | 1.00 | .85 | .75 |
| coronarius nanus. 4' | | | |
| 12 to 15 in | .60 | .50 | |
| 15 to 18 in | .75 | .60 | |
| coronarius multiflorus plenus. $oldsymbol{	heta}'$ | | | |
| 2 to 3 ft | .50 | .40 | 30 |
| Dame Blanche. 6' | | | |
| 2 to 3 ft | .40 | .30 | .25 |
| dianthiflorus plenus. 4' | | , | |
| 18 to 24 in | .35 | .25 | .20 |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .35 |
| falconeri. Star Mockorange. 8' | | | |
| 3 to 4 ft | .50 | .40 | .30 |
| 4 to 5 ft | .60 | .50 | |
| 5 to 6 ft | .75 | .60 | |
| Favorite. 10' | | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .30 |
| 4 to 5 ft | .60 | .50 | .40 |
| Gerbe de Neige. 6' | | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .30 |
| 4 to 5 ft | .60 | .50 | .40 |
| Glacier. δ' | | | |
| 2 to 3 ft | .40 | .35 | .30 |
| 3 to 4 ft | .50 | .45 | .40 |
| 4 to 5 ft | .75 | .60 | |
| gordonianus. Gordon Mockorange. | 12' | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .30 |
| 4 to 5 ft | .60 | .50 | .40 |
| 5 to 6 ft | .75 | .60 | .50 |
| grandiflorus. Big Scentless Mocko | range. | 8 ' | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .55 | .45 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .85 | .75 |
| | | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|---------------------|-----------------|
| Philadelphus | | | |
| incanus. Gray Mockorange. 10' | | | |
| 18 to 24 in | 1.00 | .75 | |
| lemoinei erectus. 5' | | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .30 |
| 4 to 5 ft | .60 | .50 | .40 |
| lewisi. Lewis Mockorange. 10' | | | |
| 3 to 4 ft | .50 | .40 | .30 |
| 4 to 5 ft | .60 | .50 | .40 |
| 5 to 6 ft | .75 | .60 | .50 |
| Magdalene. 6' | | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | |
| nepalensis. Nepal Mockorange. 10' | , | | |
| 3 to 4 ft | .50 | .40 | .30 |
| 4 to 5 ft | .60 | .50 | .40 |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .75 | .60 |
| nivalis. Snowbank Mockorange. 10 |) * | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .30 |
| 4 to 5 ft | .60 | .50 | .40 |
| | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .85 | .75 |
| Norma. 8' | | | ••• |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .30 |
| 4 to 5 ft | .60 | .50 | .40 |
| 5 to 6 ft | .75 | .60 | .50 |
| Ophelia. 6' | | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .30 |
| Pavillon Blanc. 8' | .00 | .10 | .00 |
| 3 to 4 ft | .50 | .40 | .30 |
| 4 to 5 ft | .60 | .50 | .40 |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .85 | .75 |
| pyramidale. 6' | 2.00 | .00 | |
| $3 \text{ to } 4 \text{ ft.} \dots$ | .50 | .40 | |
| 4 to 5 ft | .60 | .50 | |
| 5 to 6 ft | ,90 | .75 | |
| 9 40 9 101111111111111111111111111111111 | 15 4 | :19 | |

| Philadelphus Sericanthus. Silk Mockorange. 12' 3 to 4 ft. 1.50 1.25 Sybille. 6' 2 to 3 ft. .50 .40 .30 | | | | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|------|----------|----------------------|-------------|--------------|-----------------|
| 3 to 4 ft. 1.50 1.25 Sybille. 5' 2 to 3 ft | Philadelphi | 15 | | | | | |
| Sybille. δ' 2 to 3 ft. .50 .40 .30 virginal. δ' 2 to 3 ft. .50 .40 .30 3 to 4 ft. .60 .50 .40 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .85 .75 Voie Lactee. 6' 2 to 3 ft. .50 .40 .30 3 to 4 ft. .60 .50 .40 4 to 5 ft. .50 .40 .30 3 to 4 ft. .50 .40 .30 4 to 5 ft. .50 .40 .30 5 to 6 ft. .75 .60 .50 Zeyher Mockorange. 10' 3 to 4 ft. .50 .40 .30 5 to 6 ft. .75 .60 .50 4 to 5 ft. .75 .60 .50 4 to 5 ft. .75 .60 .50 4 to 5 ft. .1.50 1.25 1.00 | serica | nth | | | | | |
| 2 to 3 ft. .50 .40 .30 virginal. 8' .50 .40 .30 2 to 3 ft. .50 .50 .40 4 to 5 ft. .75 .60 .50 5 to 6 ft. .75 .60 .50 5 to 6 ft. .50 .40 .30 2 to 3 ft. .50 .40 .30 3 to 4 ft. .60 .50 .40 4 to 5 ft. .75 .60 .50 zeyheri. Zeyher Mockorange. 10' .75 .60 .50 3 to 4 ft. .50 .40 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 6 to 8 ft. .75 .60 .50 Photinia villosa. 8' .75 3 to 4 ft. .75 .60 .50 4 to 5 ft. .1.50 .1.25 .1.00 6 to 8 ft. .2.50 .2.00 .1.50 8 to 10 ft. 3.50 .3.00 .2.50 villosa laevis. 15' 1.50 .1.25 .1.00 4 to 5 ft. 1.50 .1.25 .1.00 5 to 6 ft. 2.00 .1.50 .1.25 6 to 8 ft. 2.00 .50 .2.00 Physocarpus intermedius parvifolius. Dwarf Ninebark. 4' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .50 .45 | | | | ft | 1.50 | 1.25 | |
| virginal. 8' 2 to 3 ft. .50 .40 .30 3 to 4 ft. .60 .50 .40 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .85 .75 Voie Lactee. 6' 2 to 3 ft. .50 .40 .30 3 to 4 ft. .60 .50 .40 4 to 5 ft. .60 .50 .40 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 6 to 8 ft. .100 .85 .75 Photinia villosa. 8' 3 to 4 ft. .75 .60 .50 4 to 5 ft. .1.50 1.25 1.00 6 to 8 ft. .2.50 2.00 1.50 8 to 10 ft. .3.50 3.00 2.50 Vil | | | | | | | |
| 2 to 3 ft | 2 | to | 3 | ft | .50 | .40 | .30 |
| 3 to 4 ft. .60 .50 .40 4 to 5 ft. .75 .60 .50 .50 5 to 6 ft. .100 .85 .75 | virgin | al. | 8' | | | | |
| 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .85 .75 Voie Lactee. 6' 2 to 3 ft. .50 .40 .30 3 to 4 ft. .60 .50 .40 4 to 5 ft. .75 .60 .50 zeyheri. Zeyher Mockorange. 10' 3 to 4 ft. .50 .40 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 4 to 5 ft. .75 .60 .50 4 to 5 ft. 1.00 .85 .75 Photinia villosa. 8' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 2.50 2.00 1.50 8 to 10 ft. 3.50 3.00 2.50 villosa laevis. 15' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 2.00 1.50 1.25 <t< td=""><td>2</td><td>to</td><td>3</td><td>ft</td><td>.50</td><td>.40</td><td>.30</td></t<> | 2 | to | 3 | ft | .50 | .40 | .30 |
| Voie Lactee. 6' 2 to 3 ft. .50 .40 .30 3 to 4 ft. .60 .50 .40 4 to 5 ft. .75 .60 .50 zeyheri. Zeyher Mockorange. 10' 2 2 .40 .30 4 to 5 ft. .60 .50 .40 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .85 .75 Photinia villosa. 8' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 2.50 2.00 1.50 8 to 10 ft. 3.50 3.00 2.50 villosa laevis. 15' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 2.00 1.50 1.25 6 to 8 ft. 3.00 2.50 2.00 Physocarpus intermedius parvifolius. Dwarf Ninebark. 4' 2 to 3 ft. | 3 | to | 4 | ft | .60 | .50 | .40 |
| Voie Lactee. 6' 2 to 3 ft. .50 .40 .30 3 to 4 ft. .60 .50 .40 4 to 5 ft. .75 .60 .50 zeyheri. Zeyher Mockorange. 10' 3 to 4 ft. .50 .40 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 6 to 8 ft. .75 .60 .50 9 to 6 ft. .75 .60 .50 10 to 75 .50 .50 .50 2 to 6 ft. .1.25 1.00 .75 5 to 6 ft. .1.50 1.25 1.00 6 to 8 ft. .2.50 2.00 1.50 8 to 10 ft. .350 3.00 2.50 villosa laevis. 15' 4 to 5 ft. .1.50 1.25 1.00 5 to 6 ft. .2.00 1.50 1.25 6 to 8 ft. .300 2.50 2.00 Physocarpus intermedius parvifolius. Dwarf Ninebark. 4' 2 to 3 ft. .50 .40 <td>4</td> <td>to</td> <td>5</td> <td>ft</td> <td></td> <td>.60</td> <td>.50</td> | 4 | to | 5 | ft | | .60 | .50 |
| 2 to 3 ft | 5 | to | 6 | ft | 1.00 | .85 | .75 |
| 3 to 4 ft | Voie I | Lact | tee. | <i>6'</i> | | | |
| 4 to 5 ft. .75 .60 .50 zeyheri. Zeyher Mockorange. 10' 3 to 4 ft. .50 .40 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .85 .75 Photinia villosa. 8' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 2.50 2.00 1.50 8 to 10 ft. 3.50 3.00 2.50 villosa laevis. 15' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 2.00 1.50 1.25 6 to 8 ft. 3.00 2.50 2.00 Physocarpus intermedius parvifolius. Dwarf Ninebark. 4' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 | 2 | to | 3 | ft | .50 | .40 | .30 |
| zeyheri. Zeyher Mockorange. 10' 3 to 4 ft. .50 .40 .30 4 to 5 ft. .60 .50 .40 5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .85 .75 Photinia villosa. 8' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 2.50 2.00 1.50 8 to 10 ft. 3.50 3.00 2.50 villosa laevis. 15' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 2.00 1.50 1.25 6 to 8 ft. 3.00 2.50 2.00 Physocarpus intermedius parvifolius. Dwarf Ninebark. 4' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 Opulifolius. Ninebark. 10' 2 to 3 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 | 3 | to | 4 | ft | .60 | .50 | .40 |
| 3 to 4 ft | 4 | to | | | .75 | .60 | .50 |
| 4 to 5 ft | zeyher | i. | Ze_{3} | yher Mockorange. 10' | | | |
| 5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .85 .75 Photinia villosa. 8' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 2.50 2.00 1.50 8 to 10 ft. 3.50 3.00 2.50 villosa laevis. 15' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 2.00 1.50 1.25 6 to 8 ft. 3.00 2.50 2.00 Physocarpus intermedius parvifolius. Dwarf Ninebark. 4' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 Opulifolius. Ninebark. 10' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 | 3 | to | 4 | ft | .50 | .40 | .30 |
| 6 to 8 ft. 1.00 .85 .75 Photinia villosa. 8' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. 2.50 2.00 1.50 8 to 10 ft. 3.50 3.00 2.50 villosa laevis. 15' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 2.00 1.50 1.25 6 to 8 ft. 3.00 2.50 2.00 Physocarpus intermedius parvifolius. Dwarf Ninebark. 4' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 Opulifolius. Ninebark. 10' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 | 4 | to | 5 | ft | .60 | .50 | .40 |
| Photinia villosa. 8' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. 1.50 1.25 1.00 .6 to 8 ft. 2.50 2.00 1.50 8 to 10 ft. 3.50 3.00 2.50 villosa laevis. 15' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 2.00 1.50 1.25 6 to 8 ft. 3.00 2.50 2.00 Physocarpus intermedius parvifolius. Dwarf Ninebark. 4' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 opulifolius. Ninebark. 10' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 | 5 | to | 6 | ft | .75 | .60 | .50 |
| 3 to 4 ft | 6 | to | 8 | ft | 1.00 | .85 | .75 |
| 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 2.50 2.00 1.50 8 to 10 ft. 3.50 3.00 2.50 villosa laevis. 15' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 2.00 1.50 1.25 6 to 8 ft. 3.00 2.50 2.00 Physocarpus intermedius parvifolius. Dwarf Ninebark. 4' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 opulifolius. Ninebark. 10' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 | Photinia vi | llos | a. | <i>8'</i> | | | |
| 5 to 6 ft. 1.50 1.25 1.00 6 to 8 ft. 2.50 2.00 1.50 8 to 10 ft. 3.50 3.00 2.50 villosa laevis. 15' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 2.00 1.50 1.25 6 to 8 ft. 3.00 2.50 2.00 Physocarpus intermedius parvifolius. Dwarf Ninebark. 4' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 opulifolius. Ninebark. 10' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 | | | | | | | |
| 6 to 8 ft | 4 | to | 5 | ft | | | |
| 8 to 10 ft. 3.50 3.00 2.50 villosa laevis. 15' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 2.00 1.50 1.25 6 to 8 ft. 3.00 2.50 2.00 Physocarpus intermedius parvifolius. Dwarf Ninebark. 4' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 opulifolius. Ninebark. 10' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 | 5 | to | 6 | ft | 1.50 | 1.25 | 1.00 |
| villosa laevis. 15' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 2.00 1.50 1.25 6 to 8 ft. 3.00 2.50 2.00 Physocarpus intermedius parvifolius. Dwarf Ninebark. 4' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 opulifolius. Ninebark. 10' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 | 6 | to | 8 | ft | 2.50 | | 1.50 |
| 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 2.00 1.50 1.25 6 to 8 ft. 3.00 2.50 2.00 Physocarpus intermedius parvifolius. Dwarf Ninebark. 4' 2 to 3 ft. 50 .40 .35 3 to 4 ft. 60 .50 .45 Opulifolius. Ninebark. 10' 2 to 3 ft. 35 .25 .20 3 to 4 ft. 45 .35 .25 4 to 5 ft. 60 .45 .35 5 to 6 ft. .75 .60 .50 | 8 | to | 10 | ft | 3.50 | 3.00 | 2.50 |
| 5 to 6 ft. 2.00 1.50 1.25 6 to 8 ft. 3.00 2.50 2.00 Physocarpus intermedius parvifolius. Dwarf Ninebark. 4' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 opulifolius. Ninebark. 10' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 | villosa | la | evis | . 15' | | | |
| 6 to 8 ft 3.00 2.50 2.00 Physocarpus intermedius parvifolius. Dwarf Ninebark. 4' 2 to 3 ft .50 .40 .35 3 to 4 ft .60 .50 .45 opulifolius. Ninebark. 10' 2 to 3 ft .35 .25 .20 3 to 4 ft .45 .35 .25 4 to 5 ft .60 .45 .35 5 to 6 ft .75 .60 .50 | 4 | to | 5 | ft | 1.50 | 1.25 | 1.00 |
| Physocarpus intermedius parvifolius. Dwarf Ninebark. 4' 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 opulifolius. Ninebark. 10' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 | 5 | to | 6 | ft | 2.00 | 1.50 | 1.25 |
| 2 to 3 ft. .50 .40 .35 3 to 4 ft. .60 .50 .45 opulifolius. Ninebark. 10' 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 | 6 | to | 8 | ft | 3.00 | 2.50 | 2.00 |
| 3 to 4 ft .60 .50 .45 opulifolius. Ninebark. 10' 2 to 3 ft .35 .25 .20 3 to 4 ft .45 .35 .25 4 to 5 ft .60 .45 .35 5 to 6 ft .75 .60 .50 | Physocarpu | ıs i | nte | rmedius parvifolius. | Dwarf | Ninebark | . 4' |
| opulifolius. Ninebark. 10' 2 to 3 ft .35 .25 .20 3 to 4 ft .45 .35 .25 4 to 5 ft .60 .45 .35 5 to 6 ft .75 .60 .50 | 2 | to | 3 | ft | .50 | .40 | .35 |
| 2 to 3 ft. .35 .25 .20 3 to 4 ft. .45 .35 .25 4 to 5 ft. .60 .45 .35 5 to 6 ft. .75 .60 .50 | 3 | to | 4 | ft | .60 | .50 | .45 |
| 3 to 4 ft .45 .35 .25 4 to 5 ft .60 .45 .35 5 to 6 ft .75 .60 .50 | opulif | oliu | 5. | Ninebark. 10' | | | |
| 3 to 4 ft .45 .35 .25 4 to 5 ft .60 .45 .35 5 to 6 ft .75 .60 .50 | 2 | to | 3 | ft | .35 | .25 | .20 |
| 4 to 5 ft | | | | | | | |
| 5 to 6 ft | | | | | | | |
| | 5 | to | | | | | |
| | 6 | to | | | | | |

| | 1-4 Each | $\frac{5-24}{Each}$ | 25 & up Each |
|-------------------------------------|-------------|---------------------|-----------------|
| Physocarpus | | 20011 | 230011 |
| opulifolius luteus. Goldleaf Ninebo | ark. 10 |) ' | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .45 | .35 | .25 |
| 4 to 5 ft | .60 | .45 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .85 | .75 |
| opulifolius nanus. 6' | | | |
| 2 to 3 ft | .50 | .40 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| Picea alba. White Spruce. 50' | | | |
| 2 ftB&B | 2.50 | 2.00 | 1.75 |
| 3 ftB&B | 3.50 | 3.00 | 2.50 |
| 4 ftB&B | 5.00 | 4.50 | 3.75 |
| 5 ftB&B | 6.50 | 5.50 | 5.00 |
| 6 ftB&B | 7.50 | 6.50 | 6.00 |
| 7 ftB&B | 10.00 | 8.50 | 7.50 |
| 8 ftB&B | 15.00 | 12.50 | 10.00 |
| 9 ftB&B | 18.50 | 15.00 | |
| 10 ftB&B | 25.00 | 20.00 | \. |
| For larger sizes to 20 ft., add | \$5.00 | per foc | ot. |
| alba gloriosa. 30' | | | |
| 2 ftB&B | 7.50 | | |
| 3 ftB&B | | | |
| 4 ftB&B | | | |
| 5 ftB&B | 15.00 | | |
| alcockiana. Alcock Spruce. 75' | | | |
| 3 ftB&B | | | |
| 4 ftB&B | | | |
| For larger sizes to 15 ft., add | d \$5.00 |) per fo | ot. |
| canadensis. Black Hills Spruce. 66 | o' | | |
| 2 ftB&B | | | 1.75 |
| 3 ftB&B | | | |
| 4 ftB&B | | | |
| 5 ftB&B | | | 5.00 |
| 6 ftB&B | | | |
| 7 ftB&B | | | |
| 8 ftB&B | | | |
| 9 ftB&B | | | |
| 10 ftB&B | | | + |
| For larger sizes to 18 ft., add | φυ.υυ | her roo | U• |

1-4 5-24 25 & up Each Each Each

Picea

| | | B&B | 35.00 | | |
|--|---|--|---|--|-------------------------------|
| For | larger siz | es to 16 ft., add | £ \$5.00 | per foo | t. |
| excelsa. | Norway . | Spruce. 75' | | | |
| 2 ft | | B&B | 2.00 | 1.50 | 1.25 |
| 3 ft. | | B&B | 3.00 | 2.50 | 2.00 |
| 4 ft. | | B&B | 4.50 | 3.75 | 3.25 |
| 5 ft. | | B&B | 6.00 | 5.00 | 4.50 |
| 6 ft. | | B&B | 7.50 | 6.50 | 5.50 |
| 7 ft. | | B&B | 10.00 | 7.50 | 6.50 |
| 8 ft. | | B&B | 12.50 | 10.00 | |
| 9 it. | | B&B | 15.00 | 12.50 | |
| 10 ft. | | B&B | 18.00 | | |
| For la | rger sizes | to 25 ft., add | \$5.00 | per foot | • |
| excelsa ai | urea. Go | lden Norway Sp | ruce. 7 | 5' | |
| | | B&B | | | |
| | | B&B | | | |
| | | B&B | | | |
| | | B&B | | 12.00 | |
| | | B&B | | | |
| | | | | | |
| | | | | 0 per fo | oot. |
| For 1 | larger siz | es to 12 ft., ad | | 0 per fo | oot. |
| For l | larger size anbrasilia | es to 12 ft., ad na. 7' | ld \$5.0 | 0 per fo | oot. |
| For lexcelsa cl. 15 in. | larger siz | es to 12 ft., ad na. 7' B&B | 3.00 5.00 | 0 per fo | oot. |
| For lexcelsa cl. 15 in. 18 in. | larger siz | es to 12 ft., ad na. 7' B&B B&B | 3.00 5.00 6.50 | 0 per fo | oot. |
| For lexcelsa cl. 15 in. 18 in. | larger siz | es to 12 ft., ad na. 7' B&B | 3.00 5.00 6.50 | 0 per fo | oot. |
| For lexcelsa cl. 15 in. 18 in. 2 ft. | larger size | es to 12 ft., ad na. 7' B&B B&B | 5.00 6.50 8.00 | 0 per fo | oot. |
| For lexcelsa cl. 15 in. 18 in. 2 ft. excelsa m | larger size anbrasilia | es to 12 ft., ad na. 7' B&B B&B | 5.00 6.50 8.00 | 0 per fo | oot. |
| For lexcelsa cl. 15 in. 18 in. 2 ft. excelsa m. 18 to | larger size anbrasilia | es to 12 ft., ad na. 7'B&BB&BB&B | 5.00 6.50 8.00 6.6' 7.50 | 0 per fo | oot. |
| For 1 excelsa cl. 15 in. 18 in. 2 ft. excelsa m. 18 to. 24 to. | anbrasilia axwelli. 24 in | es to 12 ft., ad na. 7' | 5.00 6.50 8.00 6.6' 7.50 | | oot. |
| For lexcelsa classin. 18 in. 2 ft. excelsa mass 18 to 24 to 30 to | anbrasilia axwelli. 24 in 30 in | es to 12 ft., ad na. 7' | 5.00 6.50 8.00 7.50 10.00 12.50 | 10.00 | oot. |
| For 1 15 in. 18 in. 2 ft. excelsa m 18 to 24 to 30 to 36 to | anbrasilia anbrasilia | es to 12 ft., ac na. 7' | 5.00 6.50 8.00 7.50 10.00 12.50 15.00 | 10.00 12.50 | oot. |
| For 1 excelsa cl. 15 in. 18 in. 2 ft. excelsa m. 18 to 24 to 30 to 36 to excelsa n. | anbrasilia axwelli. 24 in 30 in 42 in | es to 12 ft., ad na. 7' | 5.00 6.50 8.00 6.6 7.50 10.00 12.50 15.00 | 10.00 12.50 | |
| For lexcelsa cl. 15 in. 18 in. 2 ft. excelsa m. 18 to 30 to 36 to excelsa na 18 to | anbrasilia axwelli. 24 in 36 in 42 in ana comp. 24 in | es to 12 ft., ad na. 7' | 5.00 6.50 8.00 7.50 10.00 12.50 15.00 | 10.00 12.50 4' 6.00 | 5.00 |
| For 1 15 in. 18 in. 2 ft. 2 ft. 24 to 30 to 36 to 24 to 24 to 24 to 24 to | anbrasilia | es to 12 ft., ac na. 7' | 5.00 6.50 8.00 7.50 10.00 12.50 15.00 | 10.00 12.50 4' 6.00 7.50 | 5.00 6.00 |
| For 1 excelsa cl 15 in. 18 in. 2 ft. excelsa m 18 to 24 to 30 to 36 to 24 to 30 to 30 to 30 to 30 to 30 to | anbrasilia | es to 12 ft., ac na. 7' | 5.00 6.50 8.00 7.50 10.00 12.50 15.00 0ruce. 7.50 10.00 12.50 | 10.00 12.50 4' 6.00 7.50 10.00 | 5.00 6.00 8.00 |
| For 1 15 in. 18 in. 2 ft. excelsa m 18 to 24 to 36 to 24 to 30 to 36 to 36 to 36 to 36 to 36 to 36 to | anbrasilia | es to 12 ft., ac na. 7' | 5.00 6.50 8.00 7.50 10.00 12.50 15.00 12.50 10.00 12.50 15.00 | 10.00 12.50 4' 6.00 7.50 10.00 | 5.00 6.00 8.00 |
| For 1 15 in. 18 in. 2 ft. 2 ft. excelsa m 18 to 24 to 30 to 36 to 24 to 30 to 36 to 42 to 42 to | anbrasilia | es to 12 ft., ac na. 7' | 5.00 6.50 8.00 7.50 10.00 12.50 15.00 12.50 15.00 20.00 | 10.00 12.50 4' 6.00 7.50 10.00 12.50 | 5.00 6.00 8.00 10.00 |
| For 1 excelsa cl 15 in. 18 in. 2 ft. excelsa m 18 to 24 to 30 to 36 to 42 to 42 to excelsa necessaria excelsa necessa excelsa necessaria excelsa necessaria excelsa necessaria excelsa necessaria excelsa excelsa necessaria excelsa excelsa necessaria excelsa excels | anbrasilia | es to 12 ft., ad na. 7' | 5.00 6.50 8.00 7.50 10.00 12.50 15.00 12.50 15.00 20.00 | 10.00 12.50 4' 6.00 7.50 10.00 12.50 | 5.00 6.00 8.00 10.00 |

| | 1-4 | 5-24 | 25 & up |
|----------------------------------|-------------|---------|---------|
| Picea | Each | Each | Euch |
| excelsa pendula. Weeping Spruce. | 20' | | |
| 3 ftB&B | 5.00 | 4.50 | |
| 4 ftB&B | 7.50 | 6.00 | |
| 5 ftB&B | 10.00 | 8.00 | |
| 6 ftB&B | 12.50 | 10.00 | |
| For larger sizes to 10 ft., ad | d \$5.00 |) per f | t. |
| excelsa pygmea. Pygmy Norway S | Spruce. | 20' | |
| 18 to 24 inB&B | 6.00 | 5.50 | |
| 24 to 30 inB&B | 7.50 | 6.50 | |
| 30 to 36 inB&B | 10.00 | | |
| 36 to 42 inB&B | | | |
| excelsa remonti. Remont Spruce. | 6' | | |
| 18 to 24 in | | 5.50 | 5.00 |
| 24 to 30 inB&B | | 6.50 | 0.00 |
| 30 to 36 inB&B | | 0.00 | |
| 36 to 42 in | | | |
| | | , | |
| glauca conica. Dwarf Alberta Spi | | | |
| 2 ftB&B | 6.00 | 5.00 | |
| $2\frac{1}{2}$ ftB&B | | 6.00 | |
| 3 ftB&B | 10.00 | 7.50 | |
| mariana. Black Spruce. 30' | 5 00 | 4.00 | |
| 4 ftB&B | | | |
| 5 ftB&B | 6.00 | 5.00 | |
| 6 ftB&B | | 6.00 | |
| 7 ftB&B | | 7.50 | |
| | 12.50 | 10.00 | |
| mariana doumeti. Doumet Spruce | | | |
| 2 ftB&B | 5.00 | 4.00 | |
| 3 ftB&B | 6.00 | 5.00 | |
| | 7.50 | | |
| 5 ftB&B | 10.00 | | |
| omorika. Serbian Spruce. 50' | | | |
| 3 ftB&B | | | |
| 4 ftB&B | | | |
| 5 ftB&B | | | |
| 6 ftB&B | 25.00 | | |
| orientalis. Oriental Spruce. 75' | | | |
| 2 ftB&B | 4.00 | | |
| 3 ftB&B | 5.00 | | |
| 10 ftB&B | | | |
| 11 ftB&B | 40.00 | | |

| | 1 1 | F 04 | 25 6- 117 |
|---|-------------|--------------|-----------------|
| | 1-4 Each | 5-24 Each | 25 & up Each |
| Picea | | | |
| polita. Tigertail Spruce. 75' | | | |
| 2 ftB&B | 4.00 | | |
| 9 ftB&B | 20.00 | | |
| 10 ftB&B | 25.00 | | |
| For larger sizes to 16 ft., add | \$5.00 | per fo | ot. |
| pungens. Colorado Spruce. 60' | | | |
| 3 ftB&B | 3.50 | 3.00 | 2.50 |
| 4 ftB&B | | 4.00 | 3.50 |
| 5 ftB&B | | 6.00 | |
| 6 ftB&B | | | |
| 7 ftB&B | | | 7.50 |
| 8 ftB&B | | 12.50 | |
| For larger sizes to 18 ft., add | | | ot. |
| Plus Colonedo Sa | | - eo! | |
| pungens glauca. Blue Colorado Sp | | 3.50 | 3.00 |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | 4.00 |
| 3 ftB&B | | 4.50 | |
| 4 ftB&B | | | |
| 5 ftB&B | | | 8.00 |
| 6 ftB&B | | | |
| 7 ftB&B | | 15.00 | |
| 8 ftB&B 9 ftB&B | | 20.00 | 17.50 |
| | | 30.00 | \ a.b. |
| For larger sizes to 20 ft., ad | a \$5.00 | per 10 | οι. |
| pungens kosteri. Koster Blue Spr | |) ' | |
| 2 ftB&B | 5.00 | 4.50 | 4.00 |
| 2 ½ ftB&B | 6.00 | 5.50 | 5.00 |
| 3 	 ftB&B | 7.50 | 7.00 | 6.50 |
| $3 \frac{1}{2}$ ftB&B | 10.00 | 9.00 | 8.50 |
| 4 ftB&B | 12.00 | 11.00 | 10.00 |
| 4 ½ ftB&B | 14.00 | 13.00 | 12.00 |
| $5 	ext{ft.} \dots B\&B$ | 16.00 | 15.00 | 14.00 |
| $5\frac{1}{2}$ ftB&B | 17.50 | 16.00 | 15.00 |
| $6 	ext{ft.} 	ext{} 	ext{B\&B}$ | 20.00 | 18.00 | 16.00 |
| $7 	ext{ft.} \dots B\&B$ | 25.00 | 20.00 | 18.00 |
| 8 ft | | | |
| For larger sizes to 25 ft., ad | d \$10.0 | 00 per : | foot. |
| pungens moerheimi. 40' | | | |
| 2½ ftB&B | 7.00 | 6.50 | |
| 3 ftB&B | 8.50 | 8.00 | |
| 3½ ftB&B | 12.00 | 10.00 | |
| 4 ftB&B | 15.00 | 12.50 | |

| | 1-4 Each | $\begin{array}{c} 5-24 \\ \mathrm{Each} \end{array}$ | 25 & up Each |
|---------------------------------------|-------------|--|-----------------|
| Picea | Bach | Bach | 134011 |
| rubra. Red Spruce. 60' | | | |
| 5 ftB&B | 6.00 | 5.00 | 4.50 |
| 6 ftB&B | 7.50 | 6.50 | 5.50 |
| 7 ftB&B | 10.00 | 7.50 | 6.50 |
| 8 ftB&B | 12.50 | 10.00 | 7.50 |
| 9 ftB&B | 15.00 | 12.50 | 10.00 |
| 10 ftB&B | 20.00 | 15.00 | |
| Pieris floribunda. Mountain Andromeda | . 4' | | |
| 18 to 24 inB&B | 4.00 | 3.50 | 3.00 |
| 24 to 30 inB&B | 5.50 | | |
| japonica. Japanese Andromeda. 10' | , | | |
| 15 to 18 inB&B | 2.50 | 2.00 | |
| 18 to 24 inB&B | 3.00 | 2.50 | |
| 24 to 30 inB&B | 5.00 | | |
| mariana. Staggerbush. 4' | | | |
| 24 to 30 inB&B | 3.00 | 2.50 | |
| 30 to 36 inB&B | 4.00 | 3.50 | |
| Pinus banksiana. Jack Pine. 60' | | | |
| 5 ftB&B | 6.00 | 5.50 | 5.00 |
| 6 ftB&B | 7.50 | 6.50 | 6.00 |
| 7 ftB&B | 10.00 | 8.50 | 7.50 |
| 8 ftB&B | 15.00 | 12.50 | 10.00 |
| 9 ftB&B | 18.00 | 15.00 | 12.50 |
| 10 ftB&B | 22.50 | 18.00 | 15.00 |
| 11 ftB&B | 27.50 | 22.50 | 18.00 |
| For larger sizes to 18 ft., add | d \$5.00 | per fo | ot. |
| bungeana. Lacebark Pine. 60' | | | |
| 2 ftB&B | 5.00 | 4.50 | |
| densiflora. Japanese Red Pine. 6 | 0' | | |
| 3 ftB&B | 3.50 | 3.00 | 2.50 |
| 4 ftB&B | | 4.00 | |
| 5 ftB&B | | 4.50 | |
| 6 ftB&B | | 5.50 | |
| 7 ftB&B | | 7.50 | |
| 8 ft | | | 9.00 |
| 9 ftB&B | | 12.50 | |
| For larger sizes to 17 ft., add | d \$5.00 | per fo | ot. |

| Pinus | 1-4 Each | 5-24 Each | 25 & up Each |
|----------------------------------|-------------|--------------|-----------------|
| flexilis. Limber Pine. 30' | | | |
| 4 ftB&B | 7.50 | | |
| 5 ftB&B | 10.00 | | |
| 6 ftB&B | 12.50 | | |
| 7 ftB&B | 15.00 | | |
| For larger sizes to 16 ft., add | \$5.00 | per foo | ot. |
| montana. Swiss Mountain Pine. 10 |) ' | | |
| 18 inB&B | 3.00 | 2.75 | 2.50 |
| 2 ftB&B | 3.50 | 3.25 | 3.00 |
| $2\frac{1}{2}$ ftB&B | 4.50 | 4.25 | 4.00 |
| 3 ftB&B | 6.50 | 5.50 | 5.00 |
| $3\frac{1}{2}$ ftB&B | 10.00 | 8.00 | 7.50 |
| 4 ftB&B | 15.00 | 12.50 | 10.00 |
| 5 ftB&B | 20.00 | 15.00 | 12.50 |
| 6 ftB&B | 25.00 | | |
| 7 ftB&B | 35.00 | | |
| montana mughus. Dwarf Mountain | n Pine. | 4' | |
| 15 to 18 in. spdB&B | 2.50 | 2.25 | 2.00 |
| 18 to 24 in. spdB&B | 3.00 | 2.75 | 2.50 |
| 2 to $2\frac{1}{2}$ ft. spdB&B | 3.75 | 3.50 | 3.25 |
| $2\frac{1}{2}$ to 3 ft. spdB&B | 4.50 | 4.25 | 4.00 |
| 3 to $3\frac{1}{2}$ ft. spdB&B | 7.50 | 6.50 | 5.50 |
| $3\frac{1}{2}$ to 4 ft. spdB&B | 10.00 | 8.00 | 7.50 |
| 4 to 5 ft. $spdB\&B$ | 15.00 | 12.50 | 10.00 |
| 5 to 6 ft. spdB&B | 25.00 | | |
| 6 to 7 ft. spdB&B | 35.00 | | |
| nigra. Austrian Pine. 50' | | | |
| 2 ftB&B | 3.00 | 2.50 | 2.00 |
| 3 ftB&B | 5.00 | 4.00 | 3.25 |
| 4 ftB&B | 6.00 | 5.00 | 4.25 |
| 5 ftB&B | 7.50 | 6.50 | |
| | 10.00 | 8.50 | 7.50 |
| | 15.00 | 12.50 | |
| | 18.00 | 15.00 | 12.50 |
| | 22.50 | 18.00 | 15.00 |
| 10 ftB&B | | 22.50 | 18.00 |
| For larger sizes to 16 ft., add | | per fo | ot. |
| | <i>60'</i> | | |
| 3 ftB&B | 4.00 | 3.75 | 3.50 |
| | 6.00 | 5.00 | 4.50 |
| | 7.50 | 6.50 | |
| 6 ftB&B | | non fo | |
| For larger sizes to 18 ft., add | \$5.00 | per 100 |) Ç. |

| •. | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Pinus | Насп | Bacii | Hacii |
| parviflora. Japanese White Pine. 3 | 50 ' | | |
| 2 ftB&B | 5.00 | | |
| resinosa. Red Pine. 50' | | | |
| 3 ftB&B | 5.00 | 4.00 | 3.25 |
| 4 ftB&B | 6.00 | 5.00 | 4.25 |
| 5 ftB&B | 7.50 | 6.50 | |
| | 10.00 | 8.50 | |
| | 15.00 | 12.50 | |
| | 18.00 | | |
| | 22.50 | 18.00 | |
| For larger sizes to 18 ft., add | \$5.00 | per foo | t. |
| strobus. White Pine. 75' | | | |
| 2 ftB&B | 3.00 | 2.50 | |
| 3 ftB&B | 5.00 | 4.00 | |
| | 6.00 | 5.00 | |
| | 7.50 | | |
| | 10.00 | 8.50 | 7.50 |
| | 15.00 | 12.50 | 10.00 |
| | 18.00 | 15.00 | |
| For larger sizes to 16 ft., add | \$5.00 | per 100 | t. |
| sylvestris. Scotch Pine. 50' | | | |
| 3 ftB&B | | 3.00 | 2.75 |
| 4 ftB&B | | | 3.50 |
| 5 ftB&B | | 5.50 | 5.00 |
| 6 ftB&B | | | |
| 7 ftB&B | | 8.50 | |
| 8 ftB&B | | | |
| 9 ftB&B | | | |
| 10 ftB&B | | | |
| 11 ftB&B | | | |
| For larger sizes to 18 ft., add | | per 10 | Ot. |
| thunbergi. Japanese Black Pine. | | | |
| 3 ftB&B | | 4.00 | |
| 4 ftB&B | | 6.00 | |
| 5 ftB&B | | | |
| 6 ftB&B | 12.50 | | |
| Platanus occidentalis. American Planet | ree. 7 | 5 ' | |
| 8 to 10 ft | 2.00 | 1.75 | 1.50 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 3.00 | 2.50 | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 3.50 | 3.00 | |
| $1 \frac{3}{4}$ to 2 in | 5.00 | | |
| 2 to $2\frac{1}{2}$ in | 6.50 | 5.50 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--------------------------------------|-------------|--------------|-----------------|
| Platanus | Bach | Buch | Zu Çi. |
| orientalis. European Planetree. 80 | , | | |
| 6 to 8 ft | 1.75 | 1.50 | 1.25 |
| 8 to 10 ft | 2.00 | 1.75 | 1.50 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 3.00 | 2.50 | 2.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 3.50 | 3.00 | 2.50 |
| $1\frac{3}{4}$ to 2 in | 4.00 | 3.75 | 3.25 |
| 2 to $2\frac{1}{2}$ in | 6.00 | 5.00 | 4.50 |
| Polygonum auberti. China Fleecevine. | 25' | | |
| 2 year | .50 | .35 | .30 |
| | | | |
| Populus alba. White Poplar. 60' | | | |
| 10 to 12 ft | 1.75 | 1.50 | |
| 1% to 2 in | 3.00 | 2.50 | |
| 2 to $2\frac{1}{2}$ in | 3.50 | 3.00 | |
| alba nivea. Silver Poplar. 90' | | | |
| 6 to 8 ft | 2.00 | 1.75 | |
| 8 to 10 ft | 2.25 | 2.00 | |
| berolinensis. Volga Poplar. 40' | | | |
| 8 to 10 ft | 2.50 | 2.25 | 2.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 3.00 | 2.75 | 2.50 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 3.50 | 3.25 | 3.00 |
| 1 3/4 to 2 in | 5.00 | 4.00 | 3.50 |
| bolleana. Bolleana Poplar. 50' | | | |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft | 2.00 | 1.50 | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 2.50 | 2.00 | |
| 1½ to 1¾ in | 3.50 | 3.00 | _,,, |
| 1 3/4 to 2 in | 4.50 | 3.50 | |
| 2 to $2\frac{1}{2}$ in | 6.50 | 5.50 | |
| $2\frac{1}{2}$ to 3 in | | 7.50 | • |
| certinensis. Certinensis Poplar. 40 | o' | | |
| 6 to 8 ft | 2.00 | 1.75 | 1.50 |
| 8 to 10 ft | 2.50 | 2.00 | |
| 10 to 12 ft | 3.00 | 2.50 | |
| 1 % to 2 in | 4.00 | 3.50 | 3.00 |
| maximowiczi. Japanese Poplar. | | | |
| 8 to 10 ft | 3.00 | 2.50 | |
| 10 to 12 ft | 3.50 | 3.00 | |
| 1½ to 1¾ in | 4.00 | 3.50 | |
| 2 to 2½ in | 6.50 | 5.00 | |
| | | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|---------------------|---------------------|-----------------|
| Populus | Each | Bach | Macii |
| nigra betulifolia. 60' | | | |
| 8 to 10 ft | 2.50 | 2.25 | 2.00 |
| nigra italica. Lombardy Poplar. 6 | 30 ' | | |
| 6 to 8 ft | 1.00 | .75 | .60 |
| 8 to 10 ft | 1.25 | 1.00 | .75 |
| 10 to 12 ft | 1.50 | 1.25 | 1.00 |
| 1½ to 1¾ in | 2.00 | 1.60 | 1.35 |
| 1 % to 2 in | 3.00 | 2.50 | 2.00 |
| 2 to $2\frac{1}{2}$ in | 4.00 | 3.00 | |
| $2\frac{1}{2}$ to 3 in | 5.00 | 4.00 | |
| simoni. Simon Poplar. 35' | | | |
| 6 to 8 ft | 1.25 | 1.00 | .75 |
| 8 to 10 ft | 1.50 | 1.25 | 1.00 |
| 1½ to 1½ in | 1.75 | 1.50 | |
| 1½ to 1¾ in | 2.00 | 1.75 | |
| 1 % to 2 in | 2.25 | 2.00 | |
| 2 to 2½ in | 3.50 | 2.50 | |
| suaveolens przewalski. 40' | | | |
| 1½ to 1¾ in | 3.50 | | |
| tremuloides. Quaking Aspen. 50' 6 to 8 ft | 0.00 | 1 75 | |
| , | $\frac{2.00}{2.75}$ | 1.75 | |
| 8 to 10 ft | 2.75 3.50 | $\frac{2.25}{3.00}$ | |
| 1% to 2 in | 4.00 | 3.50 | |
| $\frac{1}{4}$ to $\frac{2}{1}$ in | 5.00 | 4.50 | |
| $2\frac{1}{2}$ to 3 in | 6.00 | 4.00 | |
| 3 to 3½ in | 7.50 | | |
| trichocarpa. Black Cottonwood. 40 | | | |
| 8 to 10 ft | 2.00 | 1.75 | 1.50 |
| 10 to 12 ft | $\frac{-135}{2.75}$ | 2.25 | 1.75 |
| 1½ to 1¾ in | 3.00 | 2.50 | |
| 1 3/4 to 2 in | 3.50 | 3.00 | |
| 2 to $2\frac{1}{2}$ in | 4.00 | 3.50 | |
| Potentilla fruticosa. Shrubby Cinquefoil | . 4' | | |
| 18 to 24 in | .40 | .30 | .25 |
| 2 to 3 ft | .50 | .40 | .35 |
| Prinsepia sinensis. Cherry Prinsepia. 6' | | - | |
| 9 to 12 in., from pots | 1.25 | 1.00 | |
| Prunus americana. American Plum. 20 | | | |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | 1.00 | .75 | .60 |
| 6 to 8 ft | 1.25 | 1.00 | .75 |
| 8 to 10 ft | 1.50 | 1.25 | 1.00 |
| | | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------------------------|-------------|--------------|-----------------|
| Prunus | Each | Bach | · |
| americana Newport. Purple-leaved | Americ | can Plu | m. 20' |
| 3 to 4 ft | .75 | .60 | .50 |
| 4 to 5 ft | 1.00 | .85 | .75 |
| 5 to 6 ft | 1.25 | 1.10 | 1.00 |
| 6 to 8 ft | 1.75 | 1.65 | 1.50 |
| armeniaca sibirica. Siberian Apric | ot. 12' | | |
| 4 to 5 ft | 2.00 | 1.50 | |
| 5 to 6 ft | 2.50 | 2.00 | |
| 6 to 8 ft | 3.00 | 2.50 | · |
| 8 to 10 ft | 3.50 | 3.00 | |
| *avium plena. Double White Flow | ering C | herry. | 30' |
| 6 to 8 ft | 3.50 | 3.00 | 2.25 |
| 8 to 10 ft | 5.00 | 4.00 | |
| 10 to 12 ft | 6.00 | 5.00 | |
| 3 to 4 in. specimens | 25.00 | | |
| besseyi. Bessey Cherry. 8' | | | |
| 2 to 3 ft | .50 | .40 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| cerasifera pissardi. Purpleleaf Plu | ım. 12' | | |
| 4 to 5 ft | .85 | .75 | .65 |
| 5 to 6 ft | 1.25 | 1.00 | .90 |
| 6 to 8 ft | 1.75 | 1.65 | 1.50 |
| 8 to 10 ft | 2.50 | 2.00 | |
| cistena. Purpleleaf Sand Cherry. | | _,, | |
| 3 to 4 ft | .75 | .60 | .50 |
| 4 to 5 ft | 1.00 | .75 | .65 |
| 5 to 6 ft | 1.25 | 1.00 | .75 |
| 6 to 8 ft | 1.50 | 1.25 | .90 |
| demissa. Western Chokecherry. 30 | | | |
| 3 to 4 ft | .60 | .50 | |
| 4 to 5 ft | .75 | .60 | |
| 5 to 6 ft | 1.00 | .75 | |
| dunbari. Dunbar Plum. 6' | | | |
| 2 to 3 ft | .85 | .70 | .60 |
| 3 to 4 ft | 1.00 | .85 | .75 |
| 4 to 5 ft | 1.25 | 1.10 | 1.00 |
| 5 to 6 ft | 1.50 | 1.25 | |
| glandulosa. Flowering Almond. 10 |)′ | | |
| 2 to 3 ft | .50 | .40 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |

| | 1-4 Each | 6-24 Each | 26 & up Each |
|-------------------------------------|-------------|--------------|-----------------|
| Prunus | | | |
| glandulosa albiplena. | | | |
| Double Whiteflowering Almond. | B' | | |
| 2 to 3 ft | ,65 | .50 | .45 |
| 3 to 4 ft | .75 | .85 | .60 |
| 2 to 3 ft, own roots | 1.50 | | |
| glandulosa sinensis. Double Pinkflo | rwering | Almon | 1, 6' |
| 2 to 3 ft | .65 | .50 | .45 |
| 8 to 4 ft | .75 | .85 | ,60 |
| 2 to 3 ft, own roots | 1.50 | | |
| 3 to 4 ft. own roots | 2.00 | | |
| hortulana. Hortulan Plum. 20 | | | 6 |
| 4 to 5 ft | 1.25 | 1,00 | |
| 5 to 6 ft | 1.50 | 1.25 | |
| . to 8 ft | 2.00 | 1.50 | |
| 8 to 10 ft | 2.50 | 2.00 | |
| incies. Mame Cherry. 16' | | | |
| 4 to 5 ft | 1,75 | 1.50 | 1.25 |
| 5 to 6 ft | 2.00 | 1.75 | 1.50 |
| 6 to 8 ft | 2.50 | 2.25 | 2,00 |
| 8 to 10 ft | 3,50 | 3,00 | 2,50 |
| japonica. Chinese Bush Cherry. 12' | | | |
| 2 to 3 ft | 1.50 | 1.25 | |
| 3 to 4 ft | 1.75 | 1.50 | |
| "lannesiana. Hilloye Cherry. 30" | | | |
| 5 to 6 ft | 3,00 | 2.50 | |
| 6 to 8 ft | 4.00 | 3.50 | |
| *lannesiana Amayadori. 20' | | | |
| 5 to 6 ft | 3.00 | 2.50 | |
| 6 to 8 ft | 4,00 | 3,50 | |
| *lanneciana Jonioi. 26' | | | |
| 4 to 5 ft | 2.50 | | |
| "lannesiana sirotae, Mt. Full Cher | 14. 25 | | |
| 5 to 6 ft | 3,00 | 2.50 | |
| 6 to 8 ft | 4.00 | 3.50 | |
| masski. Amur Cherry. 12' | | | |
| 4 to 5 ft | .75 | ,60 | .50 |
| 5 to 6 ft | 1,00 | .75 | ,60 |
| 6 to 8 ft | 1.25 | 1.00 | .75 |
| maritima. Beach Plum. 12 | | | |
| 2 to 3 ft | .60 | .50 | ,40 |
| 3 to 4 ft | .75 | .60 | ,50 |
| 4 to 5 ft | .85 | .75 | ,60 |
| 5 to 6 ft | 1,00 | .85 | ,75 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|------------------------------------|-------------|--------------|-----------------|
| Prunus | | | |
| moseri fl. pl. 12' | | | |
| 5 to 6 ft | 1.25 | 1.00 | .75 |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft | 2.50 | 2.00 | |
| mume. Japanese Apricot. 15' | | | |
| 6 to 8 ft | 2.50 | 2.25 | 2.00 |
| 8 to 10 ft | 3.00 | 2.75 | 2.50 |
| padus. European Bird Cherry. 30' | | | |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | 1.00 | .85 | .75 |
| 6 to 8 ft | 1.35 | 1.10 | 1.00 |
| 8 to 10 ft | 1.50 | 1.35 | 1.25 |
| pennsylvanica. Pin Cherry. 25' | | | |
| 5 to 6 ft | 1.00 | .85 | .75 |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft | 2.00 | 1.75 | 1.50 |
| 10 to 12 ft | 3.00 | 2.50 | 2.25 |
| | 3.00 | 2.00 | 2.20 |
| persica. (See Amygdalus). | | | |
| pumila. Sand Cherry. 5' | | | |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| serotina. Wild Black Cherry. 60' | | | |
| 5 to 6 ft | 1.00 | .75 | .60 |
| 6 to 8 ft | 1.25 | 1.00 | .75 |
| 8 to 10 ft | 1.50 | 1.25 | 1.00 |
| 10 to 12 ft | 2.50 | 2.00 | |
| *serrulata. Oriental Cherry. 40' | | | |
| 5 to 6 ft | 2.50 | 2.25 | 2.00 |
| 6 to 8 ft | 3.00 | 2.75 | 2.50 |
| 8 to 10 ft | 5.00 | 4.00 | |
| *serrulata Higantakura. Dbl. Whi | to Fla | Charry | <i>30'</i> |
| 6 to 8 ft | 4.00 | 3.50 | 30 |
| | 6.00 | 5.00 | |
| | | | |
| *serrulata Hisakura. Dbl. Pink Flg | | | |
| 4 to 5 ft | 2.50 | 2.00 | |
| 5 to 6 ft | 3.00 | 2.50 | |
| 6 to 8 ft | | 3.50 | |
| | 6.00 | | |
| 10 to 12 ft | 10.00 | 7.50 | |

| | 1-4 | 5-24 | 25 & up |
|-------------------------------------|--------------|--------|---------|
| Prunus | Each | Each | Each |
| *serrulata James H. Veitch. syn. | Fugenzo | . 30' | |
| 4 to 5 ft | 2.50 | 2.00 | 1.50 |
| 5 to 6 ft | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft | 4.00 | 3.50 | 2.75 |
| 8 to 10 ft | 6.00 | 5.00 | |
| *serrulata sachalinensis. syn. Sarg | genti. | | |
| Yama Cherry. 50' | | | |
| 4 to 5 ft | 2.50 | 2.00 | 1.50 |
| 5 to 6 ft | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft | 4.00 | 3.50 | 2.75 |
| 8 to 10 ft | 6.00 | 5.00 | 4.00 |
| 10 to 12 ft | 10.00 | 7.50 | |
| *sieboldi. syn. Naden. Siebold Cha | erry. 40 | • | |
| 5 to 6 ft | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft | 4.00 | 3.50 | 2.75 |
| 8 to 10 ft | 6.00 | 5.00 | 4.00 |
| 10 to 12 ft | 10.00 | 7.50 | |
| spinosa. Blackthorn. 12' | | | |
| 3 to 4 ft | .75 | .60 | .50 |
| 4 to 5 ft | 1.00 | .75 | .60 |
| 5 to 6 ft | 1.25 | 1.00 | .75 |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft | 2.00 | 1.75 | 1.50 |
| *subhirtella. Higan Cherry. 30' | | | |
| 4 to 5 ft | 2.50 | 2.00 | 1.50 |
| 5 to 6 ft | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft | 4.00 | 3.50 | 3.00 |
| 8 to 10 ft | 6.00 | 5.00 | 4.00 |
| 10 to 12 ft | 10.00 | 7.50 | |
| · | 201 | | |
| *subhirtella ascendens. Shiro-higo | | 0.50 | |
| 4 to 5 ft | 3.00 | 2.50 | |
| 5 to 6 ft | 4.00 | | |
| 6 to 8 ft | 5.0 0 | 4.50 | |
| *subhirtella autumnalis. | | | |
| Autumn Flowering Higan Cherry | . 30' | | |
| 5 to 6 ft | 5.00 | 4.00 | |
| 6 to 8 ft | 7.50 | 5.00 | |
| 8 to 10 ft | 10.00 | | |
| 10 to 12 ft., specB&B | 35.00 | | |
| *subhirtella pendula. Weeping Hi | | ry. 15 | , |
| 2 yr. hds., 4 to 6 ft. stem | | 4.00 | |
| V | | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---------------------------------|--------------------|--------------|-----------------|
| Prunus | | | |
| tomentosa. Nanking Cherry. 8' | | | |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| 4 to 5 ft | 1.00 | .75 | .60 |
| 5 to 6 ft | 1.25 | 1.00 | |
| triloba. Single Flowering Plum. | <i>10</i> ′ | | |
| 4 to 5 ft | 2.50 | | |
| 5 to 6 ft | 3.50 | | |
| triloba plena. Double Flowering | Plum. | <i>10'</i> | |
| 3 to 4 ft | .75 | .60 | .50 |
| 4 to 5 ft | 1.00 | .75 | .65 |
| 5 to 6 ft | 1.25 | 1.00 | .85 |
| virginiana. Chokecherry. 30' | | | |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | 1.00 | .75 | .60 |
| 6 to 8 ft | 1.25 | 1.00 | .75 |
| 8 to 10 ft | 1.50 | 1.25 | 1.00 |
| *yedoensis. Yoshino Cherry. 35' | | | |
| 5 to 6 ft | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft | 4.00 | 3.50 | 3.00 |
| 8 to 10 ft | 6.00 | 5.00 | 4.00 |
| 10 to 12 ft | 10.00 | 7.50 | |
| *yedoensis taizanfukun. | | | |
| 4 to 5 ft | 2.50 | 2.00 | 1.50 |
| 5 to 6 ft | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft | 4.00 | 3.50 | 3.00 |
| 8 to 10 ft | | 5.00 | 4.00 |
| 10 to 12 ft., specB&B | | | |
| 12 to 14 ft. specB&B | | | • |

We can also supply in limited quantity the following varieties of Japanese Flowering Cherries propagated from the collection at Highland Park, Rochester. They are available in the 4 to 5 ft., 5 to 6 ft., and 6 to 8 ft. grades at \$2.50, \$3.00 and \$4.00 each, respectively.

Amanogawa—semi-double pale pink Gioiko—semi-double pale yellow Hata-zakura—semi-double white Horaisan—double pink Hosokawanioi—semi-double flesh Kuramayami—double pink

1-4 5-24 25 & up Each Each Each

Prunus

Kwanzan—syn. Sekiyama—double deep pink
Miyako—double pink
Shirofugen—double light pink
Shogetsu—double soft pink
Sumizome—double purplish pink

Our named varieties of Japanese Flowering Cherries are grown on the Japanese type stocks. While the common practice of grafting on the European Mazzard Cherry stock is a cheaper method of propagation, it results in short-lived trees, which difficulty is overcome by using Japanese stocks.

| Pseudotsuga douglasi. Douglas Fir. 70' | • | | |
|--|-------------|----------|-------|
| 2 ftB&B | 2.50 | 2.25 | 2.00 |
| 3 ftB&B | 3.00 | 2.75 | 2.50 |
| 4 ftB&B | 4.50 | 4.00 | 3.50 |
| 5 ftB&B | 6.00 | 5.00 | 4.50 |
| 6 ftB&B | 8.50 | 7.50 | 6.00 |
| 7 ftB&B | 10.00 | 8.50 | 7.50 |
| 8 ftB&B | 15.00 | 12.50 | 10.00 |
| 9 ftB&B | 18.50 | 15.00 | 12.50 |
| 10 ftB&B | 22.50 | 18.50 | 15.00 |
| For larger sizes to 25 ft., add | \$5.00 | per foot | • |
| D 11 : 1 : 6 : | | | |
| Pseudolarix kaempferi. Golden Larch. | 50' | | |
| 9 ftB&B | | | |
| 10 ftB&B | 50.00 | | |
| Ptelea trifoliata. Hoptree. 20' | | | |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | 1.00 | .75 | .60 |
| 6 to 8 ft | 1.25 | 1.00 | .75 |
| Pterocarya stenoptera. Chinese Wingnu | t. 40' | | |
| 3 to 4 ft | 3.50 | 3.00 | |
| 4 to 5 ft | 5.00 | | • |
| Pterostyrax corymbosa. Little Epaulett | te-tree | 20' | |
| 2 to 3 ft | 2.50 | 2.00 | |
| 3 to 4 ft | | 2.50 | |
| Pueraria thunbergiana. Kudzu-bean. | 40 ' | | |
| 2 year | .45 | .30 | .20 |
| 7 | | | |

Pyracantha (See Crataegus).

| | 1-4 | 5-24 Each | 25 & up Each |
|--|-------|--------------|-----------------|
| Pyrus calleryana. Callery Pear. 20' | Each | Lacn | Lach |
| 4 to 5 ft | 1.75 | 1.50 | |
| 5 to 6 ft | 2.50 | 2.00 | |
| 6 to 8 ft | 3.00 | 2.50 | |
| salicifolia. Willowleaf Pear. 30' | | | |
| 4 to 5 ft | 2.00 | 1.50 | |
| 5 to 6 ft | 2.50 | 2.00 | |
| serrulata. 20' | | | |
| 5 to 6 ft | 2.50 | 2.00 | ٠ |
| 6 to 8 ft | 3.00 | 2.50 | |
| Quercus alba. White Oak. 75' | | _,,, | |
| 6 to 8 ft | 4.50 | 4.00 | |
| 1 ½ to 1½ in | 5.50 | 5.00 | |
| 1½ to 1¾ in | 6.50 | 6.00 | |
| 1 % to 2 in | 8.50 | 7.50 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 12.50 | 10.00 | |
| 2 ½ to 3 in | 15.00 | 12.50 | |
| 3 to 3½ in | 20.00 | 15.00 | |
| 3½ to 4 in | 25.00 | 20.00 | |
| bicolor. Swamp White Oak. 60' | | | |
| 6 to 8 ft | 4.50 | 4.00 | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 5.50 | 5.00 | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 6.50 | 6.00 | |
| 1 % to 2 in | 8.50 | 7.50 | |
| 2 to $2\frac{1}{2}$ in | 12.50 | 10.00 | |
| $2\frac{1}{2}$ to 3 in | 15.00 | 12.50 | |
| 3 to $3\frac{\pi}{2}$ in | 20.00 | | |
| coccinea. Scarlet Oak. 75' | | | |
| 6 to 8 ft | 4.00 | 3.50 | 3.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 5.00 | 4.50 | 4.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 6.00 | 5.50 | 5.00 |
| | 10.00 | 7.50 | 6.00 |
| 2 to $2\frac{1}{2}$ in | 12.50 | 10.00 | |
| $2\frac{1}{2}$ to 3 in | | 12.50 | |
| 3 to $3\frac{1}{2}$ in | | 15.00 | |
| $3\frac{1}{2}$ to 4 in | | | |
| 4 to $4\frac{1}{2}$ in | 35.00 | | |
| lyrata. Overcup Oak. 75' | | | |
| 1 % to 2 in | | | |
| | 15.00 | | |
| $2\frac{1}{2}$ to 3 in | | | |
| 3 to 3½ in | 20.00 | | |

| | 1-4 | 5-24 | 25 & up |
|---------------------------------------|-------|-------|---------|
| Quercus | Each | Each | Each |
| macrocarpa. Mossycup Oak. 75' | | | |
| 1½ to 1¾ in | 6.00 | 5.50 | 5.00 |
| 1 3/4 to 2 in | 7.50 | 6.50 | 6.00 |
| 2 to 2½ in | 12.50 | 10.00 | 7.50 |
| 2½ to 3 in | 15.00 | 12.50 | 10.00 |
| 3 to 3½ in | 20.00 | 15.00 | 12.50 |
| $3\frac{1}{2}$ to 4 in | 25.00 | 20.00 | |
| 4 to 4½ in | 35.00 | | |
| palustris. Pin Oak. 75' | | | |
| 6 to 8 ft | 2.50 | 2.25 | 2.00 |
| 1 1/4 to 1 1/2 in | 3.00 | 2.75 | 2.50 |
| 1½ to 1¾ in | 3.75 | 3.25 | 3.00 |
| 1 % to 2 in | 5.50 | 5.00 | 4.50 |
| 2 to 2½ in | 8.50 | 7.50 | 6.00 |
| 2½ to 3 in | 12.50 | 10.00 | 8.00 |
| 3 to 3½ in | 15.00 | 12.50 | 10.00 |
| $3\frac{1}{2}$ to 4 in | 20.00 | 15.00 | 12.50 |
| 4 to 5 in | 30.00 | 25.00 | |
| 5 to 6 in | 40.00 | | |
| phellos. Willow Oak. 40' | | | |
| | 7.50 | 6.00 | |
| 6 to 8 ft | 10.00 | 7.50 | |
| 4 to 5 in | 40.00 | | |
| 5 to 6 in | 50.00 | | |
| prinus. Chestnut Oak. 50' | | | |
| 6 to 8 ft | 4.50 | 4.00 | 3.50 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 5.50 | 5.00 | 4.50 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 7.50 | 6.00 | 5.50 |
| 1 3/4 to 2 in | 10.00 | 7.50 | |
| 2 to 2½ in | 12.50 | 10.00 | |
| $2\frac{1}{2}$ to 3 in | 15.00 | 12.50 | |
| 3 to 3½ in | 20.00 | 15.00 | |
| robur. English Oak. 80' | | | |
| 6 to 8 ft | 4.50 | 4.00 | 3.50 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 5.00 | 4.50 | 4.00 |
| $1 \frac{1}{2}$ to $1 \frac{3}{4}$ in | 6.50 | 5.50 | 5.00 |
| 2 to $2\frac{1}{2}$ in | | | 7.50 |
| $2\frac{1}{2}$ to 3 in | | 12.50 | 10.00 |
| 3 to 3½ in | | 15.00 | |
| $3\frac{1}{2}$ to 4 in | 25.00 | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--------------------------------------|-------------|--------------|-----------------|
| Quercus | Bach | Lacii | Bach |
| robur fastigiata. Pyramidal Engl | ish Oak. | 60 ' | |
| 2 to $2\frac{1}{2}$ in | | | |
| $2\frac{1}{2}$ to 3 in | 40.00 | | |
| 3 to 3½ inB&B | 50.00 | | |
| $3\frac{1}{2}$ to 4 in | 60.00 | | |
| 4 to $4\frac{1}{2}$ in | 75.00 | | |
| rubra. Red Oak. 75' | | | |
| 6 to 8 ft | 3.50 | 2.75 | 2.50 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 4.50 | 3.75 | 3.50 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 5.50 | 5.00 | 4.50 |
| 1 % to 2 in | 7.50 | 6.50 | 6.00 |
| | 10.00 | 8.50 | 7.50 |
| $2\frac{1}{2}$ to 3 in | 15.00 | 12.50 | 10.00 |
| · - | 20.00 | 15.00 | |
| $3\frac{1}{2}$ to 4 in | | 20.00 | |
| 4 to $4\frac{1}{2}$ in | 35.00 | | |
| texana. 75' | | | |
| 1½ to 1¾ in | 7.50 | 6.00 | |
| | 10.00 | 7.50 | |
| 2 to $2\frac{1}{2}$ in | 12.50 | 10.00 | |
| $2\frac{1}{2}$ to 3 in | 15.00 | 12.50 | |
| 3 to $3\frac{1}{2}$ in | 20.00 | 15.00 | |
| velutina. Black Oak. 70' | | | |
| 6 to 8 ft | 5.00 | 4.00 | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 6.00 | 5.00 | |
| Retinospora. (See Chamaecyparis). | | | |
| Rhamnus caroliniana. Carolina Buckth | orn. 25' | | |
| 2 to 3 ft | .45 | .35 | .30 |
| 3 to 4 ft | .55 | .45 | .40 |
| cathartica. Buckthorn. 12' | | | |
| 3 to 4 ft | .50 | .40 | .35 |
| 4 to 5 ft | .60 | .50 | .45 |
| 5 to 6 ft | .75 | .60 | .55 |
| 6 to 8 ft | 1.00 | .85 | .75 |
| dahurica. Dahurian Buckthorn. 12 | ? ' | | |
| 2 to 3 ft | .45 | .35 | .30 |
| 3 to 4 ft | .60 | .45 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | 1.00 | .75 | |
| LARGE SPECIMEN SHRUBS QUOTED | ON REQU | EST. | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------------------------|-------------|--------------|-----------------|
| Rhamnus | | | |
| frangula. Glossy Buckthorn. 12' | | | |
| 3 to 4 ft | .60 | .45 | .35 |
| 4 to 5 ft | .75 | .55 | .45 |
| 5 to 6 ft | .85 | .65 | .55 |
| 6 to 8 ft | 1.25 | .85 | .75 |
| 8 to 10 ft | 1.50 | 1.25 | 1.00 |
| frangula asplenifolia. Fernleaf Ri | hamnus. | 12' | |
| 3 to 4 ft | 2.50 | 2.00 | |
| 4 to 5 ft | 3.50 | 3.00 | |
| 5 to 6 ft | 4.00 | 3.50 | |
| 6 to 8 ft | 4.50 | 4.00 | |
| koraiensis. 12 | | | |
| 3 to 4 ft | 1.00 | .90 | .7 5 |
| 4 to 5 ft | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft | 1.75 | 1.50 | |
| purshiana. Cascara Buckthorn. 12 | ? * | | |
| 3 to 4 ft | .60 | .45 | .35 |
| 4 to 5 ft | .75 | .55 | .45 |
| 5 to 6 ft | .85 | .65 | .55 |
| 6 to 8 ft | 1.25 | .85 | .75 |
| 8 to 10 ft | 1.50 | 1.25 | 1.00 |
| utilis. ₁₀ ' | | | |
| 2 to 3 ft | 1.25 | 1.00 | .75 |
| wilsoni. 10' | | | |
| 2 to 3 ft | 1.25 | 1.00 | .75 |
| 3 to 4 ft | 1.75 | 1.50 | |
| Rhododendron carolinianum. Carolina | Rhodode | ndron. | 6' |
| 2 to 3 ftB&B | 4.50 | 4.00 | 3.75 |
| catawbiense. Catawba Rhododendr | on. 8' | | |
| 2 to 3 ftB&B | 4.50 | 4.00 | 3.50 |
| 3 to 4 ftB&B | 6.00 | 5.00 | 4.75 |
| maximum. Rosebay Rhododendron. | | | |
| 2 to 3 ftB&B | | 3 50 | 3 00 |
| 3 to 4 ft | | | |
| 4 to 5 ft | | 4.00 | 4.00 |
| 4 (0 0 10 | 1.00 | | |
| Rhodora canadensis. Rhodora. 3' | | | |
| 15 to 18 in | 2.50 | 2.00 | |
| Rhodotypos kerrioides. Jetbead. 6' | | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .35 | .30 |
| 4 to 5 ft | | .40 | |
| | - | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------------------------|-------------|--------------|-----------------|
| Rhus canadensis. Fragrant Sumac. 6' | | • | |
| 2 to 3 ft | .50 | .45 | .40 |
| 3 to 4 ft | .60 | .55 | .50 |
| 4 to 5 ft | .75 | .65 | .60 |
| 5 to 6 ft | 1.00 | .80 | .75 |
| copallina. Shining Sumac. 20' | | | |
| 2 to 3 ft | .55 | .45 | .40 |
| 3 to 4 ft | .65 | .55 | .50 |
| 4 to 5 ft | .75 | .65 | .60 |
| 5 to 6 ft | 1.00 | .80 | .75 |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft | 1.75 | 1.50 | 1.25 |
| cotinus. Purple Fringe or Smoketre | e. 12' | | |
| 3 to 4 ft | 1.25 | 1.00 | .75 |
| 4 to 5 ft | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft | 2.00 | 1.75 | 1.50 |
| 6 to 8 ft | 2.50 | 2.25 | 2.00 |
| 8 to 10 ft | 2.75 | | |
| glabra. Smooth Sumac. 12' | | | |
| 2 to 3 ft | .30 | .25 | .18 |
| 3 to 4 ft | .40 | .30 | .25 |
| javanica syn. osbecki. Java Sumad | . 18' | | |
| 4 to 5 ft | 1.25 | 1.00 | |
| 5 to 6 ft | 1.50 | 1.25 | |
| 6 to 8 ft | 2.00 | 1.75 | |
| 8 to 10 ft | 3.00 | 2.50 | |
| typhina. Staghorn Sumac. 25' | | | |
| 2 to 3 ft | .35 | .25 | .18 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .45 | .35 | .30 |
| 5 to 6 ft | .60 | .45 | .40 |
| typhina laciniata. Shredded Sumac | . 25' | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .45 | .35 | .30 |
| 4 to 5 ft | .55 | .45 | .40 |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .85 | |
| Ribes alpinum. Mountain Currant. 4' | | | |
| 18 to 24 in | .60 | .50 | .45 |
| 2 to 3 ft | | .60 | .55 |
| 3 to 4 ft | | .75 | .00 |
| | | | |

| Ribes | Each 1-4 | Each 5-24 | Each 25 & up |
|---------------------------------|-------------|-----------|-----------------|
| aureum. Slender Golden Currant. | . 10' | | |
| 2 to 3 ft | 50 | .40 | .35 |
| 3 to 4 ft | 60 | .50 | .40 |
| 4 to 5 ft | 75 | .60 | .50 |
| fasciculatum. Winterberry Curra | nt. 4' | | |
| 18 to 24 in | 50 | .40 | .35 |
| 2 to 3 ft | 60 | .45 | .40 |
| 3 to 4 ft | 75 | .60 | .50 |
| gordonianum. Gordon Currant. | 8' | | |
| 3 to 4 ft | 75 | .60 | |
| sanguineum. Ruby Winter Curre | ant. 8' | | |
| 2 to 3 ft | 60 | .50 | |
| 3 to 4 ft | 75 | .60 | |
| Robinia Elliotti. 5' | | | |
| 2 to 3 ft | . 3.00 | | |
| fertilis. 25' | . 0.00 | | |
| 6 to 8 ft | . 4.00 | 3.50 | |
| 8 to 10 ft | _ | 4.50 | |
| 10 to 12 ft | | 5.50 | |
| | . 0.00 | 0.00 | |
| hispida. Rose Acacia. | | | |
| 2 yr. standard, 3 to 4 ft | . 1.75 | 1.50 | |
| 2 yr. standard, 4 to 5 ft | . 2.00 | 1.75 | |
| Bush form 2 to 3 ft | . 1.50 | | |
| holdti. Holdt Locust. 25' | | | |
| 6 to 8 ft | . 3.50 | | |
| 8 to 10 ft | 4.00 | | |
| kelseyi. Kelsey Locust. 8' | | | |
| 5 to 6 ft | . 4.00 | 3.50 | |
| 6 to 8 ft | | | |
| 8 to 10 ft | | | |
| pseudoacacia. Common Locust. | 60 ' | | |
| 5 to 6 ft | 75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .85 | .75 |
| 8 to 10 ft | | 1.50 | 1.00 |
| 10 to 12 ft | | 2.50 | |
| pseudoacacia bessoniana. Besso | on Locust. | 40' | |
| 4 to 5 ft | | 2.50 | |
| 5 to 6 ft | | | |
| 6 to 8 ft | | | |
| 8 to 10 ft | | | |
| 0 00 10 10 | 0.00 | 0.00 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------------------------|-------------|----------------|-----------------|
| Robinia | | | |
| pseudoacacia decaisneana. Decais | | ust. 40' | |
| 5 to 6 ft | 3.50 | | |
| 6 to 8 ft | 4.00 | | |
| 8 to 10 ft | 5.00 | | |
| pseudoacacia Marguerite. 10' | 4 50 | 4.00 | |
| 5 to 6 ft | 4.50 5.00 | $4.00 \\ 4.50$ | |
| | 5.00 | 4.50 | |
| pseudoacacia umbraculifera. 20' | 0 F0 | | |
| 3 to 4 ft | 2.50 | | • |
| viscosa. Clammy Locust. 10' | | | |
| 2 to 3 ft | .55 | .45 | .40 |
| 3 to 4 ft | .65 | .55 | .50 |
| 4 to 5 ft | 1.00 | .75 | .60 |
| 5 to 6 ft | 1.25 | .90 | .75 |
| Rosa acicularis. Prickly Rose. 5' | | | |
| 18 to 24 in | .40 | .30 | .25 |
| 2 to 3 ft | .50 | .40 | .30 |
| 3 to 4 ft | .60 | .50 | .45 |
| | | | |
| blanda. Meadow Rose. 5' | | | |
| 18 to 24 in | .40 | .30 | .25 |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .60 | .50 | .45 |
| canina. Dogbrier. 8' | | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .30 |
| | | .10 | .00 |
| coriifolia froebeli. Froebel Rose. | <i>5'</i> | | |
| | .40 | | .25 |
| 2 to 3 ft | | | |
| 3 to 4 ft | .60 | .50 | .40 |
| davurica. Dahurian Rose. 6' | | | |
| 2 to 3 ft | 1.00 | .75 | .60 |
| ecae. Eca Rose. 6' | | | |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| foetida. Austrian Copper Rose. 4' | | | |
| 2 to 3 ft | 1.00 | .75 | |
| foetida persiana. Persian Yellow Re | 086. | | |
| 2 year | 1.00 | .75 | |
| | | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|------------------------------------|-------------|--------------|-----------------|
| Rosa | 134011 | Buon | Bacıı |
| fujisanensis. Mt. Fuji Rose. 8' | | | |
| 3 to 4 ft | .75 | .60 | .50 |
| helenae. Helen Rose. 6' | | | |
| 18 to 24 in | .50 | .40 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| hugonis. Hugonis Rose. 6' | | | |
| 2 to 3 ft | .60 | .50 | .45 |
| 3 to 4 ft | .75 | .60 | .55 |
| humilis. Pasture Rose. 5' | | | |
| 18 to 24 in | .40 | · | |
| 2 to 3 ft | .50 | .40 | .35 |
| lucida. Virginia Rose. 6' | | | |
| 18 to 24 in | .40 | .30 | .25 |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .60 | .50 | .45 |
| marreti. Marret Rose. 6' | | | |
| 3 to 4 ft | 1.25 | 1.00 | .75 |
| moyesi. Moyes Rose. 10' | | | |
| 2 to 3 ft | 1.25 | 1.00 | |
| multiflora. Japanese Rose. 8' | | | |
| 2 to 3 ft | .50 | .35 | .25 |
| 3 to 4 ft | .55 | .40 | .30 |
| 4 to 5 ft | .60 | .50 | .40 |
| multiflora cathayensis. Cathay Ros | e. 6' | | |
| 3 to 4 ft | .60 | .50 | .40 |
| nitida. Bristly Rose. 3' | | | |
| 18 to 24 in | .40 | .35 | .30 |
| 2 to 3 ft | .50 | .45 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| palustris. Swamp Rose. 8' | | .00 | .00 |
| 18 to 24 in | .40 | .30 | .25 |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .60 | .50 | .40 |
| pendulina. 3' | .00 | .00 | .40 |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | 1.00 | .75 | .60 |
| | | | •00 |
| rouletti. | p== === | 0.0 | F.0 |
| 12 to 15 in., 4 in. pots | .75 | .60 | .50 |
| 15 to 18 in., F. G | .60 | .50 | .40 |

| | 1-4 | | & up |
|---|------------|-----------|--------|
| Rosa | Each | Each | Each |
| rubiginosa. Sweetbriar. 6' | | | |
| 2 to 3 ft | .40 | .35 | .30 |
| 3 to 4 ft | .50 | .40 | .35 |
| 4 to 5 ft | .60 | .50 | .40 |
| rubiginosa hybrids. Lady Penzar | nce. L | ord Pen | zance. |
| Green Mantle, Lucy Ashton, | - | | |
| Flora McIvor. 6' | | | |
| 2 to 3 ft | .75 | .60 | |
| 3 to 4 ft | 1.00 | .75 | |
| rubrifolia. Redleaf Rose. 6' | | | |
| 18 to 24 in | .40 | .30 | .25 |
| 2 to 3 ft | .50 | .40 | .30 |
| rugosa. Rugosa Rose. 6' | | | |
| 18 to 24 in | .45 | .35 | .30 |
| 2 to 3 ft | .60 | .45 | |
| rugosa alba. White Rugosa Rose. | <i>6'</i> | | |
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 3 ft | .75 | .60 | |
| rugosa hybrids. δ' | ••• | ••• | • |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | | .60 | • |
| Varieties:-Blanche de Coube | rt. C. | | |
| C. F. Worth, Agnes Carme | • | _ | • |
| Nova Zembla, Mad. Geo. B | • | • | • |
| thony Waterer, Belle Poiter | ine, Si | r Thoma | S |
| Lipton, Hansa, Agnes, F. | J. Gro | otendorst | |
| rugosa hyb.—climbing. Max Graf | .75 | .60 | |
| sericea. 4' | | | |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| | | | |
| setigera. Prairie Rose. 6' | | | |
| 2 to 3 ft | .40 | | .25 |
| 3 to 4 ft | | .40 | .35 |
| 4 to 5 ft | .50 | .45 | .40 |
| spinosissima altaica. Altai Rose. | <i>!</i> * | | |
| 18 to 24 in | .50 | .40 | .35 |
| 2 to 3 ft | .60 | .50 | .45 |
| 3 to 4 ft | .75 | | .55 |
| 0 00 1 10000000000000000000000000000000 | | .00 | .00 |

| Rosa | 1-4 Each | 5-24 Each | 25 & up Each |
|---|---|---|-----------------|
| spinosissima hispida. Bristly Scote | h Rose. | 6' | |
| 2 to 3 ft | .75 | .60 .75 | |
| 2 to 3 ft | | 1.00 | • |
| wichuraiana. Wichurian Rose. 2' 2 year | .40 .50 | | |
| 2 year | .75 | .60 | .50 |
| Jersey Beauty, Sweetheart, ite, Manda's Triumph, South tion, Evergreen Gem. Roses Hybrid Perpetuals. 2 year No. 1 | Orang | | fec- |
| Anne de Diesbach Baroness Rothchild Baron de Bonstettin Earl of Dufferin Clio M. Eugene Furst Mar Frau Karl Druschki Gen. Jacqueminot J. H. Mrs Mrs Mrs Mag Clio Pau Ton | | rt Bar Laing rta er Dickson | bier |
| Hybrid Teas. 2 year No. 1 | 75 . | 60 | |
| Chas. K. Douglas Mrs. Etoile de France Mrs. Gruss an Teplitz Pres. Jonkheer J. L. Mock Rad Killarney Rev. Lady Alice Stanley Sun Lady Hillingdon Whi | ame Bu Henry Henry Henry Hoov iance F. Pag burst te Killa | Bowl Morse er ge-Rob arney | es e |

| Climbing roses. 2 year No. 1. | 1-4 Each 60 | 5-24 25 & up Each Each .50 .45 |
|-------------------------------------|--------------------|--------------------------------------|
| American Beauty | Mad. Gregoire | Staechelin |
| American Pillar | Mary Wallace | |
| Aviateur Bleriot | Paul's Scarlet | Climber |
| Dr. W. Van Fleet | | |
| Dorothy Perkins | Silver Moon | |
| Excelsa | Star of Persia | |
| Gardenia | | |
| | White Dorothy | Perkins |
| Hiawatha | | |
| Polyantha hybrids 2 year No | . 165 | .55 |
| Else Poulsen | Ideal | |
| Gloria Mundi | Katherine Zein | net |
| Golden Salmon | Lafayette | |
| Rubus deliciosus. Boulder Ras | pberry. 5' | |
| 2 to 3 ft | 1.25 | 1.00 .75 |
| 3 to 4 ft | 1.50 | 1.25 1.00 |
| | | |
| odoratus. Flowering Rasp | berry. 6' | |
| 2 to 3 ft | 45 | .35 .30 |
| 3 to 4 ft | | .40 .35 |
| 4 to 5 ft | | .50 .40 |
| | | .50 |
| phoenicolasius. Wineberry | · 8' | |
| 3 to 4 ft | 1.00 | .75 |
| Salix babylonica. Babylon We | - | |
| 6 to 8 ft | | 1.25 1.00 |
| 8 to 10 ft | 1.75 | 1.50 1.25 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | $\dots \dots 2.25$ | 2.00 |
| babylonica crispa. Ringled | of Weeping Willo | rv. 30' |
| 6 to 8 ft | | 3.00 |
| 8 to 10 ft | | 3.50 |
| babylonica dolorosa. Wis | | |
| 6 to 8 ft | 1.50 | 1.25 1.00 |
| 8 to 10 ft | 1.75 | 1.50 1.25 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 2.25 | 2.00 	 1.75 |
| babylonica salamoni. Sala | ımon Weeping W | 'illow. 50' |
| 6 to 8 ft | 1.75 | 1.50 	 1.25 |
| 8 to 10 ft | 2.00 | 1.75 1.50 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | 2.25 2.00 |
| 1½ to 1¾ in | | 2.50 |
| | | |

| | 1-4 | 5-24 | 25 & up |
|------------------------------------|---------|--------------------|---------|
| Salix babylonica salamoni | Each | Each | Each |
| | 3.50 | 3.00 | |
| 2 to 2½ in | 5.00 | 4.00 | |
| | 7.50 | 5.00 | |
| 3 to 3½ in | 10.00 | 7.50 | |
| caprea. Goat Willow. 20' | 10.00 | 1.00 | |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .75 | .65 |
| 8 to 10 ft | 1.25 | 1.00 | .90 |
| discolor. Pussy Willow. 20' | 1.20 | 1.00 | |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .80 | .65 |
| 8 to 10 ft | 1.25 | 1.00 | .90 |
| 0 (0 10 10 | 1.20 | 1.00 | |
| doniana. 9' | | | |
| 3 to 4 ft | 1.25 | 1.00 | .75 |
| 4 to 5 ft | 1.50 | 1.25 | |
| elegantissima. Thurlow Weeping V | Villow. | <i>50</i> ′ | |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft | 2.00 | 1.50 | 1.25 |
| 1 ½ to 1½ in | 2.50 | 2.25 | 1.75 |
| 1½ to 1¾ in | 2.75 | 2.50 | 2.00 |
| 1 3/4 to 2 in | 3.00 | 2.75 | 2.50 |
| | | | |
| incana. syn. rosmarinifolia. Rosen | | | |
| 3 to 4 ft. shrub form | | .45 | .40 |
| 4 to 5 ft. shrub form | | | .50 |
| 5 to 6 ft. shrub form | | | |
| 6 to 8 ft. shrub form | 1.00 | .75 | |
| irrorata. Bluestem Willow. 12' | | 20 | F0 |
| 3 to 4 ft | .75 | .60 | .50 |
| 4 to 5 ft | 1.00 | .75 | .60 |
| 5 to 6 ft | 1.25 | 1.00 | .75 |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft | 2.00 | 1.50 | |
| jessoensis. $oldsymbol{	heta}'$ | | | |
| 2 to 3 ft | 1.50 | 1.25 | 1.00 |
| 3 to 4 ft | 2.00 | 1.50 | 1.25 |
| 4 to 5 ft | 2.25 | 1.75 | 1.50 |
| matsudana. Hankow Willow. 35' | | | |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .75 | .60 |
| 8 to 10 ft | 1.25 | 1.00 | .75 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------------------------|--------------------|--------------|-----------------|
| Salix | | | |
| matsudana tortuosa. 20' | | | |
| 5 to 6 ft | 1.50 | 1.25 | 1.00 |
| 6 to 8 ft | 2.00 | 1.75 | 1.50 |
| 8 to 10 ft | 2.50 | 2.00 | 1.75 |
| 10 to 12 ft | 3.00 | 2.50 | 2.00 |
| mutabilis. δ' | | | |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| myricoides rigida. 9' | | | |
| 3 to 4 ft | 1.25 | 1.00 | .75 |
| 4 to 5 ft | 1.50 | 1.25 | 1.00 |
| nigricans cotinifolia. 12' | | | |
| 5 to 6 ft | 1.75 | 1.50 | 1.25 |
| 6 to 8 ft | 2.00 | 1.75 | 1.50 |
| 8 to 10 ft | 2.50 | 2.00 | 1.75 |
| niobe. Niobe Weeping Willow. 30' | | | |
| 6 to 8 ft | 1.75 | 1.50 | 1.25 |
| 8 to 10 ft | 2.00 | 1.75 | 1.50 |
| 10 to 12 ft | 2.75 | 2.50 | 2.25 |
| pentandra. Laurel Willow. 30' | | | |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft | 1.75 | 1.50 | 1.25 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 2.00 | 1.75 | 1.40 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 2.25 | 2.00 | 1.60 |
| 1% to 2 in | 3.00 | 2.50 | 2.00 |
| purpurea nana. Dwf. Purple Osie | r . \tilde{o}' | | |
| 2 to 3 ft | 1.00 | .75 | .60 |
| 3 to 4 ft | 1.25 | 1.00 | |
| 4 to 5 ft | 1.50 | 1.25 | 1.00 |
| regalis. Royal Willow. 30' | | | |
| 5 to 6 ft | .90 | .80 | |
| 6 to 8 ft | 1.25 | 1.00 | |
| sieboldiana. Siebold Willow. 30' | | | |
| 5 to 6 ft | 1.00 | | |
| 6 to 8 ft | 1.25 | 1.00 | .90 |
| uralensis. 15' | | | |
| 4 to 5 ft | .60 | .50 | |
| 5 to 6 ft | .75 | .65 | |
| 6 to 8 ft | 1.00 | .90 | .75 |

| | 1-4 Each | $\begin{array}{c} 5-24 \\ \mathrm{Each} \end{array}$ | 25 & up Each |
|--------------------------------------|-------------|--|-----------------|
| Salix | | | |
| vitellina. Golden Willow. 30' | 1 05 | 1.00 | 0.0 |
| 6 to 8 ft | 1.25 | 1.00 | .90 |
| 8 to 10 ft | 1.75 | 1.50 | 1.25 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 2.00 | 1.75 | 1.40 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 2.50 | 2.00 | 1.60 |
| 1 % to 2 in | 3.00 | 2.50 | 2.00 |
| vitellina britzensis. Bronze Golden | Willor | | |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft | 1.75 | 1.50 | 1.25 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 2.50 | 2.00 | 1.75 |
| 1 % to 2 in | 3.00 | 2.50 | |
| 2 to $2\frac{1}{2}$ in | 3.50 | 3.00 | |
| vitellina glauca. Blue Russian Wil | low. 2 | ?O' | |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .85 | .75 |
| 8 to 10 ft | 1.50 | 1.25 | 1.00 |
| vitellina pendula. Golden Weeping | Willor | w. 40' | |
| 6 to 8 ft | 1.75 | 1.50 | 1.25 |
| 8 to 10 ft | 2.00 | 1.75 | 1.50 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 2.50 | 2.25 | 2.00 |
| 1% to 2 in | 3.00 | 2.75 | 2.50 |
| wentworthi. 50' | | | |
| 8 to 10 ft | 1.50 | 1.25 | 1.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 2.25 | 2.00 | 1.50 |
| 1 3/4 to 2 in | 2.75 | 2.50 | 2.00 |
| 2 to 2½ in | 3.50 | 3.00 | 2.50 |
| | | | |
| Sambucus canadensis. American Elder. | 10' | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .45 | .35 | .25 |
| 4 to 5 ft | .60 | .45 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .75 | .65 |
| canadensis acutiloba. Cutleaved Ele | ler. 1 | 0' | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .45 | .35 | .25 |
| 4 to 5 ft | .60 | .45 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| 6 to 8 ft | 1.00 | .75 | .60 |
| nigra. European Elder. 15' | | | |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | 1.00 | .75 | .60 |
| | | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Sambucus | Lacii | Dacii | Buch |
| nigra aurea. Golden European Ele | der. 15 | , | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .35 |
| 4 to 5 ft | 65 | .50 | .45 |
| 5 to 6 ft | .75 | .65 | .60 |
| nigra variegata. Variegated Elder. | 10' | | |
| 3 to 4 ft | .75 | .50 | |
| 4 to 5 ft | 1.00 | .75 | |
| pubens. Scarlet Elder. 8' | | | |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | 1.00 | .75 | .65 |
| pubens leucocarpa. Yellow-fruited | | 8 ' | |
| 4 to 5 ft | 1.50 | 1.25 | |
| 5 to 6 ft | 1.75 | 1.50 | |
| 6 to 8 ft | 2.00 | | |
| racemosa. European Red Elder. 8 | | ~ ^ | |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | 1.00 | .75 | .65 |
| 6 to 8 ft | 1.25 | 1.00 | |
| Sassafras variifolium. Sassafras. 50' | | | |
| 5 to 6 ft | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft | 4.00 | 3.50 | 3.00 |
| 10 to 12 ft | 6.00 | 5.00 | |
| Schizophragma hydrangeoides. 20' | | | |
| Japanese Hydrangea-vine | 4.00 | | |
| from pots | 1.00 | .85 | .75 |
| Sciadopitys verticillata. Umbrella Pine | . 60' | | |
| 6 ftB&B | 50.00 | | |
| Shepherdia argentea. Silver Buffalobern | ry. 15' | | |
| 4 to 5 ft | 1.00 | .75 | |
| 5 to 6 ft | 1.25 | 1.00 | |
| 6 to 8 ft | 1.50 | 1.25 | |
| Skimmia japonica. Japanese Skimmia. | 5 ' | | |
| 6 in. bushy, 4 in. pots | 1.50 | 1.25 | |
| Smilax rotundifolia. Horsebrier. | | | |
| 18 to 24 in | .50 | .40 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| SEE PAGE 157 FOR A COMPLETE LIST OF H | | | |

| Salamana Jalaanana Tuus Ditta | 4 | 1-4 Each | $\begin{array}{c} 5-24 \\ \mathrm{Each} \end{array}$ | 25 & up Each |
|-------------------------------------|---------|--------------|--|-----------------|
| Solanum dulcamara. True Bitter | | | 20 | 0.5 |
| 2 year | | | .30 | .25 |
| Sophora japonica. Chinese Scholari | | | | |
| 2 to 3 ft | | | 2.00 | 1.75 |
| 3 to 4 ft | | | 2.75 | 2.25 |
| 4 to 5 ft | | | 4.00 | 3.50 |
| 5 to 6 ft | | | 5.50 | 5.00 |
| 6 to 8 ft | | | 6.50 | |
| 5 to 6 ft. spec | | | | |
| 6 to 8 ft. spec | B&B | 10.00 | | |
| vicifolia. Vetchleaf Sophora. | 6' | | | |
| 3 to 4 ft | B&B | 3.50 | | |
| Sorbaria aitchisoni. Kashmir Fal | _ | | | |
| 3 to 4 ft | | .50 | .40 | |
| 4 to 5 ft | | | .50 | |
| 5 to 6 ft | • • • • | .75 | .65 | .60 |
| arborea glabrata. 15' | | | | |
| 3 to 4 ft | | .60 | .50 | .40 |
| 4 to 5 ft | • • • • | .75 | .60 | .50 |
| 5 to 6 ft | | .85 | .70 | .60 |
| 6 to 8 ft | • • • • | 1.00 | .85 | .75 |
| lindleyana. Lindley False Sy | oiraea. | 8 ' | | |
| 3 to 4 ft | | .55 | .45 | .40 |
| 4 to 5 ft | | .65 | .55 | .50 |
| 5 to 6 ft | • • • • | .75 | .65 | |
| sorbifolia. Ural False Spirae | a. 6' | • | | |
| 2 to 3 ft | | .40 | .30 | .25 |
| 3 to 4 ft | | .50 | .41 | .35 |
| 4 to 5 ft | | .65 | .50 | |
| 5 to 6 ft | • • • • | .75 | .65 | 60 |
| Sorbus americana. American Mou | | | | |
| 5 to 6 ft | | 2.50 | 2.00 | |
| 6 to 8 ft | | 3 .00 | 2.50 | |
| 8 to 10 ft | • • • • | 4.00 | | |
| aria latifolia. White Beam-tr | | | 0.00 | |
| 6 to 8 ft | | 2.50 | 2.00 | |
| 8 to 10 ft | | 3.00 | 2.50 | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | 3.50 | $\frac{3.00}{2.50}$ | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | | 4.00 | 3.50 | |
| 1 % to 2 in | • • • • | 5. 00 | 4.50 | |

| 126 HENRY KOHANKIE & SON | 5-24 | 25 & up |
|---|-------|---------|
| Each | Each | Each |
| Sorbus aucuparia. European Mountain Ash. 50' | | |
| aucuparia. European Mountain Ash. $50'$ 6 to 8 ft | 2.00 | 1.50 |
| 8 to 10 ft 3.00 | 2.25 | 1.75 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in 3.50 | 3.00 | 2.50 |
| 1½ to 1¾ in 4.00 | 3.50 | 3.00 |
| 1 % to 2 in 4.50 | 4.00 | 3.50 |
| 2 to 2½ in 6.00 | 5.00 | 4.50 |
| 2½ to 3 in 10.00 | 7.50 | 6.50 |
| 3 to 3½ in 12.50 | 10.00 | |
| commixta. Japanese Mountain Ash. 25' | | • |
| 6 to 8 ft 3.00 | 2.50 | |
| 8 to 10 ft 3.50 | 3.00 | |
| quercifolia. Oak-leaf Mountain Ash. 25' | | |
| 6 to 8 ft 2.75 | 2.25 | 2.00 |
| 8 to 10 ft 3.50 | 2.75 | 2.50 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 3.50 | 3.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 4.50 | 4.00 |
| $1 \frac{3}{4}$ to 2 in | 5.00 | |
| $2 	 to 	 2\frac{1}{2} 	 in$ | 6.00 | |
| $2\frac{1}{2}$ to 3 in | 7.50 | |
| 3 to 3½ in 12.50 | 10.00 | |
| spuria. 16' | | |
| 6 to 8 ft 3.00 | _ | |
| 8 to 10 ft 3.50 | 3.00 | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 3.50 | |
| Spirea arguta. Garland Spiraea. 6' | | |
| 2 to 3 ft | .25 | .20 |
| 3 to 4 ft | .30 | .25 |
| 4 to 5 ft | .40 | .30 |
| 5 to 6 ft | .50 | .40 |
| aitchisoni. (See Sorbaria). | | • |
| billiardi. Billiard Spiraea. 6' | | |
| 2 to 3 ft | .25 | .20 |
| 3 to 4 ft | .30 | .25 |
| 4 to 5 ft | .40 | .30 |
| | .40 | .00 |
| bumalda. Bumalda Spiraea. 3' | | |
| 18 to 24 in | .30 | .25 |
| 24 to 30 in | .35 | .30 |
| bumalda Anthony Waterer. | | |
| Anthony Waterer Spiraea. 3' | 0.0 | 05 |
| 18 to 24 in | .30 | .25 |
| 24 to 30 in | .35 | .30 |

| 77(1112377222, 01110 | | | 121 |
|--------------------------------------|-------------|--------------|-----------------|
| | 1-4 Each | 5-24 Each | 25 & up Each |
| Spiraea | | | |
| bumalda walluffi. S' | | | |
| 18 to 24 in | .45 | .35 | |
| 24 to 30 in | .50 | .40 | |
| callosa alba. (See japonica ovalifo | lia). | | |
| chamaedryfolia ulmifolia. Elmleaf | Spirae | a. 6' | |
| 2 to 3 ft | .75 | | |
| dasyantha. 8' | | | |
| 3 to 4 ft | 1.25 | 1.00 | |
| douglasi. Douglas Spiraea. 8' | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .50 | | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| fortunei. Fortune Spiraea. 4' | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| | .40 | .00 | .20 |
| froebeli. Froebel Spiraea. 4' | • | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .35 |
| japonica. Japanese Spiraea. 6' | | | |
| 18 to 24 in | .40 | .30 | .25 |
| 24 to 30 in | .45 | .35 | .30 |
| japonica ovalifolia. White Japanes | se Spire | iea. 3' | |
| 18 to 24 in | .40 | .30 | .25 |
| 24 to 30 in | .45 | .35 | .30 |
| japonica ruberrima. Pink Japanes | e Spirae | ea. 5' | |
| 2 to 3 ft | _ | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .30 |
| latifolia syn. bethlehemensis Pink | Meadow | Spirae | a. 6' |
| 2 to 3 ft | | _ | .25 |
| 3 to 4 ft | | | |
| lindleyana. (See Sorbaria). | | | |
| margaritae. Margarita Spiraea. 5 | , | | |
| 2 to 3 ft | | .35 | .30 |
| nipponica rotundifolia. $Big\ Nippo$ | n Spira | ea. 10' | , |
| 3 to 4 ft | .60 | | |
| 4 to 5 ft | | | |
| 5 to 6 ft | | | |
| | | ••• | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------------------------|-------------|--------------|-----------------|
| Spiraea | | | |
| prunifolia. Bridal Wreath. 8' | 4 5 | 0.5 | 20 |
| 2 to 3 ft | .45 | .35 | .30 |
| 3 to 4 ft | .55 | .45 | .40 |
| 4 to 5 ft | .65 | .55 | .50 |
| 5 to 6 ft | .75 | .65 | .60 |
| pubescens. 6' | 20 | | |
| 3 to 4 ft | .60 | .50 | |
| 4 to 5 ft | .75 | .60 | |
| reevesiana. Reeves Spiraea. 8' | 4.0 | 0.0 | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .45 | .35 | .30 |
| 4 to 5 ft | .60 | .50 | .40 |
| reevesiana lanceata. Double Reev | _ | | |
| 2 to 3 ft | .45 | .35 | |
| 3 to 4 ft | .55 | .45 | |
| salicifolia. Willowleaf Spiraea. 5' | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .50 | .40 | .35 |
| 5 to 6 ft | .60 | .50 | .45 |
| sorbifolia. (See Sorbaria). | | | |
| superba. Striped Spiraea. 4' | | | |
| 18 to 24 in | .40 | .30 | .25 |
| 2 to 3 ft | .50 | .40 | .35 |
| syringiflora. Lilac Spiraea. 3' | | | |
| 18 to 24 in | .60 | | |
| thunbergi. Thunberg Spiraeo. 5' | | | |
| 18 to 24 in | .35 | .25 | .20 |
| 2 to 3 ft | .45 | .35 | .30 |
| 3 to 4 ft | .55 | .45 | .40 |
| 4 to 5 ft | .65 | .55 | .50 |
| tomentosa. Hardhack. 4' | | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .35 |
| trichocarpa. Korean Spiraea. 4' | | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .30 |
| 4 to 5 ft | .60 | .50 | .40 |
| van houttei. Vanhoutte Spiraea. | 10' | | |
| 2 to 3 ft | .35 | .25 | .18 |
| 3 to 4 ft | .40 | .30 | .22 |
| 4 to 5 ft | .50 | .40 | .35 |
| 5 to 6 ft | .65 | .55 | .50 |
| | | | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|---------------|--------------------------|-------------|--------------|-----------------|
| Spiraea | | | | |
| | Veitch Spiraea. 12' | | | |
| 2 to | 3 ft | .50 | .40 | .35 |
| 3 to | 4 ft | .60 | .50 | .45 |
| wilsoni. | Wilson Spiraea. 6' | | | |
| 3 to | 4 ft | 1.00 | .75 | .60 |
| Staphylea bun | nalda. Bumalda Bladdern | nt. 8' | | |
| 2 to | 3 ft | .60 | .50 | .40 |
| 3 to | 4 ft | .75 | .60 | .50 |
| 4 to | 5 ft | 1.00 | .75 | .60 |
| colchica. | Colchis Bladdernut. 12' | | | |
| 3 to | 4 ft | 1.75 | 1.25 | |
| 4 to | | 2.00 | 2.20 | |
| | | | | |
| pinnata. | European Bladdernut. | | F 0 | 4.0 |
| 3 to | 4 ft | .60 | .50 | .40 |
| 4 to | 5 ft | .75 | .60 | .50 |
| | 6 ft | 1.00 | .75 | .65 |
| 6 to | 8 ft | 1.25 | 1.00 | |
| trifolia. | American Bladdernut. 12 | ?' | | |
| 2 to | 3 ft | .50 | .40 | .30 |
| 3 to | 4 ft | .60 | .50 | .40 |
| 4 to | 5 ft | .75 | .60 | .50 |
| 5 to | 6 ft | 1.00 | .75 | .60 |
| 6 to | 8 ft | 1.25 | 1.00 | .75 |
| Stephanandra | flexuosa. Cutleaf Stepho | in and ra. | 6 ' | |
| 2 to | 3 ft | .40 | .30 | .25 |
| 3 to | 4 ft | .50 | .40 | .35 |
| Stewartia pen | tagyna. Mountain Stewa | rtia. 15 | 7 | |
| 3 to | 4 ftB&B | 5.00 | 4.00 | |
| 4 to | 5 ftB&B | 6.00 | 5.00 | |
| 5 to | 6 ftB&B | 7.50 | 6.50 | |
| .6 to | 8 ftB&B | 10.00 | | |
| pentagyna | grandiflora. 15' | | | |
| 4 to | | 7.50 | | |
| 5 to | | 10.00 | | |
| | 8 ftB&B | | | |
| | nellia. Japanese Stewart | | | |
| _ | 4 ftB&B | 5.00 | | |
| | 5 ftB&B | | | |
| * 90 | 5 10,111,111111,11001 | | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|--------------|--------------|-----------------|
| Stranvaesia davidiana. 5' | | 23 | |
| 12 to 15 in., from pots | 1.25 | 1.00 | .75 |
| 18 to 24 inB&B | 1.75 | 1.50 | |
| 24 to 30 inB&B | 2.50 | 2.00 | |
| Styrax japonica. Japanese Snowbell. | 20' | | |
| 3 to 4 ftB&B | 2.00 | 1.50 | 1.25 |
| 4 to 5 ftB&B | 3.00 | 2.50 | 2.25 |
| 5 to 6 ftB&B | 4.50 | 3.75 | 3.50 |
| 6 to 8 ftB&B | 6.50 | 5.50 | 5.00 |
| 8 to 10 ftB&B | 10.00 | 8.00 | 7.50 |
| obassia. Fragrant Snowbell. 20' | | | |
| 4 to 5 ftB&B | 4.00 | 3.00 | |
| 5 to 6 ftB&B | 5.00 | 4.00 | |
| 6 to 8 ftB&B | 7.50 | 6.00 | |
| Symphoricarpos chenaulti. b' | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| mollis. Spreading Snowberry. 6' | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| occidentalis. Western Snowberry. | <i>5</i> ′ | | |
| 2 to 3 ft | .40 | .30 | .25 |
| | | | |
| 3 to 4 ft | $.50 \\ .65$ | .40 | .35 .50 |
| | .00 | .00 | .00 |
| o. heyeri. 5' | | | |
| 2 to 3 ft | .50 | .35 | .25 |
| racemosus. Snowberry. 6' | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .50 | .40 | .30 |
| 5 to 6 ft | .60 | .50 | .40 |
| vulgaris. Coralberry. 5' | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| *Symplocos paniculata. syn. crataegoide | e s. | | Đ |
| Asiatic Sweetleaf. 10' | ÷ - | | |
| 2 to 3 ft | 1.00 | .75 | .60 |
| 3 to 4 ft | 1.25 | 1.00 | .75 |
| 4 to 5 ft | 1.75 | 1.50 | 1.00 |
| 5 to 6 ft | 2.50 | 2.00 | 1.50 |
| 6 to 8 ft | 3.50 | 2.50 | 2.25 |
| | - | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--------------------------------------|-------------|--------------|-----------------|
| Syringa affinis. Early Lilac. 12' | | | |
| 3 to 4 ft | 1.50 | | |
| affinis giraldi. Purple Early Lilac. | 12' | | |
| 2 to 3 ft | 1.25 | 1.00 | |
| 3 to 4 ft | 1.50 | 1.25 | |
| 4 to 5 ft | 2.00 | 1.50 | |
| 5 to 6 ft | 2.50 | 2.00 | |
| 6 to 8 ft | 3.50 | 3.00 | |
| 8 to 10 ft | 5.00 | 4.00 | |
| chinensis. syn. rothomagensis. Chi | nese Li | lac. 10' | |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .60 | .50 | .45 |
| 4 to 5 ft | .75 | .60 | .55 |
| 5 to 6 ft | 1.00 | .75 | .65 |
| 6 to 8 ft | 1.25 | 1.00 | .75 |
| chinensis alba. White Chinese Lilae | c. 10' | | |
| 2 to 3 ft | 1.00 | .75 | .60 |
| 3 to 4 ft | 1.25 | 1.00 | .75 |
| 4 to 5 ft | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft | 1.75 | 1.50 | |
| chinensis metensis. 10' | | | |
| 3 to 4 ft | 1.25 | 1.00 | .75 |
| 4 to 5 ft | 1.50 | 1.25 | ••• |
| 5 to 6 ft | _,,, | 1.50 | |
| | | | |
| chinensis saugeana. Purple Chines | | | 40 |
| 2 to 3 ft | .55 | .45 | .40 |
| 3 to 4 ft | .65 | .55 | .50 |
| 4 to 5 ft | .75 | .65 | |
| 5 to 6 ft | 1.00 | .85 | |
| 6 to 8 ft | 1.25 | 1.00 | .90 |
| emodi. Himalayan Lilac. 8' | | | |
| 3 to 4 ft | 1.00 | .75 | |
| 4 to 5 ft | 1.50 | 1.00 | |
| 5 to 6 ft | 2.00 | 1.50 | |
| henryi eximea. 8' | | | |
| 2 to 3 ft | 2.00 | 1.75 | |
| 3 to 4 ft | 2.50 | 2.00 | |
| henryi lutece. 8' | | | |
| 3 to 4 ft | 2.50 | 2.00 | |
| 4 to 5 ft | 3.00 | 2.50 | |
| 5 to 6 ft | 3.50 | 3.00 | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|-----------|----------------------------|-------------|--------------|-----------------|
| Syringa | | | | |
| japonica. | Japanese Tree Lilac. 20 | , | | |
| 3 to | 4 ft | .75 | .60 | .50 |
| 4 to | 5 ft | 1.00 | .90 | .75 |
| 5 to | 6 ft | 1.50 | 1.25 | 1.00 |
| 6 to | 8 ft | 1.75 | 1.50 | 1.25 |
| 8 to | 10 ft | 2.50 | 2.25 | 1.75 |
| 10 to | 12 ft | 6.00 | 5.00 | |
| 12 to | 15 ft | 10.00 | | |
| josikaea. | Hungarian Lilac. 10' | | | |
| 2 to | 3 ft | .50 | .40 | .35 |
| 3 to | 4 ft | .60 | .50 | .45 |
| 4 to | 5 ft | .75 | .60 | .50 |
| 5 to | 6 ft | 1.00 | .75 | .60 |
| 6 to | 8 ft | 1.25 | 1.00 | .75 |
| microphy | lla. Littleleaf Lilac. 10' | | | |
| 2 to | 3 ft | 1.50 | 1.25 | 1.00 |
| 3 to | 4 ft | 2.00 | 1.50 | 1.25 |
| 4 to | 5 ft | 2.50 | 2.00 | 1.50 |
| 5 to | 6 ft | 3.00 | 2.50 | 2.00 |
| oblata. | 12' | | | |
| 3 to | 4 ft | 1.50 | 1,25 | 1.00 |
| | 5 ft | 1.75 | 1.50 | 1.25 |
| oblata di | latata. <i>12'</i> | | | |
| 2 to | 3 ft | 1.00 | .75 | .60 |
| 3 to | 4 ft | 1.25 | 1.00 | .75 |
| 4 to | 5 ft | 1.50 | 1.25 | 1.00 |
| palibinia | na. 10' | | | |
| 3 to | 4 ft | 1.50 | | |
| 4 to | 5 ft | 2.00 | | |
| pekinensi | s. Peking Lilac. 15' | | | |
| 4 to | | 1.75 | 1.50 | 1.25 |
| 5 to | | 2.50 | 2.00 | 1.75 |
| 6 to | | 3.00 | 2.75 | 2.50 |
| | 10 ft | 4.00 | 3.75 | 3.50 |
| 10 to | 12 ft | 7.50 | 6.00 | |
| | 8 ft. spec B&B | 10.00 | | |
| 8 to | 10 ft. specB&B | 12.50 | | |

| Syringa | 1-4 Each | 5-24 Each | 25 & up Each |
|------------------------------------|--------------------|--------------|-----------------|
| persica. Persian Lilac. 10' | | | |
| 2 to 3 ft | .55 | .45 | .40 |
| 3 to 4 ft | .65 | .55 | .50 |
| 4 to 5 ft | .75 | .65 | .60 |
| 5 to 6 ft | 1.00 | .90 | |
| persica alba. White Persian Lilac. | <i>10</i> ′ | | |
| 2 to 3 ft | .85 | .75 | |
| 3 to 4 ft | 1.00 | .90 | |
| pubescens. Hairy Lilac. 6' | 2 7 4 | | |
| 2 to 3 ft | 2.50 | | |
| velutina. 10' | 0.00 | 4 50 | |
| 3 to 4 ft | 2.00 | 1.50 | |
| 4 to 5 ft | 2.50 | 2.00 | |
| villosa. Late Lilac. 8' | | | |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .60 | .50 | .45 |
| 4 to 5 ft | .75 | .60 | .55 |
| 5 to 6 ft | 1.00 | .75 | .65 |
| 6 to 8 ft | 1.25 | 1.00 | |
| vulgaris. Common Purple Lilac. | 15' | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .35 |
| 4 to 5 ft | .60 | .50 | .45 |
| 5 to 6 ft | .75 | .65 | .60 |
| 6 to 8 ft | 1.00 | .85 | .75 |
| 4 to 5 ft. clumps | 4.00 | | |
| 5 to 6 ft. clumps | 5.00 | | |
| vulgaris alba. Common White Lile | ac. 15' | | |
| 2 to 3 ft | .50 | .45 | .40 |
| 3 to 4 ft | .60 | .55 | .50 |
| 4 to 5 ft | .75 | .65 | .60 |
| 5 to 6 ft | 1.00 | .85 | .75 |
| 6 to 8 ft | 1.25 | 1.10 | 1.00 |
| 4 to 5 ft. clumps | 4.00 | | |
| 5 to 6 ft. clumps | 5.00 | | |
| vulgaris. Named Varieties. 15' | | | |
| These hybrid lilacs are grow | n on | their ov | wn |
| roots in bush form. Can also | be fu | rnished | in tree |
| form in first two sizes at 25% | addit a | ional. | |
| 2 to 3 ft | 1.00 | .75 | .60 |
| 3 to 4 ft | 1.25 | 1.00 | .90 |
| 4 to 5 ft | 1.50 | 1.35 | 1.25 |
| 5 to 6 ft | 2.25 | 2.00 | 1.75 |
| 6 to 8 ft | 3.00 | 2.75 | 2.50 |
| | | | |

Syringa vulgaris. Named Varieties.

Belle de Nancy-Double Rose.

2-3' 3-4' 4-5' 5-6' 6-8'

Chas. Joly-Dark Purplish Red.

2-3' 3-4' 4-5'

Frau Dammann-Single White.

2-3' 3-4' 4-5' 5-6'

La Tour d'Auvergne-Double Purple.

2-3' 3-4' 4-5'

Ludwig Spaeth-Single Red.

2-3' 3-4' 4-5' 5-6'

Mad. Abel Chatenay-Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Casimer Perier—Double Creamy White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Lemoine-Large Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Marie Le Graye-Single White.

2-3' 3-4' 4-5' 5-6'

Pres. Grevy-Double Blue.

2-3' 3-4' 4-5' 5-6' 6-8'

Princess Alexandra—Single White.

2-3' 3-4' 4-5' 5-6' 6-8'

We have a limited qualtity of the newer varieties of Lemoine's hybrid named lilacs, which we offer at the following prices: A list of varieties will be forwarded on request.

| 2 to 3 to 4 to 5 to | 3 ft | 1-4 Each 1.50 2.00 2.50 3.50 | 5-24 Each | 25 & up Each |
|------------------------------|-------------------------|---|--------------|-----------------|
| yunnanen | sis. Yunnan Lilac. 10' | | | |
| 3 to | 4 ft | 2.00 | 1.75 | |
| Tamarix africa | ana. African Tamarix. 1 | <i>5'</i> | | |
| 3 to | 4 ft | .40 | .30 | .25 |
| 4 to | 5 ft | .50 | .40 | .35 |
| 5 to | 6 ft | .75 | .60 | .50 |
| 6 to | 8 ft | 1.00 | .85 | .75 |
| gallica. | French Tamaria. 10' | | | |
| 3 to | 4 ft | .45 | .35 | .30 |
| 4 to | 5 ft | .60 | .45 | .40 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|-----------------------------------|-------------|--------------|-----------------|
| Tamarix | | | |
| gallica indica. India Tamarix. 10 | | 0.5 | 0.0 |
| 3 to 4 ft | .45 | .35 | .30 |
| 4 to 5 ft | .60 | .45 | .40 |
| 5 to 6 ft | .75 | .60 | .50 |
| juniperina. Juniper Tamarix. 15' | | | |
| 3 to 4 ft | 1.50 | 1.25 | |
| 4 to 5 ft | 1.75 | | |
| odessana. Odessa Tamarix. 6' | | | |
| 3 to 4 ft | .45 | .35 | .30 |
| 4 to 5 ft | .60 | .45 | .40 |
| 5 to 6 ft | .75 | .60 | .50 |
| pentandra. Fivestamen Tamarix. | 12 ' | | |
| 3 to 4 ft | .55 | .45 | .35 |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | 1.00 | .75 | |
| tetandra purpurea. Fourstamen T | Tamarix | . 10' | |
| 3 to 4 ft | .50 | .40 | .35 |
| 4 to 5 ft | .60 | .50 | .45 |
| 5 to 6 ft | .75 | .60 | |
| Taxodium distichum. Common Baldey | press. | <i>50</i> ′ | |
| 4 to 5 ftB&B | 4.50 | 4.00 | |
| 5 to 6 ftB&B | 6.50 | 5.50 | |
| 6 to 8 ftB&B | 10.00 | 7.50 | |
| 8 to 10 ftB&B | 15.00 | 12.50 | |
| 10 to 12 ftB&B | 20.00 | 15.00 | |
| Taxus baccata. English Yew. 50' | | | |
| 18 inB&B | 3.50 | 3.00 | 2.50 |
| 2 ftB&B | 4.50 | 4.00 | 3.50 |
| 2 ½ ftB&B | 6.00 | 5.00 | 4.50 |
| 3 to 3½ ftB&B | 7.50 | 6.50 | 5.50 |
| 3½ to 4 ftB&B | 10.00 | 7.50 | |
| baccata erecta. Broom Yew. 10' | | | |
| 2½ ftB&B | 7.50 | | |
| 3 ftB&B | 10.00 | | |
| 3½ ftB&B | 15.00 | | |
| 4 ftB&B | 20.00 | | |
| baccata fastigiata. Irish Yew. 1 | O' | | |
| 2 ftB&B | 12.50 | | |
| 3 ftB&B | 15.00 | | |

| Taxus | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------------------------|-------------|--------------|-----------------|
| baccata repandens. Spreading En | nglish Y | 'ew. 2' | • |
| 15 to 18 in. spdB&B | 3.00 | 2.50 | 2.25 |
| 18 to 24 in. spdB&B | 3.75 | 3.25 | 3.00 |
| 24 to 30 in. spdB&B | 5.00 | 4.00 | 3.75 |
| 30 to 36 in. spdB&B | | | |
| 36 to 42 in. spdB&B | 10.00 | | |
| baccata washingtoni. Washington | Yew. | 6' | |
| 24 in. specB&B | 10.00 | | |
| 30 in. specB&B | 12.50 | | |
| canadensis. Canada Yew. 3' | | | |
| 15 to 18 in. spdB&B | 2.50 | 2.00 | |
| cuspidata. Japanese Yew. 10' | | | |
| 15 to 18 in. spdB&B | 2.25 | 2.00 | 1.75 |
| 18 to 24 in. spdB&B | 2.75 | 2.50 | 2.25 |
| 2 to $2\frac{1}{2}$ ft. spdB&B | 3.75 | 3.50 | 3.25 |
| $2\frac{1}{2}$ to 3 ft. spdB&B | 5.50 | 5.00 | 4.50 |
| 3 to $3\frac{1}{2}$ ft. spd B&B | 10.00 | 7.50 | 6.00 |
| $3 \frac{1}{2}$ to 4 ft. spdB&B | 12.50 | 10.00 | |
| 4 to $4\frac{1}{2}$ ft. spdB&B | 15.00 | 12.50 | |
| $4 \frac{1}{2}$ to 5 ft. spdB&B | 20.00 | 17.50 | |
| 5 to 6 ft. spec B&B | 40.00 | 35.00 | |
| 6 to 7 ft. specB&B | 50.00 | 45.00 | |
| cuspidata brevifolia. $Dwarf\ Japa$ | inese Y | ew. 6' | |
| 15 to 18 inB&B | | | 2.50 |
| 18 to 24 inB&B | 4.50 | 4.00 | 3.50 |
| 24 to 30 in | 7.50 | 6.50 | 5.50 |
| 30 to 36 inB&B | 10.00 | 8.50 | |
| 36 to 42 in | 12.50 | | |
| cuspidata brevifolia compacta. 6 | , | | |
| 18 to 24 inB&B | 6.00 | 5.00 | |
| 24 to 30 inB&B | 7.50 | | |
| cuspidata capitata. $Upright\ Japa$ | | erw. 25' | |
| 18 inB&B | | 2.25 | 2.00 |
| 2 ftB&B | | 3.00 | 2.50 |
| 2 ½ ftB&B | 5.00 | 4.50 | 4.00 |
| | 7.50 | 6.00 | 5.00 |
| 3 ½ ftB&B | | 7.50 | 6.50 |
| 4 ftB&B | | 10.00 | |
| 4 ½ ftB&B | | | |
| 5 ftB&B | 20.00 | | |
| intermedia. Hybrid Yew. 12' | 0.50 | 0.00 | |
| 18 to 24 in | 3.50 | 3.00 | |
| media hicksi. Hicks Yew. 20' | 0.50 | 0.00 | |
| 18 to 24 inB&B | 3.50 | 3.00 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---------------------------------------|---------------------|--------------|-----------------|
| Tecoma. (See Bignonia). | | | |
| Thuja occidentalis. American Arborvit | ae. 40' | | |
| 3 ftB&B | 2.25 | 2.00 | 1.75 |
| 4 ftB&B | 3.50 | 3.00 | 2.75 |
| 4 ft. heavy specB&B | 6.00 | | |
| 5 ftB&B | 4.50 | 4.00 | 3.75 |
| 5 ft. heavy specB&B | 7.50 | | |
| 6 ftB&B | 6.50 | 5.50 | 5.00 |
| 6 ft. heavy specB&B | 10.00 | | |
| 7 ftB&B | 7.50 | 6.50 | 6.00 |
| 7 ft. heavy specB&B | 12.50 | | |
| 8 ftB&B | 10.00 | 8.50 | 7.50 |
| 8 ft. heavy specB&B | 15.00 | | |
| 9 ft | 12.50 | 10.00 | 8.50 |
| 10 ftB&B | 15.00 | 12.50 | 10.00 |
| 10 ft. heavy specB&B | 20.00 | | |
| For larger sizes to 18 ft., add | d \$5. 00 | per fo | ot. |
| occidentalis aurea douglasi. | | | |
| Douglas Golden Arborvitae. 15' | | | |
| 3 ftB&B | 3.50 | 3.00 | 2.50 |
| 4 ftB&B | 4.50 | 4.00 | 3.50 |
| 5 ftB&B | $\boldsymbol{6.00}$ | 5.50 | 5.00 |
| 6 ftB&B | 7.50 | 6.50 | 6.00 |
| 7 ftB&B | | | 7.50 |
| 8 ft | 12.50 | 10.00 | |
| 9 \mathbf{ft} $\mathbf{B\&B}$ | 15.00 | 12.50 | |
| 10 ftB&B | 18.00 | 15.00 | |
| For larger sizes to 16 ft., add | \$5.00 | per foo | ot. |
| occidentalis columbia. Silver-tippe | d Arbo | rvitae. | <i>40</i> ′ |
| 3 ftB&B | 3.50 | 3.00 | 2.50 |
| 4 ftB&B | 4.50 | 4.00 | 3.50 |
| 5 ftB&B | 6.00 | 5.00 | 4.00 |
| 6 ftB&B | 7.50 | 6.00 | |
| 7 ftB&B | 8.50 | 7.00 | |
| 8 ftB&B | 10.00 | 8.00 | |
| 9 ftB&B | | | |
| For larger sizes to 14 ft., add | \$5.00 | per foo | it. |
| occidentalis compacta. Compact A | 1rborvit | ae. 4' | |
| 15 inB&B | | 1.50 | 1.25 |
| 18 inB&B | 2.00 | 1.75 | 1.50 |
| 24 inB&B | 2.50 | 2.00 | 1.75 |
| 30 in | 3.00 | 2.50 | 2.00 |
| | | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|------------------------------------|-------------|--------------|-----------------|
| Thuja occidentalis compacta | | | |
| 36 inB&B | 4.00 | 3.00 | 2.75 |
| 42 inB&B | 5.00 | 4.50 | 4.00 |
| 48 inB&B | 7.50 | 6.50 | |
| occidentalis compacta. Parsons Ar | borvite | ne. 10' | |
| $2\frac{1}{2}$ ftB&B | 2.75 | 2.25 | 1.75 |
| 3 ftB&B | 4.00 | 3.00 | 2.50 |
| $3 \frac{1}{2}$ ftB&B | 4.50 | 3.50 | 3.00 |
| 4 ftB&B | 5.00 | 4.00 | 3.50 |
| $4 \frac{1}{2}$ ftB&B | 6.00 | 5.00 | • |
| 5 	 ftB&B | 7.50 | 6.00 | |
| $5\frac{1}{2}$ ftB&B | 8.50 | 7.50 | |
| 6 	 ftB&B | 10.00 | 8.00 | |
| $7 \qquad \text{ft.} \dots B\&B$ | 12.50 | 10.00 | |
| 8 ftB&B | 15.00 | 12.50 | |
| 9 ft $B\&B$ | 18.00 | 15.00 | |
| occidentalis elegantissima. 15' | | | |
| 2 ftB&B | 2.00 | 1.75 | 1.50 |
| 3 ftB&B | 3.00 | 2.75 | 2.50 |
| 4 ftB&B | 4.00 | 3.50 | 3.25 |
| 5 ftB&B | 5.00 | 4.50 | 4.00 |
| 6 ftB&B | 6.50 | 5.50 | 5.00 |
| 7 ftB&B | 9.00 | 7.50 | 6.00 |
| 8 ftB&B | 10.00 | 9.00 | 7.50 |
| 9 ftB&B | 12.50 | | 9.00 |
| 10 ftB&B | | | |
| For larger sizes to 15 ft., add | \$5.00 | per foo | t. |
| occidentalis ellwangeriana. Tom T | Thumb | Arborvi | tae. 6' |
| 2 ftB&B | 2.50 | 2.00 | 1.50 |
| 2 ½ ftB&B | 3.00 | 2.50 | 2.00 |
| 3 ftB&B | 3.50 | 3.00 | |
| 3 ½ ftB&B | 4.50 | | |
| 4 ftB&B | 5.00 | 4.50 | |
| 4 ½ ftB&B | 6.50 | | 5.00 |
| 5 ftB&B | 9.00 | 7.50 | 0.00 |
| | 2.00 | ,,,, | |
| occidentalis ericoides. Heath Arbo | | | |
| 3 ftB&B | | 3.00 | |
| 4 ftB&B | 5.00 | | |
| LARGE SPECIMEN SHRUBS QUOTED | ON RE | QUEST. | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|---|---------------------|---------------------|
| Thuja occidentalis globosa. Globe Arbor | vitae. | 3' | |
| 18 in | 0.00 | 1 55 | 1 50 |
| 18 inB&B 24 inB&B | $\begin{array}{c} 2.00 \\ 2.50 \end{array}$ | 1.75 | $\frac{1.50}{1.75}$ |
| 30 inB&B | $\frac{2.50}{3.00}$ | $2.00 \\ 2.50$ | 1.75 2.00 |
| 36 inB&B | 3.50 | $\frac{2.30}{3.00}$ | 2.50 |
| 42 inB&B | 5.00 | 4.00 | 2.50 |
| occidentalis hoveyi. Hovey Golder | n Arbo: | rvitae. | <i>8'</i> |
| 18 inB&B | 2.00 | 1.75 | 1.50 |
| 2 ftB&B | 2.50 | 2.00 | 1.75 |
| 2 ½ ftB&B | 3.00 | 2.50 | 2.00 |
| 3 ftB&B | 3.50 | 3.00 | 2.50 |
| 3 ½ ftB&B | 4.00 | 3.50 | 3.00 |
| 4 ftB&B | 5.00 | 4.50 | 4.00 |
| 4½ ftB&B | 7.50 | 6.00 | 5.50 |
| 5 ftB&B | 8.50 | 7.50 | 7.00 |
| 5 ½ ftB&B | 10.00 | | |
| 6 ftB&B | 12.50 | | |
| 7 ftB&B | 15.00 | | |
| | | | |
| occidentalis Little Gem. 2' | | | |
| 15 inB&B | 3.00 | 2.50 | |
| 18 inB&B | 4.00 | 3.50 | |
| | | | |
| occidentalis lutea. Geo. Peabody's | Arbor | vitae. 1 | 5' |
| 3 ftB&B | 3.50 | 3.00 | 2.50 |
| 4 ftB&B | 4.50 | 4.00 | 3.50 |
| 5 ftB&B | 5.50 | 5.00 | 4.50 |
| 6 ftB&B | 7.50 | 6.50 | 6.00 |
| 7 ftB&B | 10.00 | 8.00 | 7.00 |
| 8 ftB&B | 12.50 | 10.00 | 8.50 |
| 9 ftB&B | 15.00 | 12.50 | 10.00 |
| 10 ftB&B | 18.00 | 15.00 | |
| For larger sizes to 16 ft., add | \$5.00 | per fo | ot. |
| occidentalis pumila. Green Globe | Arborv | itae. 3' | |
| 18 in. spreadB&B | | 2.00 | 1.75 |
| 24 in. spreadB&B | | 2.50 | 2.25 |
| 30 in. spreadB&B | | | |
| 36 in. spreadB&B | | | |
| 42 in. spreadB&B | | 6.00 | 5.00 |
| 48 in. spreadB&B | | | |
| | | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|------------------------------------|-------------|--------------|-----------------|
| Thuja | Даси | Baon | 234011 |
| occidentalis pyramidalis. Pyramic | dal Arb | orvitae. | 25' |
| 2 ftB&B | 2.50 | 2.00 | 1.75 |
| 3 ftB&B | 3.00 | 2.50 | 2.25 |
| 4 ftB&B | 4.00 | 3.50 | 3.00 |
| 5 ftB&B | 5.00 | 4.50 | 4.00 |
| 6 ftB&B | 7.50 | 6.00 | 5.50 |
| 7 ftB&B | 10.00 | 8.50 | 7.50 |
| 8 ftB&B | 12.50 | 10.00 | 9.00 |
| 9 ftB&B | 15.00 | 12.50 | 10.00 |
| 10 ftB&B | 18.00 | 15.00 | 12.50 |
| 11 ftB&B | 22.50 | 18.50 | 15.00 |
| For larger sizes to 16 ft., ad | d \$5.00 | per fo | ot. |
| occidentalis douglasi pyramidalis. | | | |
| Douglas Pyramidal Arborvitae. | 20 ' | | |
| 2 ftB&B | 3.00 | 2.50 | 2.00 |
| 3 ftB&B | 3.50 | 3.00 | 2.50 |
| 4 ftB&B | 4.00 | 3.50 | 3.00 |
| 5 ftB&B | | 4.50 | 4.00 |
| 6 ftB&B | 7.50 | 6.00 | 5.50 |
| 7 ftB&B | | 8.50 | • |
| For larger sizes to 13 ft., ad | | | ot. |
| | - 7 | P | - •• |
| occidentalis recurva nana. 6' | | | |
| 18 in | 2.50 | 2.25 | 2.00 |
| 2 ftB&B | 3.00 | 2.50 | 2.25 |
| 2½ ftB&B | 3.50 | 3.00 | 2.75 |
| 3 ft | 4.50 | 4.00 | 3.50 |
| 3 ½ ftB&B | 6.00 | 5.00 | 0.00 |
| 4 ftB&B | 7.50 | 6.50 | |
| | | 0.00 | |
| Domes Aubo | | 10' | |
| occidentalis reevesi. Reeves Arbor | | | 0.00 |
| | | 2.50 | 2.00 |
| | | 3.00 | 2.50 |
| 3½ ftB&B | | 3.50 | 3.00 |
| 4 ftB&B | | 4.50 | 4.00 |
| 4½ ftB&B | 6.50 | 5.50 | 5.00 |
| | 7.50 | 6.50 | 6.00 |
| 6 ftB&B | | 8.50 | 7.50 |
| | 12.50 | 10.00 | |
| 8 ftB&B | 15.00 | | |
| | | | |

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

| | 1-4 Each | 5-24 Each | 25 & up Each | | |
|--|-------------|--------------|-----------------|--|--|
| Thuja | | | | | |
| occidentalis reidi. Reid Arborvita | | | | | |
| 2 ftB&B | 3.00 | 2.50 | 2.25 | | |
| 2 ½ ftB&B | 3.50 | 3.00 | 2.75 | | |
| 3 ftB&B | 4.50 | 3.75 | 3.25 | | |
| 3 ½ ftB&B | 5.50 | 4.50 | | | |
| 4 ftB&B | 6.50 | 5.50 | | | |
| 1/2 1000000000 | 7.50 | 6.50 | | | |
| | 10.00 | 7.50 | | | |
| 6 ftB&B | | 10.00 | | | |
| occidentalis riversi. Rivers Arborv | | | | | |
| 4 ftB&B | 4.00 | 3.50 | 3.00 | | |
| 5 ftB&B | 5.00 | 4.50 | 4.00 | | |
| | 6.50 | 5.50 | 5.00 | | |
| | 7.50 | 6.50 | 6.00 | | |
| | 10.00 | 8.00 | | | |
| | 12.50 | 10.00 | | | |
| | 15.00 | 12.50 | | | |
| For larger sizes to 12 ft., add | • | _ | | | |
| occidentalis rosenthali. Rosenthal | | | | | |
| 2 ftB&B | 2.50 | 2.00 | 1.50 | | |
| | 3.50 | 3.00 | 2.50 | | |
| | 5.00 | 4.50 | 3.75 | | |
| 5 ftB&B | 6.50 | 5.50 | 5.00 | | |
| 6 ftB&B | | 6.50 | | | |
| 7 ftB&B | | | | | |
| occidentalis spiralis. Spiral Arbora | | | | | |
| 2 ftB&B | | 2.00 | 1.75 | | |
| 3 ftB&B | | 2.50 | 2.25 | | |
| 4 ftB&B | | | | | |
| 5 ftB&B | | | | | |
| 6 ftB&B | | | | | |
| 7 ftB&B | | | | | |
| 8 ftB&B | | | | | |
| 9 ftB&B | | | | | |
| For larger sizes to 16 ft., add \$5.00 per foot. | | | | | |
| occidentalis umbraculifera. Dwarf | | | | | |
| 15 to 18 in. spdB&B | | | 1.25 | | |
| 18 to 24 in. spdB&B | | | | | |
| 24 to 30 in. spdB&B | | | | | |
| $2\frac{1}{2}$ to 3 ft. spdB&B | | | | | |
| 3 to 3½ ft. spdB&B | | | 3.00 | | |
| 3½ to 4 ft. spdB&B | | | | | |
| 4 to 5 ft. $spdB\&B$ | 7,50 | 6.50 | | | |

| | 1-4 | 5-24 | 25 & up |
|---|----------|----------|---------|
| Thuja | Each | Each | Each |
| occidentalis vervaeneana. Vervae | ne Arb | orvitae. | 12' |
| 3 ftB&B | 2.25 | 2.00 | 1.75 |
| 4 ftB&B | 3.50 | 3.00 | 2.75 |
| 5 ftB&B | 5.00 | 4.50 | 4.00 |
| 6 ftB&B | 7.50 | 6.50 | 5.50 |
| 7 ftB&B | 8.50 | 7.50 | 6.50 |
| 8 ft | 10.00 | 9.00 | 8.00 |
| 9 ftB&B | 12.50 | 10.00 | 9.00 |
| 10 ftB&B | 15.00 | 12.50 | 10.00 |
| For larger sizes to 16 ft., ad | d \$5.00 | per fo | ot. |
| | | | |
| occidentalis wareana. Ware or St | berian 2 | Arborvit | ae. 15' |
| 18 inB&B | 2.00 | 1.75 | 1.50 |
| 2 ftB&B | 2.50 | 2.00 | 1.75 |
| $2\frac{1}{2}$ ftB&B | 3.00 | 2.50 | 2.00 |
| 3 ftB&B | 3.50 | 3.00 | 2.50 |
| 3 ½ ftB&B | 4.00 | 3.50 | 3.00 |
| 4 ftB&B | 5.00 | 4.50 | 4.00 |
| 4½ ftB&B | 6.50 | 5.50 | 5.00 |
| 5 ftB&B | 7.50 | 6.50 | 6.00 |
| 6 ftB&B | 10.00 | 8.50 | 7.50 |
| 7 	 ftB&B | 14.00 | 12.00 | 10.00 |
| 8 ftB&B | 18.50 | 15.00 | |
| For larger sizes to 12 ft., ad | d \$5.00 | per fo | ot. |
| occidentalis wareana lutescens. | | | |
| Golden Ware Arborvitae. 15' | 4.00 | | |
| $3\frac{1}{2}$ ftB&B | _ | | |
| f_{1} f_{2} f_{3} f_{4} f_{5} f_{6} f_{7} f_{8} f_{7} | 5.00 | | |
| 5 ftB&B | 7.50 | | |
| occidentalis woodwardi. Woodwa | d Arbo | rvitae | 6' |
| 18 in | 2.50 | 2.00 | 1.75 |
| 24 in | 3.00 | | 2.00 |
| orientalis. Oriental Arborvitae. 25 | | 2.00 | 2.00 |
| 3 ftB&B | 3.50 | 3.00 | 2.50 |
| 4 ftB&B | 4.00 | 3.50 | 3.00 |
| 5 ftB&B | 5.00 | 4.50 | 4.00 |
| 6 ftB&B | 6.50 | 5.50 | 4.00 |
| 7 ftB&B | 7.50 | | |
| 8 ft | | | |
| 9 ftB&B | | | |
| 10 ftB&B | | 12.50 | |
| For larger sizes to 15 ft., add | | | ot. |
| | 40.00 | Por 10 | · · |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------------------------|-------------|--------------|-----------------|
| Thuja | | - 001 | |
| orientalis conspicua. Goldspire At | | | |
| 2 ftB&B | 3.50 | 3.00 | |
| 3 ftB&B | 4.00 | 3.50 | |
| 4 ftB&B | 5.00 | | |
| orientalis elegantissima. | | | |
| Rollinson's Golden Arborvitae. 1 | 0' | | |
| 2 ftB&B | 3.50 | 3.00 | 2.50 |
| 3 ftB&B | 4.50 | 4.00 | 3.50 |
| 4 ftB&B | 5.50 | 5.00 | 4.50 |
| 5 ftB&B | 7.50 | 6.50 | 6.00 |
| 6 ftB&B | 10.00 | 8.00 | 7.50 |
| 7 ftB&B | 12.50 | 10.00 | |
| orientalis nana aurea. Berkmans G | Folden . | Arborvii | tae. 3' |
| 18 in | | 2.00 | |
| 2 ftB&B | | 3.00 | |
| 2 ½ ftB&B | | | - |
| 3 ftB&B | | 3,00 | |
| | | | |
| orientalis sieboldi. Siebold Arbora | | | |
| 2 ftB&B | | | |
| 3 ftB&B | 4.00 | | |
| plicata. Giant Arborvitae. 20' | | | |
| 3 ftB&B | 3.00 | 2.50 | |
| 4 ftB&B | 4.00 | 3.50 | 1 |
| 5 ftB&B | 5.00 | 4.50 | |
| 6 ftB&B | 6.00 | 5.50 | ı |
| 7 ftB&B | 7.50 | 6.50 | |
| 8 ftB&B | 10.00 | 8.50 | i |
| 9 ftB&B | 12.50 | 10.00 | |
| For larger sizes to 14 ft., ad | d \$5.00 | per fo | oot. |
| standishi. Standish Arborvitae. 1 | 5 ' | | |
| 2 ftB&B | | | |
| 3 ftB&B | | | |
| 4 ftB&B | | | |
| 9 ftB&B | | | |
| 10 ftB&B | | | |
| | | | |

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

| | | | | 1-4 Each | 5-24 Each | 25 & up Each |
|----------------|-------------|----------------|---|-------------|---------------------|-----------------|
| Tilia america | na. | Am | erican Linden. 75 | 5, | | |
| 6 | to | 8 | ft | 1.50 | 1.25 | 1.00 |
| 8 | to | | ft | 1.75 | 1.50 | 1.25 |
| 1 1/4 | to | $1\frac{1}{2}$ | | 2.50 | 2.00 | 1.75 |
| 1 ½ | | | in | 3.00 | 2.50 | 2.25 |
| 1 3/4 | to | 2 | in | 4.00 | 3.25 | 2.75 |
| 2 | to | $2\frac{1}{2}$ | | 5.00 | 4.00 | 3.50 |
| 2 ½ | to | 3 | in | 7.50 | 6.00 | 5.00 |
| 3 | to | 3 ½ | | 12.50 | 10.00 | 7.50 |
| 3 ½ | to | 4 | in | 15.00 | 12.50 | |
| 4 | to | 5 | in | 25.00 | | |
| 5 | to | 6 | in | 35.00 | | |
| cordata. | L | ittlele | af European Lind | en. 70' | | |
| 8 | to | 10 | ft | 3.50 | 3.00 | 2.50 |
| 1 1/4 | to | $1\frac{1}{2}$ | in | 4.00 | 3.50 | 3.25 |
| $1\frac{1}{2}$ | to | $1\frac{3}{4}$ | in | 5.00 | 4.50 | 4.00 |
| $1\frac{3}{4}$ | to | 2 | in | 6.00 | 5.50 | 5.00 |
| 2 | to | $2\frac{1}{2}$ | in | 10.00 | 7.50 | 6.00 |
| $2\frac{1}{2}$ | to | 3 | in | 12.50 | 10.00 | 7.50 |
| euchlora | . (| Crimea | n Linden. 75' | | | |
| 6 | to | 8 | ft | 3.50 | 3.00 | 2.50 |
| 8 | to | 10 | ft | 4.00 | 3.50 | 3.00 |
| 1 1/4 | to | $1\frac{1}{2}$ | in | 5.00 | 4.50 | 4.00 |
| $1\frac{1}{2}$ | to | $1\frac{3}{4}$ | in | 6.50 | 5.50 | 5.00 |
| 1 3/4 | to | 2 | in | 7.50 | 7.00 | 6.50 |
| 2 | to | $2\frac{1}{2}$ | in | 10.00 | 8.50 | 7.50 |
| 2 1/2 | to | 3 | in | 15.00 | 12.50 | |
| henryana | . 5 | 0' | | | | |
| 1 1/4 | to | 1½ i | n | 5.00 | | |
| 1 1/2 | to | 1¾ i | n | 6.50 | | |
| 1 3/4 | to | 2 i | n | 7.50 | | |
| heteroph | ylla | . Be | etree Linden. 60' | | | |
| 1 ½ | to | 1¾ i | n | 4.00 | 3.50 | |
| 1 3/4 | to | 2 i | n | 5.00 | 4.00 | |
| 2 | to | 2½ i | n | 6.50 | 5.00 | |
| $2\frac{1}{2}$ | to | 3 i | n | 9.00 | 7.50 | |
| 3 | to | 3½ i | n | 12.50 | | |
| oliveri. | 50 ' | | | | | |
| 8 to | 10 | ft | • | 5.00 | | |

| Tilia 1-4 Each | 5-24 Each | 25 & up Each |
|--|--------------|-----------------|
| platyphyllos. Bigleaf European Linden. | 75' | Each |
| 6 to 8 ft 2.00 | 1.75 | 1.50 |
| 8 to 10 ft 2.50 | 2.25 | 2.00 |
| 1 1/4 to 1 1/2 in 3.00 | 2.50 | 2.25 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 3.00 | 2.75 |
| $1\frac{3}{4}$ to 2 in | 4.00 | 3.50 |
| 2 to $2\frac{1}{2}$ in 6.00 | 5.00 | 4.50 |
| 2½ to 3 in | 7.50 | 6.50 |
| 3 to 3½ in 15.00 | 12.50 | 10.00 |
| 3½ to 4 in 17.50 | | |
| 4 to 5 in | | |
| tomentosa. Silver Linden. 40' | | |
| 6 to 8 ft 3.50 | 3.00 | 2.50 |
| 1½ to 1¾ in 6.50 | 5.50 | 5.00 |
| 1 % to 2 in 7.50 | 7.00 | 6.50 |
| 2 to 2½ in 10.00 | 8.50 | 8.00 |
| 2½ to 3 in 15.00 | 12.50 | 11.00 |
| 3 to 3½ in 20.00 | 18.00 | 15.00 |
| vulgaris. Common European Linden. 76' | | |
| 6 to 8 ft 2.25 | 2.00 | 1.75 |
| 8 to 10 ft 2.75 | 2.50 | 2.25 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in 3.75 | 3.50 | 3.25 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in 5.00 | 4.50 | 4.00 |
| 1 3/4 to 2 in 6.00 | 5.50 | 5.00 |
| 2 to $2\frac{1}{2}$ in 8.50 | 7.00 | 6.00 |
| 2½ to 3 in 10.00 | 8.50 | 7.50 |
| 3 to 3½ in 15.00 | | |
| 3½ to 4 in | | |
| 4 to 5 in | | |
| Tripterygium regeli. 5' | | |
| 2 to 3 ftB&B 1.50 | 1.25 | 1.00 |
| 3 to 4 ftB&B 1.75 | | 1.25 |
| Tsuga canadensis. Canada Hemlock. 75' | | _• |
| 2 ftB&B 2.50 | 2.25 | 2.00 |
| 3 ftB&B 3.50 | | |
| 4 ftB&B 5.50 | | |
| 4 ft. ex. broadB&B 7.50 | | 0.10 |
| 5 ftB&B 7.50 | | 5.00 |
| 5 ft. ex. broadB&B 10.00 | | 0.00 |
| 6 ftB&B 8.50 | | 6.50 |
| 7 ftB&B 12.50 | | |
| 8 ft | | |
| 9 ftB&B 20.00 | | 10.00 |
| For larger sizes to 18 ft., add \$5.0 | | ot. |
| For larger sizes to 10 ft., and \$5.0 | o her 10 | · · |

| Tsuga | | | 1-4 Each | 5-24 Each | 25 & up Each |
|----------------|-------------------|------------------|-------------|---------------------|-----------------|
| | . Caro | lina Hemlock. 50 | | Dach | Dach |
| 2 ft. | | B&B | 5.00 | 4.00 | |
| 3 ft. | | B&B | 6.50 | 5.00 | |
| | | B&B | 10.00 | 9.00 | |
| | | B&B | | | |
| | | | | | |
| sieboldi. | Siebold | Hemlock. 35' | | | |
| 7 ft. | specime | ensB&B | 50.00 | | |
| 8 ft. | specim | ensB&B | 60.00 | | |
| Ulex europeaus | s. Con | mon Gorse. 4' | | | |
| 18 to 2 | 24 in., 4 | 4 in. pots | 1.25 | 1.00 | • |
| | | <u>-</u> | | | |
| Ulmus america | na. A | merican Elm. 80' | | | |
| 8 t | o 10 | ft | 1.50 | 1.25 | 1.00 |
| 1¼ t | o 1½ | in | 1.75 | 1.50 | 1.25 |
| 1 ½ t | o 1 3/4 | in | 2.00 | 1.75 | 1.50 |
| 1 3/4 1 | o 2 | in | 3.00 | 2.50 | 2.00 |
| 2 t | to $2\frac{1}{2}$ | in | 4.00 | 3.50 | 3.00 |
| $2\frac{1}{2}$ | to 3 | in | 6.50 | 5.00 | 4.00 |
| 3 | to 3½ | in | 10.00 | 7.50 | 6.50 |
| 3 1/2 | to 4 | in | 12.50 | 10.00 | 9.00 |
| 4 1 | o 4½ | in | 15.00 | 12.50 | |
| | | | | | 4 |
| americana | moline | . Moline Elm. | <i>80'</i> | | |
| 6 1 | to 8 | ft | 1.25 | 1.00 | .75 |
| | to 10 | ft | 1.50 | 1.25 | |
| | | in | 2.00 | 1.50 | |
| 1 ½ | | in | 3.00 | 2.50 | 2.00 |
| 1 3/4 1 | o 2 | in | 3.50 | 3.00 | 2.50 |
| 2 | to $2\frac{1}{2}$ | in | 5.00 | 4.00 | |
| 2½ t | o 3 | in | 7.50 | 6.00 | 5.00 |
| 3 | to 3 ½ | in | 10.00 | 7.50 | • |
| | | | | | |
| american. | W250-0 | haped. 50' | | | |
| | to 8 | | 1.25 | 1.00 | .75 |
| | to 10 | ft | 1.50 | 1.00 1.25 | 1.00 |
| | | in | 2.00 | 1.20 1.50 | |
| 1 ½ | | in | 3.00 | $\frac{1.50}{2.50}$ | |
| | to $\frac{1}{4}$ | in | 3.50 | $\frac{2.30}{3.00}$ | |
| | | in | 5.00 | 4.00 | 3.50 |
| | to 3 | in | 7.50 | 6.00 | 3.50 |
| . – | | in | | 7.50 | |
| o | 00 0 /2 | A11 | 10.00 | 1.00 | |
| LARGE | SPECIM | EN SHRUBS QUOTED | ON REG | QUEST. | |

| Ulmus | | | | | 1-4 Each | 5-24 Each | 25 & uj Each |
|----------------|--------|---------|-------------|-------------|---------------|--------------|-----------------|
| campestr | is. I | English | Elm. | 75 ' | | | |
| 6 | to 8 | ft. | | | 2.00 | 1.75 | |
| 8 | to 10 | ft. | | | 2.50 | 2.25 | |
| 1 1/4 | to 1 | ½ in. | | | 3.00 | 2.75 | |
| 1 ½ | | 34 in. | | | 4.00 | 3.50 | |
| 1 3/4 | to 2 | in. | | | 6.00 | 5.00 | |
| 2 | to 2 | 2½ in. | | | 8.50 | 7.50 | |
| 2 1/2 | to 3 | in. | | | 12.50 | 10.00 | |
| 3 | to 3 | 3½ in. | | | $20.0\dot{0}$ | 15.00 | |
| 3 1/2 | to 4 | | | | _ | 20.00 | |
| 4 | to 5 | in. | | | 35.00 | 30.00 | |
| 5 | to 6 | in. | | | 50.00 | 45.00 | |
| campestr | is kle | mmeri. | Kler | nmer E | lm. 75' | • | |
| 8 to | 10 f | t | | • • • • | 5.00 | | |
| campestr | is lat | ifolia. | Belgie | an Elm. | . 75 ' | | |
| 8 | to 10 | ft. | | | 3.00 | | |
| 1 1/4 | to 1 | ½ in | | | 4.00 | | |
| $1\frac{1}{2}$ | to 1 | 34 in. | | | 5.00 | | |
| 1 3/4 | to 2 | in. | | | 7.50 | | |
| 2. | to 2 | ½ in | | | 10.00 | | |
| $2\frac{1}{2}$ | to 3 | in | . . | | 12.50 | | |
| 3 | to 3 | ½ in | | | 20.00 | 6. | |
| campestr | is mo | numen | talis. | Monun | nent El | m. 75' | |
| 6 | to 8 | ft. | | | 4.00 | 3.50 | |
| 8 | to 10 | ft. | | | 5.00 | 4.00 | |
| 1 1/4 | to 1 | ½ in. | | | 6.00 | 5.00 | |
| $1\frac{1}{2}$ | to 1 | 34 in. | | • • • • | 7.50 | 6.50 | |
| 1 3/4 | to 2 | in. | | | 10.00 | 7.50 | |
| 2 | to 2 | ½ in | | | 15.00 | 12.50 | |
| $2\frac{1}{2}$ | to 3 | in. | | | 18.00 | 15.00 | |
| 3 | to 3 | 1½ in. | | | 25.00 | 20.00 | |
| 3 ½ | to 4 | in | | | 30.00 | | |
| campestr | is pu | purea. | Purp | oleleaf 1 | English | | 0' |
| 8 | to 10 | | | | 3.00 | 2.50 | |
| · — | | | | • • • • | | | |
| | | | | | | 3.75 | |
| | | | | | | 5.00 | |
| 2 | | | | | | 7.50 | |
| $2\frac{1}{2}$ | to 3 | in. | | | 12.50 | 10.00 | |

| 1 10 | TIE! | KI KOIMITAKIE (| 3011 | | |
|----------------|----------------------|---------------------|-----------------|--------------|-----------------|
| Ulmus | | | 1-4 Each | 5-24 Each | 25 & up Each |
| campesti | ris vegeta. | . Huntingdon | | | |
| 8 | to 10 | ft | 2.50 | 2.25 | 2.00 |
| 1 1/4 | to 1½ | in | 3.00 | 2.75 | 2.50 |
| 1 ½ | to 13/4 | in | 3.50 | 3.25 | 3.00 |
| $1\frac{3}{4}$ | to 2 | in | 5.00 | 4.50 | 4.00 |
| 2 | to 2 ½ | in | 8.50 | 7.50 | 6.00 |
| $2\frac{1}{2}$ | to 3 | in | 12.00 | 10.00 | 8.00 |
| 3 | to 3 ½ | in | 15.00 | 12.50 | |
| 3 ½ | to 4 | in | 20.00 | 15.00 | |
| 4 | to 5 | in | 35.00 | | |
| 5 | to 6 | in | 50.00 | | • |
| campesti | ris wheatl | eyi. Wheatley | <i>Elm.</i> 75' | | |
| 6 | to 8 | \mathbf{ft} | 4.00 | 3.50 | |
| 8 | to 10 | ft | 5.00 | 4.00 | |
| $1\frac{1}{4}$ | to $1\frac{1}{2}$ | in | 6.00 | 5.00 | |
| $1\frac{1}{2}$ | to 13/4 | in | 7.50 | 6.50 | |
| 1 3/4 | to 2 | in | 10.00 | 7.50 | |
| 2 | to $2\frac{1}{2}$ | in | 15.00 | | |
| | to 3 | in | 20.00 | | |
| 3 | | in | 25.00 | | |
| | | in | 30.00 | | |
| fulva. | Slippery E | Elm. 65' | | | |
| $1\frac{1}{2}$ | to 1 34 in | n | $\dots 3.50$ | | |
| $1\frac{3}{4}$ | to 2 in | n | 5.00 | ٠ | |
| . 2 | to $2\frac{1}{2}$ in | n | 7.50 | | |
| $2\frac{1}{2}$ | to 3 in | n | 10.00 | | |
| glabra. | Scotch El | lm. 75' | | | |
| | | n | | 3.50 | |
| | | n | | 4.50 | |
| | | n | | | |
| 2 | to $2\frac{1}{2}$ in | 1 | 10.00 | 7.50 | |
| $2\frac{1}{2}$ | | 1 | | | |
| 3 | to $3\frac{1}{2}$ in | 1 | 18.00 | 15.00 | |
| _ | _ | ni. Camperdo | | 20 ' | |
| | | • • • • • • • • • • | 4.00 | 3.50 | |
| glabra n | ana. Glo | be Elm. | | | |
| 6 to | 8 ft. sta | andards | . 10.00 | | |
| japonica | . Japanes | se Elm. 70' | | | |
| 8 | | ft | | | |
| | | in | | | |
| | | in | | | |
| 2 | | in | | | |
| | | in | | | |
| 3 | to 3½ i | in | . 15.00 | | |
| | | | | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------------------------|-------------|---------------------|-----------------|
| Ulmus | Bacii | Bach | Each |
| parvifolia. Chinese Elm. 30' | | | |
| 6 to 8 ft | 2.50 | 2.00 | 1.50 |
| 8 to 10 ft | 3.00 | 2.75 | 2.50 |
| 10 to 12 ft | 4.00 | 3.75 | 3.50 |
| 12 to 14 ft | 6.00 | 5.00 | 4.50 |
| pumila. Dwarf Asiatic Elm. 75' | | | |
| 6 to 8 ft | 2.00 | 1.75 | 1.50 |
| 8 to 10 ft | 2.50 | 2.25 | 2.00 |
| 10 to 12 ft | 3.00 | 2.75 | 2.50 |
| 1½ to 1¾ in | 3.50 | 3.00 | |
| 1 % to 2 in | 4.00 | 3.50 | |
| 2 to 2½ in | 5.00 | 4.50 | |
| 3 to 3½ in | 7.50 | 6.00 | |
| 3½ to 4 in | 10.00 | 7.50 | |
| racemosa. Rock Elm. 80' | | | |
| 3 to 3½ in | 25.00 | | |
| $3\frac{1}{2}$ to 4 in | 30.00 | | |
| 4 to 5 in | 35.00 | | |
| Vaccinium corymbosum. Highbush Blu | eherru | 8 ' | |
| 2 to 3 ftB&B | = | 1.75 | 1.50 |
| 3 to 4 ftB&B | - | $\frac{1.75}{2.25}$ | 2.00 |
| 4 to 5 ft | | | |
| | 0.00 | 0.00 | 2.00 |
| vacillans. Dryland Blueberry. 3' | 0.00 | 1 55 | |
| 12 to 15 inB&B | 2.00 | 1.75 | |
| Viburnum acerifolium. Mapleleaf Vib | | | |
| 18 to 24 in | | | |
| 2 to 3 ft | | | .50 |
| 3 to 4 ft | .85 | .70 | .60 |
| 4 to 5 ft | 1.00 | .85 | .75 |
| 5 to 6 ft | 1.50 | 1.25 | 1.00 |
| americanum. American Cranberry | bush. | <i>10</i> ′ | |
| 2 to 3 ft | - | | .30 |
| | .60 | | .40 |
| 4 to 5 ft | | | |
| 5 to 6 ft | | | |
| 6 to 8 ft | 1.25 | 1.00 | .85 |
| bitchuiense. Yeddo Viburnum. 6' | | • | |
| 3 to 4 ftB&B | 2.25 | 2.00 | |
| | | | |

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

| Viburnum carlesi. Fragrant Viburnum. 4' 18 to 24 in. B&B 3.00 2.75 2.50 3 to 4 ft. B&B 3.00 2.75 2.50 3 to 4 ft. B&B 3.00 2.50 2.50 2 to 3 ft., own roots, B&B 3.00 2.50 2.50 2 to 3 ft., own roots, B&B 3.00 2.50 2.50 2 ft. stem. B&B 3.00 2.50 2.50 2 ft. stem. B&B 3.00 3.50 3.00 3.50 cassinoides. Withe Rod. 6' 2.50 45 3.00 3.50 cassinoides. Withe Rod. 6' 2.50 4.5 3.60 .75 .60 | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|---------------------------------|-------------|--------------|-----------------|
| 18 to 24 in. | Viburnum | | | |
| 2 to 3 ft | carlesi. Fragrant Viburnum. 4' | | | |
| 3 to 4 ft | 18 to 24 inB&B | 2.25 | 2.00 | 1.75 |
| 18 to 24 in., own roots, B&B 3.00 2.50 2 to 3 ft., own roots, B&B 3.50 3.00 Standards 18 in. stem | 2 to 3 ftB&B | 3.00 | 2.75 | 2.50 |
| 2 to 3 ft., own roots, B&B 3.50 3.00 Standards 18 in. stem. B&B 3.00 2.50 2 ft. stem. B&B 3.50 3.00 3 ft. stem. B&B 4.00 3.50 cassinoides. Withe Rod. 6' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .75 .65 .60 4 to 5 ft. 1.00 .80 .75 5 to 6 ft. 1.25 1.10 1.00 6 to 8 ft. 2.00 1.50 1.25 dentatum. Arrow Wood. 12' 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 dilatatum. Linden Viburnum. 10' 2 to 3 ft. .65 .55 .50 3 to 4 ft. .90 .75 .60 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. spec. B&B 7.50 .60 | 3 to 4 ftB&B | 3.50 | 3.25 | 3.00 |
| Standards 18 in. stem | 18 to 24 in., own roots, B&B | 3.00 | 2.50 | |
| 18 in. stem. B&B 3.00 2.50 2 ft. stem. B&B 3.50 3.00 3 ft. stem. B&B 4.00 3.50 cassinoides. Withe Rod. 6' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .75 .65 .60 4 to 5 ft. 1.00 .80 .75 5 to 6 ft. 1.25 1.10 1.00 6 to 8 ft. 2.00 1.50 1.25 dentatum. Arrow Wood. 12' 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 dilatatum. Linden Viburnum. 10' 2 to 3 ft. .65 .55 .50 3 to 4 ft. .90 .75 .60 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. 1.25 1.00 .75 5 to 6 ft. .55 | 2 to 3 ft., own roots, B&B | 3.50 | 3.00 | |
| 2 ft. stem. B&B 3.50 3.00 3 ft. stem. B&B 4.00 3.50 cassinoides. Withe Rod. 6' 2 to 3 ft | Standards | | | |
| 3 ft. stem. B&B 4.00 3.50 cassinoides. Withe Rod. 6' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .75 .65 .60 4 to 5 ft. 1.00 .80 .75 5 to 6 ft. 1.25 1.10 1.00 6 to 8 ft. 2.00 1.50 1.25 dentatum. Arrow Wood. 12' 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 dilatatum. Linden Viburnum. 10' 1.25 1.00 dilatatum. Linden Viburnum. 10' 2 2 to 3 ft. .65 .55 .50 3 to 4 ft. .90 .75 .60 .4 .4 .5 .5 .50 4 to 5 ft. .1.25 1.00 .7 .5 .5 .5 .5 .0 .5 | 18 in. stemB&B | 3.00 | 2.50 | |
| cassinoides. Withe Rod. 6' 2 to 3 ft. .60 .50 .45 3 to 4 ft. .75 .65 .60 4 to 5 ft. 1.00 .80 .75 5 to 6 ft. 1.25 1.10 1.00 6 to 8 ft. 2.00 1.50 1.25 dentatum. Arrow Wood. 12' 2 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 dilatatum. Linden Viburnum. 10' 2 2 to 3 ft. .65 .55 .50 3 to 4 ft. .90 .75 .60 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. 1.25 1.00 .75 5 to 6 ft. 1.25 1.00 .75 5 to 6 ft. 8&B 7.50 .50 .50 .35 .30 3 to 4 ft. .55 .40 .35 .40 .35 .45 <td>2 ft. stemB&B</td> <td>3.50</td> <td>3.00</td> <td></td> | 2 ft. stemB&B | 3.50 | 3.00 | |
| 2 to 3 ft | 3 ft. stemB&B | 4.00 | 3.50 | |
| 3 to 4 ft. .75 .65 .60 4 to 5 ft. 1.00 .80 .75 5 to 6 ft. 1.25 1.10 1.00 6 to 8 ft. 2.00 1.50 1.25 dentatum. Arrow Wood. 12' 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 dilatatum. Linden Viburnum. 10' 2 to 3 ft. .65 .55 .50 3 to 4 ft. .90 .75 .60 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. spec. .B&B 7.50 .50 .50 .50 6 to 8 ft. spec. .B&B 12.50 .50 .55 .40 .35 4 to 5 ft. .1.25 1.00 .00 .00 lantana. Wayfaring Tree. 15' 2 to 3 ft. .55 .40 .35 4 to 5 ft. .75 | cassinoides. Withe Rod. 6' | | | |
| 4 to 5 ft. 1.00 .80 .75 5 to 6 ft. 1.25 1.10 1.00 6 to 8 ft. 2.00 1.50 1.25 dentatum. Arrow Wood. 12' 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 dilatatum. Linden Viburnum. 10' 2 to 3 ft. .65 .55 .50 3 to 4 ft. .90 .75 .60 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. spec. .B&B 7.50 .60 .1.25 1.00 bupehense. Hupeh Viburnum. 6' 2 to 3 ft. .1.25 1.00 lantana. Wayfaring Tree. 15' .35 .30 3 to 4 ft. .55 .40 .35 4 to 5 ft. .1.00 .80 .70 6 to 8 ft. .1.25 1.00 | 2 to 3 ft | .60 | .50 | .45 |
| 5 to 6 ft. 1.25 1.10 1.00 6 to 8 ft. 2.00 1.50 1.25 dentatum. Arrow Wood. 12' 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 dilatatum. Linden Viburnum. 10' 2 to 3 ft. .65 .55 .50 3 to 4 ft. .90 .75 .60 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. spec. B&B 7.50 1.25 1.00 5 to 6 ft. spec. B&B 12.50 8BB 12.50 hupehense. Hupeh Viburnum. 6' 2 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. .1.00 .80 .70 6 to 8 ft. .1.25 1.00 <td>3 to 4 ft</td> <td>.75</td> <td>.65</td> <td>.60</td> | 3 to 4 ft | .75 | .65 | .60 |
| 6 to 8 ft. 2.00 1.50 1.25 dentatum. Arrow Wood. 12' 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 dilatatum. Linden Viburnum. 10' 2 to 3 ft. .65 .55 .50 3 to 4 ft. .90 .75 .60 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. 1.50 1.25 1.00 5 to 6 ft. 8BB 7.50 .50 .50 .50 6 to 8 ft. 1.25 1.00 .50 hupeh Viburnum. 6' 2 to 3 ft. 1.25 1.00 lantana. Wayfaring Tree. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .40 .35 4 to 5 ft. .1.00 .80 .70 | 4 to 5 ft | 1.00 | .80 | .75 |
| dentatum. Arrow Wood. 12' 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 dilatatum. Linden Viburnum. 10' 2 to 3 ft. .65 .55 .50 3 to 4 ft. .90 .75 .60 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. 1.50 1.25 1.00 5 to 6 ft. 1.50 1.25 1.00 hupeh Viburnum. 6' 2 to 3 ft. 1.25 1.00 lantana. Wayfaring Tree. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .40 .35 4 to 5 ft. .1.25 1.00 .90 lantana rugosum. Wrinkleleaf Wayfaring-tree. 16' 3 to 4 ft. .75 .60 .50 <td>5 to 6 ft</td> <td>1.25</td> <td>1.10</td> <td>1.00</td> | 5 to 6 ft | 1.25 | 1.10 | 1.00 |
| 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 dilatatum. Linden Viburnum. 10' 2 to 3 ft. .65 .55 .50 3 to 4 ft. .90 .75 .60 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. spec. .8&B 7.50 6 to 8 ft. spec. .8&B 1.25 1.00 hupehense. Hupeh Viburnum. 6' 2 to 3 ft. .1.25 1.00 lantana. Wayfaring Tree. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .40 .35 4 to 5 ft. 1.00 .80 .70 6 to 8 ft. 1.25 1.00 .90 lantana rugosum. Wrinkleleaf Wayfaring-tree. 16' 3 to 4 ft. .75 .60 .50 4 to 5 ft. .1.00 .75 .6 | 6 to 8 ft | 2.00 | 1.50 | 1.25 |
| 3 to 4 ft. .50 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 dilatatum. Linden Viburnum. 10' 2 to 3 ft. .65 .55 .50 3 to 4 ft. .90 .75 .60 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. 1.50 1.25 1.00 5 to 6 ft. spec. .8&B 7.50 6 to 8 ft. spec. .8&B 12.50 hupeh Viburnum. 6' 2 to 3 ft. .1.25 1.00 lantana. Wayfaring Tree. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .40 .35 4 to 5 ft. 1.00 .80 .70 6 to 8 ft. 1.25 1.00 .90 lantana rugosum. Wrinkleleaf Wayfaring-tree. 15' 3 to 4 ft. .75 .60 .50 4 to 5 ft. .1.00 .75 .60 | dentatum. Arrow Wood. 12' | | | |
| 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 dilatatum. Linden Viburnum. 10' 2 to 3 ft. .65 .55 .50 3 to 4 ft. .90 .75 .60 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. 1.50 1.25 1.00 5 to 6 ft. spec. .8&B 7.50 .50 .50 .50 6 to 8 ft. spec. .8&B 12.50 .50 .50 .50 hupeh Viburnum. 6' .2 .2 .5 1.00 .5 lantana. Wayfaring Tree. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .40 .35 4 to 5 ft. .1.25 1.00 .90 lantana rugosum. Wrinkleleaf Wayfaring-tree. 15' 3 to 4 ft. .75 .60 .50 4 to 5 ft. .1.00 .75 .60 5 to 6 ft. .1.00 .75 .60 | 2 to 3 ft | .40 | .30 | .25 |
| 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .85 .75 6 to 8 ft. 1.25 1.10 1.00 dilatatum. Linden Viburnum. 10' 2 to 3 ft. .65 .55 .50 3 to 4 ft. .90 .75 .60 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. 1.50 1.25 1.00 5 to 6 ft. spec. .8&B 7.50 .50 .50 .50 6 to 8 ft. spec. .8&B 12.50 .50 .50 .50 hupeh Viburnum. 6' .2 .2 .5 1.00 .5 lantana. Wayfaring Tree. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .40 .35 4 to 5 ft. .1.25 1.00 .90 lantana rugosum. Wrinkleleaf Wayfaring-tree. 15' 3 to 4 ft. .75 .60 .50 4 to 5 ft. .1.00 .75 .60 5 to 6 ft. .1.00 .75 .60 | 3 to 4 ft | .50 | .40 | .35 |
| 6 to 8 ft. 1.25 1.10 1.00 dilatatum. Linden Viburnum. 10' 2 to 3 ft. .65 .55 .50 3 to 4 ft. .90 .75 .60 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. 1.50 1.25 1.00 5 to 6 ft. spec. .8&B 7.50 6 to 8 ft. spec. .8&B 12.50 hupeh Viburnum. 6' 2 to 3 ft. 1.25 1.00 lantana. Wayfaring Tree. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.25 1.00 .90 lantana rugosum. Wrinkleleaf Wayfaring-tree. 15' 3 to 4 ft. .75 .60 .50 4 to 5 ft. .1.00 .75 .60 5 to 6 ft. .1.25 1.00 .75 | | .75 | .60 | .50 |
| dilatatum. Linden Viburnum. 10' 2 to 3 ft. .65 .55 .50 3 to 4 ft. .90 .75 .60 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. 1.50 1.25 1.00 5 to 6 ft. spec. .8&B 7.50 6 to 8 ft. spec. .8&B 12.50 hupeh Viburnum. 6' 2 to 3 ft. 1.25 1.00 lantana. Wayfaring Tree. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.25 1.00 .90 lantana rugosum. Wrinkleleaf Wayfaring-tree. 15' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.00 .75 .60 5 to 6 ft. 1.00 .75 .60 5 to 6 ft. 1.25 1.00 .75 | 5 to 6 ft | 1.00 | .85 | .75 |
| 2 to 3 ft. .65 .55 .50 3 to 4 ft. .90 .75 .60 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. 1.50 1.25 1.00 5 to 6 ft. spec. B&B 7.50 .60 .60 .60 .60 .60 .60 .60 .60 .60 .60 .60 .60 .60 .60 .60 .60 .60 .60 .50 .60 .50 .60 .50 .60 .50 .60 .50 .60 .50 .60 .50 .60 .50 .50 .60 .50 <td>6 to 8 ft</td> <td>1.25</td> <td>1.10</td> <td>1.00</td> | 6 to 8 ft | 1.25 | 1.10 | 1.00 |
| 3 to 4 ft. .90 .75 .60 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. 1.50 1.25 1.00 5 to 6 ft. spec. B&B 7.50 6 to 8 ft. spec. B&B 12.50 hupeh Viburnum. 6' 2 to 3 ft. 1.25 1.00 lantana. Wayfaring Tree. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.25 1.00 .90 lantana rugosum. Wrinkleleaf Wayfaring-tree. 15' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.00 .75 .60 5 to 6 ft. 1.00 .75 .60 5 to 6 ft. 1.00 .75 .60 5 to 6 ft. 1.25 1.00 .75 | dilatatum. Linden Viburnum. 10' | | | |
| 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. 1.50 1.25 1.00 5 to 6 ft. spec. B&B 7.50 6 to 8 ft. spec. B&B 12.50 hupeh Viburnum. 6' 2 to 3 ft. 1.25 1.00 lantana. Wayfaring Tree. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.25 1.00 .90 lantana rugosum. Wrinkleleaf Wayfaring-tree. 15' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.00 .75 .60 5 to 6 ft. 1.00 .75 .60 5 to 6 ft. 1.25 1.00 .75 | 2 to 3 ft | .65 | .55 | .50 |
| 4 to 5 ft. 1.25 1.00 .75 5 to 6 ft. 1.50 1.25 1.00 5 to 6 ft. spec. B&B 7.50 6 to 8 ft. spec. B&B 12.50 hupeh Viburnum. 6' 2 to 3 ft. 1.25 1.00 lantana. Wayfaring Tree. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.25 1.00 .90 lantana rugosum. Wrinkleleaf Wayfaring-tree. 15' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.00 .75 .60 5 to 6 ft. 1.00 .75 .60 5 to 6 ft. 1.25 1.00 .75 | 3 to 4 ft | .90 | .75 | .60 |
| 5 to 6 ft. 1.50 1.25 1.00 5 to 6 ft. spec. 1.8&B 7.50 < | | 1.25 | 1.00 | .75 |
| 6 to 8 ft. spec | | 1.50 | 1.25 | 1.00 |
| 6 to 8 ft. spec | | 7.50 | | |
| hupehense. Hupeh Viburnum. 6' 2 to 3 ft. 1.25 1.00 lantana. Wayfaring Tree. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .80 .70 6 to 8 ft. 1.25 1.00 .90 lantana rugosum. Wrinkleleaf Wayfaring-tree. 15' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.00 .75 .60 5 to 6 ft. 1.25 1.00 .75 | | | | |
| 2 to 3 ft. 1.25 1.00 lantana. Wayfaring Tree. 15' 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .80 .70 6 to 8 ft. 1.25 1.00 .90 lantana rugosum. Wrinkleleaf Wayfaring-tree. 15' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.00 .75 .60 5 to 6 ft. 1.25 1.00 .75 | | | | |
| 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .80 .70 6 to 8 ft. 1.25 1.00 .90 lantana rugosum. Wrinkleleaf Wayfaring-tree. 15' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.00 .75 .60 5 to 6 ft. 1.25 1.00 .75 | • | 1.25 | 1.00 | |
| 2 to 3 ft. .45 .35 .30 3 to 4 ft. .55 .40 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .80 .70 6 to 8 ft. 1.25 1.00 .90 lantana rugosum. Wrinkleleaf Wayfaring-tree. 15' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.00 .75 .60 5 to 6 ft. 1.25 1.00 .75 | lantana. Wayfaring Tree. 15' | | | |
| 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .80 .70 6 to 8 ft. 1.25 1.00 .90 lantana rugosum. Wrinkleleaf Wayfaring-tree. 15' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.00 .75 .60 5 to 6 ft. 1.25 1.00 .75 | | .45 | .35 | .30 |
| 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .80 .70 6 to 8 ft. 1.25 1.00 .90 lantana rugosum. Wrinkleleaf Wayfaring-tree. 15' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.00 .75 .60 5 to 6 ft. 1.25 1.00 .75 | 3 to 4 ft | .55 | .40 | .35 |
| 5 to 6 ft. 1.00 .80 .70 6 to 8 ft. 1.25 1.00 .90 lantana rugosum. Wrinkleleaf Wayfaring-tree. 15' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.00 .75 .60 5 to 6 ft. 1.25 1.00 .75 | | .75 | .60 | |
| 6 to 8 ft. 1.25 1.00 .90 lantana rugosum. Wrinkleleaf Wayfaring-tree. 15' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.00 .75 .60 5 to 6 ft. 1.25 1.00 .75 | | | | |
| lantana rugosum. Wrinkleleaf Wayfaring-tree. 15' 3 to 4 ft. .75 .60 .50 4 to 5 ft. 1.00 .75 .60 5 to 6 ft. 1.25 1.00 .75 | | | | |
| 3 to 4 ft | | | | |
| 4 to 5 ft | · · | | | |
| 5 to 6 ft | | | .75 | |
| | | | | |
| | | | | |

| | 1711112571222, 01110 | | | יכי |
|-----------|--------------------------|--------------------|--------------|---------|
| Viburnum | | 1-4 Each | 5-24 Each | 25 & up |
| | Nannyberry. 20' | Each | Laci | Each |
| 3 to | | .75 | .65 | .60 |
| 4 to | 5 ft | .90 | .80 | .75 |
| 5 to | | 1.25 | 1.10 | 1.00 |
| 6 to | | 2.00 | 1.75 | 1.50 |
| 8 to | 10 ft | 2.50 | 2.25 | 2.00 |
| | | 15.00 | | |
| molle. | Kentucky Viburnum. 10' | | | |
| | 3 ft | .45 | .35 | .30 |
| | 4 ft | .60 | .45 | .40 |
| | 5 ft | .75 | .65 | .50 |
| | 6 ft | 1.00 | .80 | .75 |
| | 8 ft | 1.25 | 1.10 | 1.00 |
| nudum. | Smooth Withe Rod. 8' | | | |
| 2 to | 3 ft | .75 | .60 | .50 |
| 3 to | 4 ft | 1.00 | .75 | .60 |
| 4 to | 5 ft | 1.25 | 1.00 | .75 |
| 5 to | 6 ft | 1.75 | 1.50 | 1.25 |
| 6 to | 8 ft. spec B&B | 7.50 | | |
| opulus. | High Bush Cranberry. 10' | | | |
| 2 to | 3 ft | .50 | .40 | .35 |
| 3 to | 4 ft | .60 | .45 | .40 |
| 4 to | 5 ft | .75 | .60 | .50 |
| 5 to | 6 ft | 1.00 | .85 | .75 |
| 6 to | | 1.25 | 1.10 | 1.00 |
| 8 to | 10 ft | 1.75 | 1.65 | 1.50 |
| opulus n | anum. Dwarf Cranberry | Bush. | 2' | |
| 10 to | 12 in | .65 | .55 | .50 |
| 12 to | 15 in | .75 | .65 | .60 |
| 15 to | 18 in | 1.00 | .80 | .75 |
| opulus s | terile. Common Snowball. | <i>10</i> ′ | | |
| 2 to | 3 ft | .50 | .40 | .35 |
| 3 to | 4 ft | .65 | .50 | |
| 4 to | 5 ft | .75 | .60 | |
| 5 to | 6 ft | 1.00 | .75 | |
| ovatifoli | um. Eggleaf Viburnum. | <i>10</i> ′ | | |
| | 4 ft | 1.50 | 1.25 | |
| prunifoli | um. Blackhaw. 12' | | | |
| 2 to | | 1.00 | .85 | .75 |
| 3 to | | 1.25 | 1.10 | 1.00 |
| 4 to | | 1.50 | 1.35 | 1.25 |
| 5 to | | 2.50 | 2.00 | 1.75 |
| 6 to | | 3.50 | 3.00 | 2.50 |
| 8 to | 10 ft | 5.00 | 4.50 | 4.00 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|------------------------------------|-------------|--------------|-----------------|
| Viburnum | | | |
| pubescens. Downy Viburnum. 6' | | | |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | 1.00 | .75 | .60 |
| 4 to 5 ft | 1.25 | 1.00 | .75 |
| 5 to 6 ft | 1.50 | 1.25 | |
| rhytidophyllum. Leatherleaf Viburi | num. 8' | | |
| 18 to 24 inB&B | 1.50 | 1.25 | 1.00 |
| 2 to 3 ftB&B | 2.00 | 1.75 | 1.50 |
| 3 to 4 ftB&B | 3.00 | 2.50 | 2.00 |
| 4 to 5 ftB&B | 4.50 | 4.00 | 3.50 |
| rufidulum. Southern Blackhaw. 10' | | | |
| 2 to 3 ft | 1.00 | .85 | .75 |
| 3 to 4 ft | 1.25 | 1.10 | 1.00 |
| 4 to 5 ft | 1.50 | 1.35 | 1.25 |
| 5 to 6 ft | 2.50 | 2.00 | 1.75 |
| 6 to 8 ft | 4.00 | 3.50 | 3.00 |
| 8 to 10 ft | 5.00 | 4.50 | 4.00 |
| sargenti. Sargent Cranberrybush. | 10' | | |
| 2 to 3 ft | .50 | .40 | |
| 3 to 4 ft | .75 | .50 | |
| 4 to 5 ft | 1.00 | .75 | |
| 5 to 6 ft | 1.50 | 1.25 | |
| sieboldi. Siebold Viburnum. 10' | | | |
| 3 to 4 ft | .75 | .60 | .50 |
| 4 to 5 ft | 1.00 | .75 | .60 |
| 5 to 6 ft | 1.50 | 1.00 | .75 |
| 6 to 8 ft | 2.50 | 1.50 | 1.25 |
| 8 to 10 ft | 3.50 | 3.00 | 2.50 |
| theiferum. Tea Viburnum. 12' | | | |
| 2 to 3 ft | 1.25 | 1.00 | |
| tomentosum. Doublefile Viburnum. | 8 ' | | |
| 2 to 3 ft | .50 | .40 | .35 |
| 3 to 4 ft | .60 | .50 | .45 |
| 4 to 5 ft | .75 | .65 | .55 |
| 5 to 6 ft | 1.00 | .80 | .75 |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| tomentosum plicatum. Japanese Su | owball. | <i>8</i> ′ | |
| 2 to 3 ft | .65 | .55 | .50 |
| 3 to 4 ft | 1.00 | .75 | .60 |
| 4 to 5 ft | 1.50 | 1.25 | |
| | | | |

SEE PAGE 157 FOR A COMPLETE LIST OF HERBACEOUS STOCK.

| | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------------------------|-------------|--------------|-----------------|
| Viburnum | | | |
| veitchi. Veitch Viburnum. 6' | | | |
| 3 to 4 ft | 1.50 | | |
| 4 to 5 ft | 1.75 | 1.50 | |
| 5 to 6 ft | 2.00 | 1.75 | |
| venosum canbyi. Canby Viburnun | | | |
| 3 to 4 ft | | .55 | |
| 4 to 5 ft | .75 | .65 | .60 |
| 5 to 6 ft | _ | .80 | .75 |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| wrighti. Wright Viburnum. 8' | | | |
| 2 to 3 ft | 1.25 | 1.00 | .75 |
| 3 to 4 ft | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft | 2.00 | 1.50 | 1.25 |
| 5 to 6 ft | 2.25 | 1.75 | 1.50 |
| Vinca minor. Periwinkle. | | | |
| 8 to 12 in | .12 | .10 | .08 |
| minor alba. White Periwinkle. | | | |
| 2 year | .35 | .25 | .20 |
| minor rubra plena. Dbl. Red Per | ize in kla | | |
| 2 year | .50 | .40 | .30 |
| | .00 | •10 | |
| Vitex agnus castus. Chaste-tree. 4' | 4.0 | 0.0 | 25 |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | | | |
| 4 to 5 ft | .65 | .55 | .50 |
| agnus castus alba. White Chaste-t | ree. 4' | | |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .65 | .50 | |
| macrophylla. Hemp-tree. 4' | | | |
| 2 to 3 ft | .60 | .45 | .35 |
| 3 to 4 ft | .75 | | • • • |
| | | | |
| negundo incisa. Cutleaf Chaste-tre | | 75 | |
| 3 to 4 ft | 1.00 | .75 | |
| Vitis aestivalis. Summer Grape. 40' | | | 0.0 |
| • | .45 | | |
| 3 year | .55 | .45 | .40 |
| amurensis. Amur Grape. 40' | | | |
| 3 year | .75 | .60 | |

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|--------------------|--------------|-----------------|
| Vitis . | | | |
| coignetiae. Gloryvine. 40' | | | |
| 2 year | .60 | .50 | .40 |
| 3 year | .75 | .60 | .50 |
| 4 year | 1.00 | | |
| cordifolia. Frost or Winter Grape. | <i>40</i> ′ | | |
| 2 year | .45 | .35 | .30 |
| 3 year | .55 | .45 | .40 |
| labrusca. Fox Grape. 40' | | | |
| 2 year | .45 | .35 | 30 |
| 3 year | .55 | .45 | .40 |
| rotundifolia. Muscadine Grape. 40 | o ' | | |
| 3 year | .60 | .50 | .40 |
| 4 year | .75 | .60 | .50 |
| vulpina. Riverbank Grape. 40' | | | |
| 2 year | .45 | .35 | .30 |
| 3 year | .55 | .45 | .40 |
| 4 year | .75 | .60 | .50 |
| Weigela Abel Carriere. 10' | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .60 | .45 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| amabilis. Rose Weigela. 8' | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .60 | .45 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| candida. Snow Weigela. 8' | | | |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .40 | .35 |
| desboisi. Desbois Weigela. 8' | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ftΕνα Rathke. δ' | .60 | .45 | .35 |
| 2 to 3 ft | .45 | .35 | .30 |
| 3 to 4 ft | .60 | .45 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| floribunda. Crimson Weigela. 8' | . 10 | .00 | .00 |
| 2 to 3 ft | .40 | .30 | .25 |
| 3 to 4 ft | .50 | .45 | .35 |
| 4 to 5 ft | .75 | .60 | .50 |
| T Y Y ~ " I I I I I I I I I I I I I I I I I I | .,0 | • • • • | ,00 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---------------------------------------|-------------|--------------|-----------------|
| Weigela | | | |
| groenewegeni. Greenway Weigela. | <i>8'</i> | | |
| 3 to 4 ft | .40 | .30 | • |
| 4 to 5 ft | .60 | .45 | .35 |
| Gustav Mallot. 8' | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .60 | .45 | .35 |
| 5 to 6 ft | .75 | .55 | .45 |
| hortensis rubra. 8' | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .60 | .45 | .35 |
| 5 to 6 ft | .75 | .60 | .50 |
| | | | |
| japonica. Japanese Weigela. 8' | | | |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .50 | .40 | .35 |
| rosea. Pink Weigela. 8' | | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .60 | .45 | .35 |
| | | | |
| rosea nana variegata. Dwarf Vari | _ | _ | . 5' |
| 2 to 3 ft | | | |
| 3 to 4 ft | .50 | .35 | .30 |
| sieboldi argenteomarginata. Varie | | Weigela. | . 8' |
| 3 to 4 ft | .65 | .50 | |
| styriaca. 8' | | | |
| 3 to 4 ft | .60 | .50 | |
| 4 to 5 ft | .75 | .60 | |
| Vanhoutte. Van Houtte Weigela. | <i>8</i> ′ | | |
| 2 to 3 ft | .35 | .25 | .20 |
| 3 to 4 ft | .40 | .30 | .25 |
| 4 to 5 ft | .60 | .45 | .35 |
| Wistaria frutescens. American Wistari | 'a. 30' | | |
| 2 year | .50 | .35 | .25 |
| frutescens magnifica. Yelloweye | W istario | a. 25' | |
| 2 year | .50 | .35 | .25 |
| 3 year | .60 | .45 | .35 |

| | 1-4 Each | 5-24 Each | |
|---------------------------------------|--------------|--------------|------|
| Wistaria | | | |
| multijuga. Japanese Wistaria. 30 | | | |
| 2 year | .50 | | |
| 3 year | .60 | .50 | |
| 4 year | .75 | .65 | .55 |
| sinensis. Chinese Purple Wistaria. | 40 ' | | |
| 2 year | .45 | .35 | |
| 3 year | .60 | .45 | .40 |
| 2 year grafted flower- | | | |
| ing plants | 1.25 | 1.00 | |
| Standards. 4 ft. stem, | | | |
| 30 in. head | 6.00 | | |
| sinensis alba. Chinese White Wista | ria. 40' | ' | |
| 2 year | .45 | .35 | .30 |
| 3 year | .60 | .45 | .40 |
| 4 year | 1.00 | .75 | |
| 2 year grafted flower- | | | |
| ing plants | 1.25 | 1.00 | |
| Standards. 4 ft. stem, | | | |
| 30 in. head | 6.00 | | |
| venusta. Silky Wistaria. 30' | | | |
| 3 year | .60 | .50 | |
| 4 year | .75 | | |
| Xanthoceras sorbifolia. 15' | | | |
| 2 to 3 ftB&B | 4.00 | | |
| 3 to 4 ftB&B | 5.00 | | |
| Zanthorhiza apiifolia. Yellowroot. 3' | | | |
| 12 to 15 in. clumps | .45 | .35 | .25 |
| 15 to 18 in. clumps | .60 | .45 | .35 |
| 18 to 24 in. clumps | 1.00 | .75 | .60 |
| Zanthoxylum americanum. Prickly Ash | . 15' | | |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | 1.00 | .75 | .60 |
| 6 to 8 ft | 1.25 | 1.00 | .75 |
| | | | |
| Zelkova serrata. Sawleaf Zelkova. 50' | | | |
| 2 to 3 ft | 1.25 | 1.00 | .75 |
| 3 to 4 ft | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft | 2.50 | 2.25 | 2.00 |
| 6 to 8 ft | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft | 5.0 0 | 4.00 | |

Herbaceous & Alpine Material

All kinds marked with an asterisk (*) are adapted for the rock garden.

We are prepared to deliver from pots such kinds as are difficult to transplant or whose dormant period in the spring is brief. An extra charge of three cents per plant will be made for those so grown.

| | 5-24 each | 25&up each |
|--|--------------|---------------|
| *Acaena buchanani. Bluish gray, Aug., 1"\$ | .20 | \$.18 |
| *sanguisorbae. Bright green foliage, 2" | .20 | .18 |
| Acanthus mollis. Purple rose, July, 4' | .20 | |
| mollis latifolius. Rose, July, 2-3' | .20 | |
| *Achillea ageratifolia aizoon. White, May, June, | | |
| 8" | .20 | .18 |
| clavennae. White, July, 1' | .20 | .18 |
| filipendulina. Yellow, June, July, 3' | .15 | .12 |
| *millefolium Cerise Queen. Rose, July, 2' | .15 | .12 |
| *nana. White, June, July, 6" | .18 | .15 |
| *nitida. White, June, July, 1' | .20 | .18 |
| *ptarmica The Pearl. White, July, 2' | .15 | .12 |
| *ptarmica Boule de Neige. White, June, | | |
| July, 2' | .15 | .12 |
| *ptarmica Perry White. June, July, 2' | .15 | .12 |
| *tomentosa. Yellow, June, 1' | .15 | .12 |
| Aconitum autumnale. Blue, July, August, 4' | .30 | .25 |
| fischeri. Blue, September, 3' | .25 | .20 |
| fischeri wilsoni. Violet blue, Sept., 5' | .40 | .35 |
| napellus. Light blue, July, Aug., 4' | .30 | .25 |
| napellus Spark's. Violet blue, July, Aug., | | |
| 5' | .30 | .25 |
| *Actinea herbacea. Yellow, May, 6" | .25 | |
| Actaea alba. White, May, June, 3-4' | .15 | .12 |
| rubra. Red, May, June, 3-4' | .15 | .12 |
| Adenophora chinensis. Blue, Fall, 3' | .25 | |
| potanini. Light blue, July, Aug., 3' | .25 | |
| Adiantum pedatum. Maiden Hair Fern | .15 | .12 |
| *Aegopodium podograria variegatum. Variegat- | | |
| ed foliage, 1' | .18 | .15 |
| | | |

| | 5-24 each | 25&up each |
|---|----------------|---------------|
| *Aethionema cordifolium. Rosy lilac, June, 6" | .20 | .18 |
| grandiflorum. Pink, June, 12" | .20 | .18 |
| *kotschyi. Rose, July, 4" | .20 | .18 |
| *persicum. Pink, June, July, 9" | .20 | .18 |
| *pulchellum. Pink, June, 8" | .20 | .18 |
| *schistosum. Rose, June, 4" | .20 | .18 |
| *Ajuga brockbanki. Purple, June, 6" | .18 | .15 |
| *genevensis. Bright blue, May, 6" | .18 | .15 |
| *reptans. Blue, May, 6" | .15 | .12 |
| *reptans alba. White, May, 6" | .20 | |
| Allium carinatum. Rose, June, July, 2' | .18 | .15 |
| *karataviense. White, June, July, 8" | .25 | .20 |
| narcissiflorum. Rose, June, July, 1' | .25 | .20 |
| schoenoprasum. Rose purple, June, July, | | |
| 2' | .25 | .20 |
| stellatum. Rose, June, July, 18" | .20 | .18 |
| *thibetica. Lilac mauve, June, July, 8" | .18 | .15 |
| Althea rosea. Hollyhock. | | |
| Double. Separate colors, July, Aug., 5' | .15 | .12 |
| Double. Chaters' strain, separate colors | .15 | .12 |
| Fringed Allegheny. July, August, 5' | .15 | .12 |
| Single. Mixed colors, July, Aug., 5' | .15 | .12 |
| Single. Separate colors, July, Aug. 5' | .15 | .12 |
| *Alyssum argenteum. Yellow, July, Aug., 6" | .15 | .12 |
| *amanum. Yellow, May, June, 4" | .25 | |
| *creticum. Yellow, June, July, 1' | .18 | .15 |
| *moellendorfianum. Yellow, June, July, 6" | .25 | .20 |
| *montanum. Yellow, June, July, 8" | .25 | .20 |
| *rostratum. Yellow, June, July, 12" | .15 | .12 |
| *saxatile compactum. Yellow, May, 1' | .15 | .12 |
| *saxatile sulphureum. Yellow, May, 1' | .25 | .20 |
| *serpyllifolium. Yellow, June, July, 4" | .18 | .15 |
| *spinosum. Pink and white, June, 3" | .30 | .25 |
| Amsonia tabernaemontana. Blue, May, June, | | |
| 3' | .18 | .15 |
| Anchusa barrelieri. Blue, May, 2' | .25 | |
| capensis. Blue, summer, 18" | .18 | .15 |
| italica Dropmorei. Blue, June, 4-5' | .15 | .12 |
| myosotidiflora. Bright blue, May, 1' | .20 | .18 |
| For less than five, add five cents per plant to the | e 5-2 4 | rate. |

| | 5-24 each | 25&up each |
|--|--------------|---------------|
| *Androsace lanuginosa. Rose, June, 8" | .35 | 04011 |
| *lanuginosa leichtlini. Rose, June, 8" | .40 | |
| *sarmentosa. Rose, June, 6" | .40 | |
| | | |
| *Anemone baldensis. White and pink, July, 1' | .25 | 10 |
| *hupehensis. Mauve, Aug., Sept., 1' | .20 | .18 |
| *japonica alba. White, fall, 3' | .18 | .15 |
| japonica Alice. Rose pink, fall, 3' | .20 | .18 |
| japonica Louise Uhink. White, fall, 3' | .20 | |
| japonica Prince Heinrich. Deep pink, fall, | 0.0 | 1.0 |
| 3' | .20 | .18 |
| japonica Queen Charlotte. Rose, fall, 3' | .20 | .18 |
| japonica Richard Ahrends. Shell pink, | 2.0 | 4.0 |
| fall, 2' | .20 | .18 |
| japonica rubra. Red, fall, 2' | .25 | .20 |
| japonica September Charm. Silvery pink, | | |
| fall, 2' | .25 | |
| japonica September Sprite. Pink, fall, 2' | .25 | .20 |
| *japonica Whirlwind. Pure white, fall, 3' | .20 | .18 |
| *magellanica. Creamy yellow, spring, 1' | .30 | |
| *pennsylvanica. White, July, $1\frac{1}{2}$ ' | .15 | |
| *pulsatilla. Blue, April, 15" | .18 | .15 |
| *pulsatilla alba. White, April, 1' | .30 | .25 |
| *pulsatilla rubra. Dark red, April, 12" | .30 | .25 |
| *sylvestris. White, May, June, 1' | .20 | .18 |
| *vernalis. White, April, 6" | .30 | |
| *Antennaria dioica. White, May, 6" | .15 | .12 |
| *Anthemis cinerea. White, Aug., 1' | .20 | .18 |
| *montana. White, July, 10" | .20 | .18 |
| *nobilis. White, summer, 1' | .15 | .12 |
| tinctoria. Yellow, July, Aug., 3' | .15 | .12 |
| tinctoria E. C. Buxton. White, yellow eye, | | |
| July, Aug., 3' | .15 | .12 |
| tinctoria kelwayi. Yellow, July, Aug., 3' | .15 | .12 |
| tinctoria kelwayi. White, July, 3' | .18 | .15 |
| Anthericum liliago. White, May, June, 3' | .30 | |
| Anthyllis vulneraria dilleni. Red, summer, 1'. | .25 | |
| Antirrhinum cranifolium. Blue, July, Aug., 15" | .25 | .20 |

| | 5-24 each | each |
|---|--------------|------|
| *Aquilegia alpina. Blue, May, June, 1' | .18 | .15 |
| *caerulea. Blue, May, June, 1½' | .20 | .18 |
| caerulea hybrida. Various, June, 2' | .15 | .12 |
| *canadensis. Scarlet, May, June, 2' | .15 | .12 |
| *chrysantha. Yellow, June, July, 3' | .18 | .15 |
| chrysantha alba. White, June, July, 3' | .18 | .15 |
| Crimson Star. Crimson, May, June, 2' | .25 | .20 |
| *flabellata nana-alba. White, June, 10" | .18 | .15 |
| *hybrida. Mrs. Scott Elliott. Various, | | |
| June, 2' | .18 | .15 |
| longissima. Yellow, June, 2' | .40 | .35 |
| *pyrenaica. Deep blue, June, July, 1' | .25 | .20 |
| rosea. Long spurred pink, June, 2' | .18 | .15 |
| *siberica fl. pl. Blue and white, June, 18" | .25 | .20 |
| skinneri. Red and yellow, May, 2' | .18 | .15 |
| vulgaris. Purple, May, June, 2' | .15 | .12 |
| vulgaris nivea. White, May, 2' | .18 | .15 |
| *Arabis albida. White, May, 6" | .18 | .15 |
| *alpina. White, April, May, 6" | .15 | .12 |
| *alpina fl. pl. Dbl. White, April, May, 6" | .25 | .20 |
| *alpina rosea. Pink, April, May, 6" | .20 | .18 |
| *aubretioides. Pink, May, 8" | .30 | .25 |
| *cebennensis. White, May, 10" | .20 | .18 |
| *cockilis. White, April, May, 6" | .25 | .20 |
| *holboelli. Lilac, May, 8" | .20 | .18 |
| *muralis. Rose, May, 10" | .25 | .20 |
| *procurrens. White, May, 1' | .25 | .20 |
| *Amount belowing White Tuly Aug 2" | 20 | 10 |
| *Arenaria balearica. White, July, Aug., 3" | .20 | .18 |
| *grandiflora. White, May, 4" | .18 | .15 |
| *montana. White, June, 4" | .18 | .15 |
| *purpurascens. Purple rose, July, 4" | .25 | .20 |
| *verna. White, June, July, 3" | .20 | .18 |
| Arisaema triphyllum. Purple, May, 1' | .15 | .12 |
| *Armeria alpina. Pink, summer, 6" | .18 | |
| *caespitosa. Pale pink, May, 2" | .30 | .25 |
| *cephalotes rubra. Deep pink, May, June, | | |
| 6" | .18 | .15 |
| *laucheana. Crimson, May, June, 8" | .15 | .12 |
| *maritima. Pi.:, May, June, 6" | .15 | .12 |
| *maritima alba. White, May, June, 6" | .15 | .12 |
| *robusta. Crimson, May, June, 10" | .15 | .12 |
| | | |

| | 5-24 each | 25&up each |
|---|--------------|---------------|
| Artemisia abrotanum. Fragrant foliage, 5' | .15 | .12 |
| absinthium. Wormwood, 4' | .15 | .12 |
| dracunculus. White, August, 2' | .20 | .18 |
| frigida. Silver foliage, 18" | .20 | .18 |
| lactiflora. White, Aug., 4' | .18 | .15 |
| pontica. Gray foliage, 12" | .15 | .12 |
| purshiana. Gray foliage, 3' | .15 | .12 |
| Silver King. White foliage, 3' | .15 | .12 |
| stelleriana. White, summer, 2' | .15 | .12 |
| Arundo-donax. Giant Reed, 12' | .30 | .25 |
| *Asarum canadense. Chocolate, May, 6" | .15 | .12 |
| Asclepias incarnata. Red, August, 4' | .15 | .12 |
| tuberosa. Orange, July, August, 2' | .15 | .12 |
| *Asperula cynanchica. Pink, summer, 10" | .20 | |
| hexaphylla. White, June, 1' | .18 | .15 |
| *hirta. Pink, July, Aug., 6" | .20 | |
| *longifolia. White, summer, 8" | .25 | |
| *odorata. White, May, 8" | .20 | .18 |
| *scutellaria. White, June, July, 6" | .25 | |
| Asphodeline lutea. Yellow, July, 3' | .20 | .18 |
| Asplenium felix faemina. Lady Fern | .15 | .12 |
| *Aster alpinus. Blue, June, July, 8" | .15 | .12 |
| *alpinus albus. White, June, July, 8" | .18 | .15 |
| *alpinus Goliath. Bluish purple, May, | | |
| June, 8" | .30 | |
| *alpinus ruber. Rosy purple, July, 8" | .25 | |
| amelloides. Purple, July, 18" | .20 | |
| amellus elegans. Purple, Aug., 18" | .20 | .18 |
| amellus Rud. Goethe. Lavender blue, fall, | | _ |
| 2' | .25 | .20 |
| Abendrothe. Rose pink, Oct., 3' | .18 | .15 |
| Anita Ballard. Soft lavender, fall, 4' | .18 | .15 |
| Ballard's Crimson. Fall, 3' | .20 | .18 |
| Beauty of Colwall. Fine blue, Sept., 3' | .15 | .12 |
| Beechwood Challenger. Crimson, fall | .30 | .25 |
| 18" | .30 | .12 |
| Blue Gem. Blue, Sept., 3' | .25 | .20 |
| Climax. Blue, Sept., Oct., 3' | .25 | .12 |
| diplostephioides. Blue, July, 2' | .18 | .15 |
| dracunculoides. Light blue, July, 2' | .25 | .20 |
| diadallolado. Ligito biad, baily, b | .20 | 0 |

| | 5-24 each | 25&up each |
|---|--------------|---------------|
| Aster | | |
| frikarti Wonder of Staefa. Lavender, fall, | | |
| 2' | .45 | |
| Harrington's Pink. Fall, 3' | .30 | |
| himalaicus. Lilac, Aug., 18" | .30 | .25 |
| hyb. luteus. Yellow, Sept., 3' | .30 | .25 |
| laevis. Lavender, Sept., 4' | .15 | .12 |
| Mad. Emil Thoury. Violet, Sept., 5' | .15 | .12 |
| Mad. Soyneuse. Light blue, Sept., Oct., 3' | .15 | .12 |
| Mauve Cushion. Mauve, Oct., 12" | .15 | .12 |
| Mauve Queen. Mauve, Sept., 3' | .18 | .15 |
| Mrs. Raynor. Crimson, Sept., 3' | .18 | .15 |
| Mt. Everest. White, fall, 3' | .20 | .18 |
| novae-angliae. Purple, Sept., Oct., 4' | .15 | .12 |
| novae-angliae roseus. Rose, Sept., 4' | .18 | .15 |
| Queen Mary. Blue, Sept., 3' | .20 | .18 |
| Red Rover. Red, fall, 3' | .20 | |
| Robt. Parker. Lavender, Sept., Oct., 5' | .15 | .12 |
| Rue des Hatives. Rose mauve, fall, 3' | .15 | .12 |
| Skylands Queen. Light Blue, fall, 3' | .20 | |
| Snow Queen. White, Sept., Oct., 4' | .15 | .12 |
| St. Egwyn. Soft pink, Sept., Oct., 3' | .15 | .12 |
| Sunset. Pink, Sept., 3' | .30 | .25 |
| tataricus. Purple, Oct., and Nov., 6' | .15 | .12 |
| White Climax. White, fall, 4' | .15 | .12 |
| dwarf varieties. | | |
| Countess of Dudley. Clear pink, Sept., | | |
| 9" | .20 | .18 |
| Lady Henry Maddocks. Pink, Sept., 1' | .20 | .18 |
| Lavanda. Lavender blue, Sept., 6" | .30 | .25 |
| Marjorie. Rose pink, Sept., 1' | .20 | .18 |
| Nancy. Flesh pink, Sept., 1' | .20 | .18 |
| Niobe. White, Sept., 6" | .30 | .25 |
| Ronald. Lilac pink, Sept., 1' | .20 | .18 |
| Snowsprite. White, Sept., 1' | .20 | .18 |
| Victor. Lavender blue, Sept., 8" | .20 | .18 |
| Astilbe arendsi Ceres. Rosy lilac, July, 2' | .25 | .20 |
| arendsi Granat. Crimson, June, 2' | .30 | .20 |
| arendsi Grandis rosea magnifica. Pink, | •00 | |
| July, 4' | .25 | |
| arendsi Juno. Purplish pink, July, 3' | .25 | .20 |
| arendsi Kreimhilde. Rose, June, July, 2' | .25 | .20 |
| | | |
| For less than five, add five cents per plant to the | he 5-2 | rate, |

| | 5-24 each | 25&up each |
|---|--------------|---------------|
| Astilbe | | |
| arendsi Marguerite Van Rechteren. Red, | | |
| tinged lilac, Aug., 4' | .30 | .25 |
| arendsi Moerheimi. White, July, 3' | .30 | .25 |
| arendsi Philadelphia. Lavender rose, July, | | |
| 2' | .30 | |
| arendsi Rhineland. Crimson, shaded sal- | | |
| mon, June, 2' | .30 | .25 |
| arendsi Rose Pearl. Shell pink, July, 3' | .25 | .20 |
| arendsi Salland. Red, July, 5' | .25 | .20 |
| biternata. Cream, June, 4' | .25 | .20 |
| rosea Queen Alexandra. Deep pink, July, | ~ ~ | 2.0 |
| 3' | .25 | .20 |
| rosea Queen of Holland. Rose pink,, July, | ۰.۳ | 20 |
| 3' | .25 | .20 |
| rubella Solferino. Violet pink, July, 3' | .30 | .25 |
| rubella Vesta. Lilac rose, July, 3' | .25 | .20 |
| Astrantia major. Silvery pink, May, 2' | .15 | .12 |
| *Aubrietia deltoidea. Purple, Apr., May, 4" | .18 | .15 |
| *deltoidea bougainvillei. Dark blue, | | |
| April, 5" | .18 | .15 |
| *deltoidea eyrei. Rosy lilac, Apr., 5" | .18 | .15 |
| *deltoidea Fire King. Red, May, 4" | .30 | |
| *deltoidea graeca. Violet, May, 4" | .18 | .15 |
| *deltoidea leichtlini. Pink, April, 5" | .18 | .15 |
| *deltoidea purpurea. Purple, April, 5" | .18 | .15 |
| *hybrida. Various, Apr., May, 6" | .25 | |
| Baptisia australis. Indigo, June, 4' | .18 | .15 |
| tinctoria. Yellow, June, 3' | .18 | .15 |
| Belamcanda chinensis. Orange, summer, 3' | .15 | .12 |
| *Bellis perennis alba. White, Apr., May, 3" | .15 | .12 |
| *perennis rosea. Pink, April, May, 3" | .15 | .12 |
| *rotundifolia caerulescens. Blue, May, 2" | .20 | .18 |
| *Bellium bellidioeides. Blush, summer, 4" | .15 | .12 |
| Bocconia cordata. Creamy white, Aug., 6' | .15 | .12 |
| Boltonia asteroides. White, Sept., 5' | .15 | .12 |
| latisquama. Lavender, August, 5' | .15 | .12 |
| latisquama nana. Lavender, Aug., 2' | .20 | .18 |
| Boykinia rotundifolia. White, June 2' | .18 | .15 |
| Buphthalmum speciosum. Yellow, June, 3' | .15 | .12 |
| salicifolium. Yellow, summer, 2' | .18 | .15 |
| | | |

| | 5-24 each | 25&up each |
|---|--------------|---------------|
| *Calamintha alpina. Purple, summer, 6" | .18 | .15 |
| *Calandrinia umbellata. Crimson, summer, 6" | .20 | .18 |
| Calimeris incisa. Pink, summer, 2' | .25 | |
| *Callirhoe involucrata. Red, all summer, 6" | .15 | .12 |
| *Caltha palustris. Yellow, Apr., May, 12" | .15 | .12 |
| Camassia leichtlini. Blue, May, 2' | .15 | .12 |
| quamash. Blue, May, 2' | .15 | .12 |
| *Campanula alliariaefolia. | | |
| White, June, July, 2' | .18 | .15 |
| *bononiensis. Blue, June, 2' | .18 | .15 |
| *carpatica. Blue, July, August, 9" | .18 | .15 |
| * carpatica alba. White, July, Aug., 9" | .18 | .15 |
| *collina. Blue, July, Aug., 1' | .25 | |
| *elatinoides. Blue, summer, 6" | .20 | |
| *fenestrellata. Pale blue, summer, 3" | .20 | .18 |
| *garganica. Light blue, June, 6" | .30 | .25 |
| *garganica hirsuta. Blue, June, 4" | .25 | |
| *glomerata. Purple, June, July, 2' | .15 | .12 |
| *glomerata acaulis. Purple, June, 6" | .18 | .15 |
| *glomerata superba. Violet, June, July, 2' | .18 | .15 |
| *grosseki. Blue, summer, 2' | .15 | .12 |
| *istriaca. Pale blue, June, July, 3" | .20 | |
| *kolenatiana. Blue, July, 9" | .25 | .20 |
| lactiflora. Light blue, August, 4' | .18 | .15 |
| latifolia alba. White, July, 3' | .20 | .18 |
| latifolia macrantha. Purplish blue, July, | | |
| 3′ | .18 | .15 |
| medium. Mixed, June, July, 3' | .15 | .12 |
| medium. Separate colors, June, July, 3' | .18 | .15 |
| medium calycanthema. Mixed, July, 3' | .15 | .12 |
| medium calycanthema. Separate colors, | | |
| July, 3' | .18 | .15 |
| *muralis. Blue-purple, June, 6" | .30 | .25 |
| persicifolia. Blue, June, July, 2' | .18 | .15 |
| persicifolia alba. White, June, 2' | .20 | .18 |
| pyramidalis. Blue, July, 4-5' | .18 | .15 |
| pyramidalis alba. White, July, 4-5' | .18 | .15 |
| *raddeana. Purple, July, Aug., 1' | .25 | .20 |
| *raineri. Dark blue, July, 6" | .18 | .15 |
| *raineri alba. White, July, 6" | .20 | .18 |
| *rhomboidalis. Blue, July, 1' | .18 | .15 |
| | | |

| | 5-24 each | 25&up each |
|--|--------------|---------------|
| Campanula | | |
| *riverslea. Dark blue, July, 9" | .20 | .18 |
| *riverslea alba. White, July, 9" | .20 | .18 |
| *rotundifolia. Blue, June, July, 12" | .18 | .15 |
| *sarmatica. Pale blue, summer, 12" | .30 | .25 |
| *sibirica alba. White, summer, 10" | .25 | .20 |
| *turbinata. Blue, June, July, 6" | .18 | .15 |
| *turbinata alba. White, June, July, 6" | .18 | .15 |
| *Carex morrowi. White-edged foliage, 1' | .15 $.25$ | .12 |
| | | |
| *Carlina acaulis. White summer, 6" | .25 | 1.0 |
| Cassia marilandica. Yellow, July, 3-4' | .15 | .12 |
| Catananche caerulea. Blue, June, July, 18" | .15 | .12 |
| Caulophyllum thalictroides | .15 | .12 |
| Cedronella cana. Pink, July, 3' | .25 | .20 |
| Centaurea babylonica. Yellow, July, 5' | .15 | .12 |
| *dealbata. Red, July, 1½' | .18 | .15 |
| macrocephala. Yellow, July, 3-4' | .18 | .15 |
| *montana. Blue, June, July, 2' | .15 | .12 |
| ruthenica. Straw color, July, 4' | .18 | |
| Centranthus augustifolius. Rose, summer, 18" | .20 | |
| ruber. Red, summer, 3' | .15 | .12 |
| ruber albus. White, all summer, 3' | .15 | .12 |
| Cephalaria alpina. Yellow, July, 5' | .15 | .12 |
| tatarica. Cream, summer, 6' | .15 | .12 |
| *Cerastium arvense compactum. | | |
| White, July, 8" | .15 | .12 |
| *biebersteini. White, June, 6" | .18 | .15 |
| *tomentosum. White, June, 6" | .15 | .12 |
| *Ceratostigma plumbaginoides. Blue, fall, 6" | .18 | .15 |
| *Chieranthus allioni. Orange, July, 1' | .15 | .12 |
| Chelone glabra. White, rose tinged, July, 2' | .18 | .15 |
| lyoni. Deep rose, August, 2' | .18 | .15 |
| Chrysanthemum anemone—flowered | .15 | .12 |
| Snow Queen—White. | .15 | .12 |
| *arcticum. White, fall, 2' *arcticum Astrid. Pink, fall, 18" | .20 | .12 |
| balsamita. Yellow, Aug., Sept., 2' | .25 | .20 |
| vaisamita. Tenow, Aug., Sept., 2 | .20 | .40 |

| | 5-24 each | 25&up each |
|--|--------------------------|-------------------|
| Chrysanthemum | | |
| coreanum. Blush, fall, 3' | .18 | .15 |
| Cushion varieties. Fall, 1' (white, yellow, pink, red, bronze) | .20 | .18 |
| *erubescens. Pink, Aug., Sept., 18" | .25 | |
| hardy button varieties | .15 | .12 |
| Mrs. H. Harrison—pink. Niza—delicate pink. Ouray—rich bronze. White Doty—white. | | |
| hardy large flowering, double, fall, 4' Angelo—pink. | .15 | .12 |
| Barbara Cumming—yellow, bronze she Boston—orange. Brune Poitevine—deep velvety reddis Canariense—yellow. Comoleta—yellow. Golden Queen—yellow. Harvest Home—yellow. Indian—coppery red. L'Argentuillais—deep chestnut. Marie Antoinette—deep pink. Mrs. F. H. Bergen—pale pink. Mrs. H. Craig—yellow, overlaid orange. | sh bro | nze. |
| Murillo—pink. Oconto—white. Ohio Gold—yellow. Old Homestead—pink. Pacific Supreme—pink. R. Marion Hatton—canary yellow. Snowclad—white. Vesuve—red. Aladdin. Coppery bronze, Aug., 2' Dazzler. Cardinal red, fall, 2' Daybreak. Shell pink, fall, 2' Eden. Bright rose, fall, 2' Emma Marie. Lemon yellow, fall, 2' | .20 .18 .25 .18 | .18 .15 .15 |

| | 5-24 each | 25&up each |
|---|--------------|---------------|
| Chrysanthemum | | |
| Glory of Seven Oaks, Yellow, | | |
| Sept., 2' | .18 | .15 |
| Granny Scovill. Coral Bronze, fall, 2' | .20 | .18 |
| Jean Cumming. White, fall, 2' | .18 | .15 |
| Judith Anderson. Yellow, fall, 18" | .20 | .18 |
| Mrs. Willis J. Martin, Strawberry, | | |
| fall, 2' | .18 | .15 |
| Pale Moon. Yellow, fall, 2' | .30 | .25 |
| Peggy Ann Hoover. Lilac pink, fall, | | |
| 2' | .18 | .15 |
| Tassiva. White, Sept., 18" | .18 | .15 |
| Yellow Normandie. Yellow, early fall, | | |
| 2' | .18 | .15 |
| hardy large flowering, single, fall, 4' | .18 | .15 |
| California—yellow. | | |
| Excelsior—golden yellow. | | |
| Gypsy Girl, crimson, shading chestnut | · | |
| Lady Smith—bright pink. | | |
| Mrs. Calvin Coolidge—cardinal red. | | |
| Mrs. W. E. Buckingham—salmon pink | ζ. | |
| Korean hybrids. Oct., 2-2½' | .20 | .15 |
| Aphrodite—pale pink | | |
| Apollo—bronze, red and gold. | | |
| Ceres—chamois yellow. | | |
| Daphne—daphne pink. | | |
| Diana—rose pink, blended lilac rose. | | |
| Indian Summer—double orange | | |
| Mars—amaranth red. | | |
| Mercury—bronze red. | | |
| Nancy Copeland—spectrum red | | |
| Profusion—rich coppery old gold | | |
| Saladin—oriental red, shading to cor | al | |
| Sappho—pure yellow. | a1. | |
| Saturn—orange and bronze | | |
| The Moor—port wine red. | | |
| • | | 10 |
| maximum. White, all summer, 2' | .15 | |
| maximum Alaska. White, JulyAug., 2' | .15 | .12 |
| maximum Chiffon. Dbl. White, summer, | 0.0 | |
| 18" | .30 | |
| maximum Giant Single. White, summer, | | ~ - |
| 30" | .30 | .25 |

| | 5-24 each | 25&up each |
|--|--------------|---------------|
| Chrysanthemum | | |
| maximum Mrs. C. Lothian Bell. White, | 10 | 1.5 |
| June, July, 2' | .18 | .15 |
| mer, 18" | .30 | .25 |
| *morifolium. Rose, fall, 18"zawadsky. Pink, June, July, 2' | .20 $.20$ | .18 |
| *Chrysoboltonia pulcherrima. Pink, Aug., 2" | .25 | |
| Cimicifuga racemosa. White, July, 5' | .15 | .12 |
| Clematis davidiana. Blue, August, 3' | .18 | .15 |
| davidiana hybrida. Light blue, Aug., 18" | .50 | .40 |
| integrifolia. Blue, July, 2' | .18 | .15 |
| recta. White, July, 3' | .18 | .15 |
| recta mandschurica. White, July, 4' | .18 | .15 |
| Codonopsis clematidea. White, June, 3' | .20 | |
| *Colchicum autumnale. Rosy lilac, Sept., 1' | .25 | |
| Sept., 1' | .35 | |
| *Convallaria majalis. Clumps, white, May, 6" | .18 | .15 |
| Coptis trifolia. White, summer, 6" | .18 | .15 |
| Coreopsis auriculata. Orange, summer, 18" | .25 | .20 |
| grandiflora. Yellow, summer, 3' | .15 | .12 |
| lanceolata. Yellow, summer, 2' | .15 | .12 |
| *rosea. Rose, Aug., Sept., 1' | .15 | .12 |
| *verticillata. Yellow, July, Aug., 2' | .18 | .15 |
| *Coronilla cappadocica. Yellow, June, 6" | .25 | .20 |
| *varia. Pink, summer, 18" | .15 | .12 |
| *Corydalis cheilanthifolia. | | |
| Creamy white, July, 2' | .30 | .25 |
| *lutea. Yellow, July, 8" | .30 | .25 |
| *Cotula squalida. White, summer, 2" | .25 | .20 |
| *Crucianella stylosa. Crimson pink, July, 8" | .18 | |
| *Cynanchum acuminatifolium. | | |
| White, summer, 18" | .18 | .15 |
| Cypripedium acaule. Rose-purple, May, June, | | |
| 1' | .35 | |
| parviflorum. Yellow, May, June, 1' | .35 | |
| spectabile. Rose, June, 2' | .35 | |
| For less than five, add five cents per plant to th | e 5-24 | rate. |

| | 5-24 each | 25&up each |
|--|--------------|---------------|
| Delphinium belladonna. | cacn | eacn |
| Sky blue, all summer, 4' | .15 | .12 |
| bellamosum. Dark blue, all summer, 4' | .15 | .12 |
| *chinense. Blue, July, 2' | .18 | .15 |
| *chinense album. White, July, 2' | .18 | .15 |
| elatum. Blue, July, 4' | .15 | .12 |
| formosum. Indigo, July, 4' | .18 | .15 |
| formosum coelestinum. | | |
| Light blue, July, 3' | .15 | .12 |
| grandiflorum. Shades of blue, July, 3' | .15 | .12 |
| hybridum Blackmore and Langdon. | | |
| Various, July, 4' | .30 | .25 |
| hybridum Gold Medal. | | |
| Shades of blue. July, 4' | .15 | .12 |
| hybridum Wrexham's. Various, June, 5' | .35 | .30 |
| Iceberg. White, summer, 3' | .25 | .20 |
| Pacific Hybrids. Various, summer, 4' | .35 | |
| sibirica hybrida. Shades of blue, July, 3' | .15 | .12 |
| Dennstedtia punctilobula. Hay-scented Fern | .15 | .12 |
| Dianthus allwoodi. Pink, July, 1' | .18 | .15 |
| *alpinus. Rose, summer, 4" | .25 | .20 |
| *arenarius. White, July, 10" | .15 | .12 |
| *arvernensis. Pink, June, 4" | .20 | |
| barbatus. (Single Sweet William). | | |
| mixed colors, June, July, 1' | .15 | .12 |
| barbatus alba. White, June, July, 1' | .15 | .12 |
| barbatus atrococcineus. Crimson, June, | | |
| 1' | .15 | .12 |
| *barbatus Dwarf Giants. Various, June, 8" | .18 | .15 |
| barbatus fl. pl. (Double Sweet William). | | |
| mixed colors, June, July, 1' | .15 | .12 |
| barbatus Giant White. June, 1' | .15 | .12 |
| barbatus nigricans. | | |
| Dark velvety red, June, 1' | .15 | .12 |
| barbatus Pink Beauty. Pink, June, 1' | .15 | .12 |
| barbatus Salamoni. Salmon, June, 1' | .15 | .12 |
| barbatus Sutton's Scarlet. | | |
| Crimson, June, 1' | .15 | .12 |
| *caesius. Rose pink, June, July, 9" | .15 | .12 |
| *chinensis heddewigi. | | |
| Mixed, June, July, 8" | .15 | .12 |
| *deltoides. Pink, June, 9" | .15 | .12 |
| the second secon | | |

| Dianthus | 5-24 each | 25&up each |
|--|--------------|---------------|
| *deltoides albus. White, June, 9" | .15 | .12 |
| *deltoides Brilliant. Red, June, 9" | .15 | .12 |
| giganteus. Red, July, 2' | .18 | .15 |
| *grisebachi. Purple, June, 1' | .20 | .18 |
| | .20 | .10 |
| hardy pinks. | .15 | .12 |
| Single, mixed, all summer, 9" | .13 | .12 |
| knappi. Yellow, summer, 1' | .10 | .10 |
| | 15 | 10 |
| Crimson, summer, 1' | .15 $.30$ | .12 |
| *neglectus. Pink, May, June, 4" | | .12 |
| *plumarius. Mixed, summer, 8" | .15 | .12 |
| *plumarius fl. pl. Mixed, summer, 8" | .15 | .14 |
| *plumarius semperflorens. | 15 | 10 |
| Pink, June, 9" | .15 | .12 |
| *Abbotsford. Crimson, all summer, 9" | .18 | .15 |
| *Beatrix. Salmon pink, June, 18" | .25 | |
| *Bristol Jewel. White and crimson, June, | 0.0 | |
| 18" | .30 | |
| *Bristol Purity. White, June, 18" | .25 | 4 = |
| *Cyclops. Dark rose, June, July, 9" | .18 | .15 |
| *Elizabeth Peters. Pink, June, July, 9" | .20 | 4.0 |
| *Furst Bismark. Rose, summer, 1' | .20 | .18 |
| *Gladys Cranfield. Pink, summer, 1' | .25 | |
| *Hardy Harvard. Red, summer, 1' | .35 | |
| *Homer. Rosy red, June, July, 9" | .18 | .15 |
| *Her Majesty. Dbl. white, June, July, 9" | .18 | .15 |
| *Pheasant's Eye. Pink, white eye, June, 1' | .18 | .15 |
| *Rose Cushion. Pink, June, 3" | .25 | |
| *Souv. de Sales. Dbl. pink, June, 9" | .20 | .18 |
| *Uncle Sam. White, red eye, June, 12" | .25 | |
| *White Reserve. White, June, July, 9" | .18 | .15 |
| *speciosa. Pink, July, 10" | .15 | .12 |
| *subacaulis. Purple, June, July, 4" | .30 | .25 |
| *Dicentra eximea. Rose, all summer, 1' | .18 | .15 |
| spectabilis. Rose, May, June, 2' | .30 | .25 |
| Dictamnus albus. White, June, 2' | .20 | .18 |
| albus ruber. Red, June, 2' | .20 | .18 |
| caucasicus. Red, June, 3' | .25 | .20 |
| | | |
| Digitalis ambigua. Yellow, June, July, 3' gloxinaeflora. Mixed, June, July, 3' | .18 | .15 |
| Isabellina. Yellow, June, July, 3' | .18 | .15 |
| - substitute 1 chow, suite, sury, s | .18 | .15 |

| | 5-24 each | 25&up each |
|---|-----------------|---------------|
| Digitalis | 04011 | 04011 |
| lanata. Creamy yellow, July, 3' | .18 | .15 |
| lutea. Yellow, June, July, 18" | .18 | .15 |
| purpurea. Mixed, June, July, 3' | .15 | .12 |
| purpurea maculata. Spotted, June, July, | | |
| 18" | .15 | .12 |
| purpurea monstrosa. Various, June, | . ~ | |
| July, 3' | .15 | .12 |
| purpurea, rose. June, July, 3' | .15 | .12 |
| purpurea, white. June, July, 3' | .15 | .12 |
| Shirley Hybrids. Mixed, June, July, 3' | .18 | .15 |
| *Dodecatheon meadia. Rose, May, 1' | .18 | .15 |
| *latilobum. White, May, June, 1' | .15 | .12 |
| Doronicum caucasicum. Yellow, April, May, | 20 | .25 |
| 18" | .30 $.30$ | .40 |
| plantagineum excelsum. Yellow, April, | .50 | |
| May, 3' | .25 | .20 |
| Dorycnium hirsutum. Pink, summer, 2' | .25 | .20 |
| *Draba aizoides. Yellow, March, 4" | .30 | •20 |
| *altaica. White, April, 6" | .30 | .25 |
| *armata. Yellow, April, 2" | .35 | .30 |
| *bruniifolia. Orange, April, May, 4" | .35 | .00 |
| *dedeana. White, May, June, 2" | .40 | |
| *fladnizensis. White, Apr., May, 3" | .30 | .25 |
| *hispanica. Yellow, April, 2" | .30 | .25 |
| *repens. Yellow, April, 6" | .20 | .18 |
| *Dracocephalum botryoides. Rose, July, 6" | .25 | .20 |
| *nutans. Blue, Aug., 1' | .20 | .18 |
| Ruyschianum japonicum. Blue, summer, | | |
| 2' | .20 | .18 |
| *Dryas octopetala. White, June, July, 4" | .35 | |
| Dryopteris spinulosum. Wood Fern | .15 | .12 |
| thelypteris. Shield Fern | .15 | .12 |
| Echinacea purpurea. Purple, July, Aug., 3' | .15 | .12 |
| Echinops humilis. Blue, July, 2' | .18 | .15 |
| ritro. Deep steel blue, July, 3' | .15 | .12 |
| sphaerocephalus. Pale blue, July, 5' | .15 | .12 |
| *Edraianthus dinaricus. Lilac, July, 3" | .25 | |
| *tenuifolius. Blue, summer, 5" | .25 | .20 |
| Elymus glaucus. Blue Lime Grass, 3' | .18 | .15 |
| For less than five, add five cents per plant to the | ie 5-2 4 | 1 rate. |

| *F.: Pink Any May 4" | 5-24 each | 25&up each |
|---|--------------|---------------|
| *Epigaea repens. Pink, Apr., May, 4" Epilobium angustifolium. Rose, Aug., 4' | .18 | .15 |
| | | .10 |
| *Epimedium niveum. White, May, June, 1' sulphureum. Yellow, May, 1' | .30 .35 | .30 |
| Eremurus himalaicus. White, June, 6' | 1.50 | |
| Erianthus ravennae. Plume Grass. 10' | .30 | .25 |
| *Erigeron elatior. Purple, July, 2' | .25 | .20 |
| *glabellus. Violet, June, July, 1' | .15 | 12 |
| *glabratus roseus. Pink, June, 1' | .20 | .18 |
| macranthus. Violet. June, 2' | .20 | .18 |
| *speciosus. Rich purple, June, July, 2' | .15 | .12 |
| *Erinus alpinus albus. White, May, 4" | .20 | .18 |
| *alpinus roseus. Rosy purple, May, 4" | .20 | .18 |
| *Erodium corsicum. Pink, summer, 2" | .30 | |
| Eryngium alpinum. Blue, July, 2' | .20 | .18 |
| amethystinum. Blue, summer, 18" | .18 | .15 |
| bourgati. Blue, summer, 18" | .20 | |
| *planum. Blue, July, Aug., 3' | .15 | .12 |
| *Erysimum kotschyanum. Orange, May, June, | | |
| 5" | .18 | .15 |
| *ochroleucum. Yellow, May, 1' | .25 | .20 |
| *pulchellum. Lemon, May, June, 6" | .18 | .15 |
| Eulalia gracillima. Japan Rush, 4-6' | .15 | .12 |
| japonica variegata. 4-6'zebrina. Zebra Grass, 4-6' | .15 .18 | .12 |
| · · · · · · · · · · · · · · · · · · · | | |
| Eupatorium ageratoides. White, Aug., 3' *coelestinum. Blue, Sept., Oct., 18" | .15 $.15$ | .12 |
| purpureum. Purple, Aug., Sept., 5' | .15 | .12 |
| Euphorbia corollata. White, July, Aug., 2' | .18 | .15 |
| *cyparissias. Yellow, May, 10" | .15 | .12 |
| *epithymoides. Yellow, May, June, 1' | .25 | |
| *myrsinites. Yellow, May, June, 6" | .20 | .18 |
| Festuca glauca. Fescue Grass, June, 10" | .15 | .12 |
| Foeniculum atrosanguineum. Summer, 3' | .18 | .15 |
| *Fragaria indica. White, May, 6" | .15 | .12 |
| Fuchsia magellanica. Red, summer, 3' | .30 | |
| Funkia. (See Hosta). | | |
| | | |

| | 5-24 each | 25&up each |
|---|--------------|---------------|
| Gaillardia grandiflora. Yellow and Crimson, | | |
| all summer, 2' | .15 | .12 |
| Burgundy. Red, summer, 2' | .30 | .25 |
| Goblin. Yellow and red, summer, 1' | .20 | .18 |
| Mr. Sherbrook. Yellow, summer, 2' | .25 | |
| Sun God. Yellow, August, 2' | .30 | |
| *Galax aphylla. White, June, 10" | .20 | .18 |
| Galega officinalis. Blue, June, July, 3' | .18 | .15 |
| officinalis hartlandi. Bluish white, July, | | |
| 3' | .18 | .15 |
| Galium boreale. White, July, 1½' | .18 | .15 |
| *purpureum. Dark brown, Aug., 1' | .20 | .18 |
| *verum. Yellow, June, July, 6" | .25 | .20 |
| *Gentiana acaulis. Dark blue, Aug., 4" | .35 | .30 |
| alba. White, Aug., 2' | .15 | .12 |
| andrewsi. Blue, August, 2' | .15 | .12 |
| *cruciata. Deep blue, June, July, 1' | .30 | .25 |
| *freyniana. Blue, Aug., Sept., 6" | .35 | |
| *Purdomi. Blue, July, Aug., 6" | .30 | .25 |
| *septemfida. Deep blue, summer, 12" | .30 | .25 |
| *Geranium endressi. Rose, summer, 18" | .35 | |
| *grandiflorum. Lilac, June, July, 15" | .15 | |
| *grevilleanum. Mauve, June, July, 6" | .18 | .15 |
| *ibericum. Purple, May, June, 2' | .18 | .15 |
| *lancastriense. Mauve, May, June, 1' | .18 | .15 |
| *maculatum. Pink, May, June, 1' | .15 | .12 |
| *pratense album. White, July, Aug., 2' | .18 | .15 |
| *sanguineum. Red, June, July, 2' | .18 | .15 |
| *Geum atrosanguineum. Dark red, summer, | | |
| 1½' | .18 | .15 |
| *Lady Strathedon. Orange, summer, 15" | .18 | .15 |
| *montana. Yellow, July, 1' | .18 | .15 |
| *Mrs. Bradshaw. Double red, summer, 1' | .18 | .15 |
| *Orange Queen. Orange, summer, 15" | .20 | .18 |
| *sibericum. Scarlet, June, July, 1' | .20 | |
| *urbanum. Yellow, July, 15" | .25 | .20 |
| Gillenia trifoliata. White, July, 4' | .18 | .15 |
| *Globularia cordifolia. Pale blue, June, 4" | .20 | .18 |
| *nana. Pale blue, June, 2" | .25 | .20 |
| *trichosantha. Blue, May, June, 6" | .18 | .15 |
| For less than five, add five cents per plant to the | e 5-24 | rate. |

| | 5-24 | 25&up |
|---|----------|----------|
| Gypsophila acutifolia. Pink, July, 2-3' | each .15 | each .12 |
| *cerastoides. White, summer, 4" | .20 | .18 |
| paniculata. White, July, Aug., 2-3' | .15 | .12 |
| paniculata Bristol Fairy. Dbl. white, sum- | •=0 | • |
| mer, 3' | .30 | .25 |
| paniculata fl. pl. Dbl. white, July, Aug., | | |
| 3' | .35 | .30 |
| *repens. Bluish white, all summer, 6" | .15 | .12 |
| *repens rosea. Pink, summer, 6" | .20 | .18 |
| Rosy Veil. Pink, summer, 2' | .30 | .25 |
| Helenium autumnale. Yellow, Aug., Sept., 5' | .18 | .15 |
| autumnale superbum. Yellow, Sept., 5' | .18 | .15 |
| bigelovi. Yellow, Sept., 4' | .20 | .18 |
| Gartensonne. Yellow, Aug., Sept., 3' | .25 | .20 |
| hoopesi. Orange, June, July, 3' | .20 | .18 |
| *pumilum. Yellow, Aug., 15" | .20 | .18 |
| Riverton Beauty. Lemon, Aug., Sept., 5' | .20 | .18 |
| Riverton Gem. Old Gold, Sept., Oct., 4' | .20 | .18 |
| rubrum. Brick red, Sept., 4' | .18 | .15 |
| *Helianthemum citrinum. Yellow, summer, 6" | .18 | .15 |
| *croceum. Saffron, June, July, 9" | .18 | .15 |
| *cupreum. Copper, June, July, 6" | .18 | .15 |
| *Fire Ball. Red, July, Aug., 12" | .18 | .15 |
| *mutabile. Flesh, May, June, 12" | .18 | .15 |
| *perfoliatum roseum. Salmon, summer, 6" | .18 | .15 |
| *purpureum. Bright pink, June, 6" | .25 | |
| *The Bride. White, June, July, 6" | .25 | |
| Helianthus atrorubens. Yellow, fall, 6' | .15 | .12 |
| maximiliana. Yellow, Sept., 6' | .15 | .12 |
| Miss Mellish. Yellow, Aug., Sept., 6' | .15 | .12 |
| mollis grandiflorus. Yellow, Aug., Sept., | | |
| 4' | .15 | .12 |
| *multiflorus fl. pl. Yellow, summer, 4' | .18 | .15 |
| orgyalis. Bright yellow, Sept., 6-8' | .20 | .18 |
| rigidus. Yellow, Aug., 3' | .15 | .12 |
| Wolley Dod. Deep yellow, Sept., 7' | .15 | .12 |
| Heliopsis excelsa. Dbl. yellow, Aug. 3' | .18 | .15 |
| pitcheriana. Orange, July, Aug., 3' | .15 | .12 |
| *Helleborus niger. White, Feb., Mar., 1' | .65 | |
| *orientalis. Various. March, 12" | .50 | |
| *Helxine soleiroli. Creeping herb, 1" | .18 | .15 |
| For less than five, add five cents per plant to the | e 5-24 | rate. |

| Hemerocallis Apricot. Apricot color, June, 2' | 6-24 each .18 | 25&up each .15 |
|---|---------------------|----------------------|
| aurantiaca. Orange, June, July, 21/2' | .18 | .15 |
| Dr. Regal. Orange yellow, May, 18" | .18 | .15 |
| dumortieri. Orange, June, 2' | .15 | .12 |
| flava. Lemon yellow, June, 3' | .18 | .15 |
| florham. Golden yellow, June, 3' | .20 | .18 |
| fulva. Bronze, August, 3' | .15 | .12 |
| Gold Dust. Indian yellow, June, 21/2' | .15 | .12 |
| gracilia. Yellow, June. 2' | .18 | .15 |
| Hyperion, Lemon, July, 4' | .75 | |
| J. A. Crawford. Apricot yellow, July, 4'. | .30 | .25 |
| kwanzo. Reddish orange, June, 21/2' | .20 | |
| luteola. Orange, June, 2' | .15 | .12 |
| May Queen. Orange, May, 4' | .25 | |
| middendorffi. Orange, June, 2' | .15 | .12 |
| minor. Yellow, June, 2' | .15 | .12 |
| Orange Man. Deep orange, June, 2' | .15 | .12 |
| Sovereign. Rich orange, June, 11/2' | .15 | .12 |
| thunbergi. Lemon yellow, June, 2-3' | .15 | .12 |
| hybride. Named varieties, 2-3' | .40 | ,35 |
| Bay State. Deep yellow, Aug. Gypty. Deep orange, July. Harvest Moon. Orange, July. Lemona. Pale lemon yellow, Aug. Mrs. W. H. Wyman. Pale lemon, Au The Gem. Deep orange, June, July. | ĸ. | |
| *Hepatica triloha. Light blue, March, Apr., 4" | .15 | .12 |
| *Herniaria glabra. Green, aummer, 4" | .18 | ,15 |
| "Hesperis matronalis, Furple, June, July, 3' | .15 | .12 |
| "matronalis alba. White, June, July, 2' | .18 | .15 |
| Heuchera americana. Greenish white, 2' | .20 | .18 |
| *brizoides, Pink, June, July, 2' | .18 | .15 |
| *Fire King. Red, May, June, 15" | .35 | , |
| *Grenadier. Red summer, 15" | .35 | |
| *Pleu de Feu. Red, May, June, 2' | .25 | .20 |
| *Red Pimpernell, June, I' | .25 | |
| *rosamundi. Coral, summer, 18" | ,25 | .20 |
| *sanguinea. Coral red, June, 1' | .1% | .15 |
| *sanguinea alba. White, June, 1' | .20 | .25 |
| *sanguinea hybride. Various, summer, 18" | .18 | .15 |
| *villoss. White, summer, 12" | .20 | .18 |
| | | |

| Title Maria Missad Tules Association | 5-24 each | 25&up each |
|--|--------------|---------------|
| Hibiscus Mallow Marvels. Mixed, July, Aug., | 15 | .12 |
| 5' Conquete colors Aug | .15 | .12 |
| Mallow Marvels. Separate colors, Aug., | .18 | .15 |
| Mallow Marvels. Giant Red, Aug., 5' | .18 | .15 |
| moscheutos. Rose, June, July, 5' | .15 | .12 |
| moscheutos crimson eye. White, red eye, | .10 | .12 |
| Aug., 5' | .15 | .12 |
| *Hieracium aurantiacum. Orange, summer, 6" | .15 | .12 |
| *alpinum. Yellow, May, June, 9" | .20 | .18 |
| Hosta caerulea. Blue, July, 1½' | .15 | .12 |
| fortunei. Pale lilac, July, 2' | .15 | .12 |
| lancifolia. Blue, July, 2' | .15 | .12 |
| minor alba. White, fall, 10" | .35 | |
| sieboldiana. Silvery foliage | .20 | .18 |
| sub-cordata grandiflora. White, Aug., | | |
| 18" | .20 | .18 |
| undulata variegata. White foliage, 2' | .15 | .12 |
| *Houstonia purpurea. Purple, May, June, 1' | .20 | |
| *serpyllifolia. Blue, April, 2" | .18 | .15 |
| *Hutchinsia alpina. White, May, June, 4" | .30 | |
| Hyacinthus candicans. White, Aug., 3' | .18 | .15 |
| Hypericum ascyron. Yellow, Aug., 3' | .25 | .20 |
| *calycinum. Yellow, July, Aug., 1' | .18 | .15 |
| *Coris. Yellow, summer, 4" | .25 | .20 |
| *fragile. Yellow, July, Aug., 1' | .25 | .20 |
| moserianum. (See Shrubs). | | |
| *polyphyllum. Yellow, summer, 8" | .18 | .15 |
| *repens. Yellow, July, 4" | .25 | .20 |
| *rhodopaeum. Yellow, July, 4" | .20 | .18 |
| *Hyssopus officinalis. Purple, Aug., 18" | .18 | .15 |
| *Iberis gibraltarica. Delicate lilac, May, 1½' | .15 | .12 |
| *jordani. Rose, May, June, 6" | .30 | .25 |
| *saxatilis. White, summer, 8" | .18 | .15 |
| *sempervirens. White, May, June, 8" | .15 | .12 |
| *sempervirens Climax. White, May, 6" | .18 | .15 |
| *sempervirens Little Gem. White, April, | 4.0 | 4 = |
| 6" Superfiction Many 0" | .18 | .15 |
| *sempervirens Snowflake. White, May, 9" | .25 | .20 |
| *tenoreana. Purplish white, June, 6" | .25 | .20 |

| | 5-24 each | 25&up each |
|---|--------------|---------------|
| *Incarvillea delavayi. Rosy purple, June, July, | cacii | cacii |
| 2' | .20 | .18 |
| *Inula ensifolia. Yellow, July, Aug., 8" | .18 | .15 |
| royleana. Yellow, July, Aug., 18" | .20 | |
| *Iris cristata. Light blue, May, June, 6" | .18 | .15 |
| dichotoma. Purple, Aug., 1' | .25 | |
| *ensata. Lilac, June, 10" | .30 | .25 |
| *ensata alba. White, June, 10" | .30 | |
| *flavissima. Yellow, May, June, 6" | .25 | .20 |
| fall blooming. Spring and fall, 1½-2' | .30 | |
| Autumn King-blue-purple | | |
| Autumn Queen—snow white | | |
| Olive White—cream | | |
| Ultra —ultramarine-blue | | |
| germanica. May, June, 1½-2'. | | |
| Afterglow. Soft lavender shading | | |
| yellow | .15 | .12 |
| Ambassadeur. Smoky purple, purp | le | |
| maroon falls | .18 | .15 |
| Aphrodite. Lilac pink | .18 | .15 |
| Archiveque. Purple | .15 | |
| Asia. Smoky blue | .18 | .15 |
| Ballerine. Violet with deeper falls | .18 | .15 |
| Bruno. Bronze, red purple falls | .18 | .15 |
| Cecil Minturn. Pink | .15 | .12 |
| Chasseur. Yellow, red veining | .20 | .18 |
| Cinnabar. Violet, maroon falls | .20 | .18 |
| Cluny. Lilac blue | .18 | .15 |
| Coppersmith. Coppery red | .18 | .15 |
| Darius. Yellow, lilac and white falls | .15 | .12 |
| Dorothea. Pearl gray | .15 | .12 |
| Dream. Light pink | .18 | |
| Fairy, White, bordered blue | .15 | .12 |
| Flavescens. Yellow | .15 | .12 |
| Florentina. Pale blue | .12 | .10 |
| Florentina alba. White | .15 | .12 |
| Germaine Perthius. Violet purple | .20 | .18 |
| Gold Imperial. Golden yellow | .12 | .10 |
| Her Majesty. Lilac pink | .12 | .10 |
| Isolene. Lilac pink, old rose falls | .15 | .12 |
| Jubilee. Cream, dotted brown | .18 | .15 |
| King of Iris. Yellow, brown falls | .18 | .15 |
| King Edward. Red violet | .15 | .12 |
| | - 0 | |

| Iris germanica. | 5-24 each | 25&up each |
|---|--------------|---------------|
| Kochi. Rich deep claret purple | .18 | .15 |
| Labor. Electric blue | .18 | |
| Lent A. Williamson. Violet, rich | | |
| purple falls with yellow beard | .15 | .12 |
| Leonidas. Lavender, mauve falls | .20 | .18 |
| Lohengrin. Lilac rose | .12 | .10 |
| Lord of June. Lavender blue, violet | | |
| falls | .15 | .12 |
| Loreley. Light yellow, blue falls | .12 | .09 |
| Mad. Henri Cayeau. Dark purple | .18 | .15 |
| Magnifica. Violet and reddish violet | .18 | |
| Mary Barnet. Lavender blue | .15 | .12 |
| Midnight. Dark blue | .15 | .12 |
| Mme. Chobaut. Buff and wine, dotted | .18 | |
| Moonlight. Silvery white | .15 | .12 |
| Monsignor. Violet purple, crimson | .10 | |
| falls | .15 | .12 |
| Mt. Royal. Pansy purple | .18 | |
| Nuee d'Orage. Slate gray with bronze | ••• | |
| and purple falls | .12 | .10 |
| Opera. Violet red, purple falls | .20 | .18 |
| Pallida Dalmatica, Lavender | .18 | .15 |
| Pallida speciosa. Light blue | .12 | .09 |
| Pluie d'Or. Yellow | .18 | .00 |
| Pocahontas. White | .18 | .15 |
| Prairie Gold. Yellow | .15 | .12 |
| Princess Victoria Louise. Sulphur | .10 | .12 |
| yellow, rich violet falls | .12 | .10 |
| Prospero. Lavender and purple | .15 | .12 |
| Queen Caterina. Lavender violet, | • 4.0 | * .5 |
| orange beard | .12 | .10 |
| Rhea. Violet | .15 | .12 |
| Rhein Nixe. White, violet falls | .15 | .12 |
| Robt. W. Wallace. Violet purple | .15 | .12 |
| Shekinah. Pale yellow, shading to | • 10 | • |
| buff | .18 | .15 |
| Sherwin-Wright. Golden yellow | .12 | .10 |
| Snow White. White | .15 | |
| Souv. de Mad. Gaudichau. Deep vel- | • | |
| vety purple | .18 | .15 |
| Taj Mahal. White | .12 | .10 |
| Tamerlan. Light blue, darker falls | .12 | .10 |
| Thais. Soft rosy mauve | .18 | .15 |
| For less than five, add five cents per plant to the | | |

| | 5-24 each | 25&up each |
|--|--------------|-----------------------|
| Iris germanica | | |
| True Delight. Pure pink | .20 | |
| Victorine. White, mottled blue | .15 | .12 |
| Wedgewood. Blue | .15 | .12 |
| Gerda. Creamy yellow, darker falls. | .15 | .12 |
| Halfdan. Creamy white. Ingeborg. Ivory white. Helge. Light citron. Walhalla. Light blue, purple falls. | | |
| kaempferi. Japanese Iris. July, 2-3' Awaji. Large white overlaid lavender Bandai-San. White standards and fail | blue. | .25 rde red |
| Biue Bird. Single dark blue. | | |
| Eumee. Double lavender blue. | | |
| Fascination. Double mauve pink, vein | nad w | hita |
| Florence. Amaranth purple. | neu w | me. |
| Fukushima. Reddish purple, veined wh | ita | |
| | 1166. | |
| Goid Bound. White, yellow shadings. | | |
| Iso-no-namie. Double soft blue. | | |
| Kagaribi. Double pink lavender. | | |
| Kumonoobi. Clear purple, white halo. | | |
| Mahogany. Double rich dark red. | | |
| Oyodo. Double wine red. | | |
| Patrocle. Single reddish violet. | | |
| Purple Emperor. Large deep violet pu | rple. | |
| Purple & Gold. Violet purple, golden | throat | ,• |
| Pyramid. Double violet purple, veine | d whit | æ. |
| Seacrest. Foam white. | | |
| Tacoma Beauty. Pure white. | | |
| Thais. Rich royal purple, velvety she | en. | |
| Uchiu. Crimson purple, white veins. | | |
| Warei-hotei. Lavender blue, light blue | e halo. | |
| prismatica. Violet, May, June, 2' | .18 | .15 |
| pseudacorus. Yellow, June, 3' | .15 | .12 |
| *pumila alba. Dwarf, white, April, 9" | | |
| *pumila caerulea. Dwarf, blue, April, 9" | .15 | - |
| *pumila californica. Yellow, April, 9" | | _ |
| *pumila Curiosa. Yellow, Apr., May, 9" | .25 | .20 |
| *pumila Fairy. Pale blue, April, 6" | | .18 |
| | | |
| For less than five, add five cents per plant to the | he 5-24 | rate. |

| | 5-24 each | 25&up each |
|---|--------------|---------------|
| Iris | cacii | 04011 |
| *pumila Grande. Violet, blue falls, April, | | |
| May, 9" | .25 | .20 |
| *pumila Louise. Dark blue, April, 6" | .20 | |
| *pumila lutea. Pale yellow, April, 6" | .15 | .12 |
| *pumila Schneecuppe. White, April, 6" | .18 | .15 |
| *pumila Sambo. Violet, April, 9" | .15 | .12 |
| sibirica. Purplish blue, June, 3' | .15 | .12 |
| sibirica alba. White, June, 3' | .15 | .12 |
| sibirica Emperor. Clear blue, May, 2' sibirica Snow Queen. White, May, 2' | .20 $.15$ | .18 |
| *Stewart. Dwarf, yellow, April, 9" | .18 | .15 |
| *tectorum. Blue, June, 1' | .25 | .20 |
| *verna. Blue, May, June, 6" | .18 | .15 |
| versicolor. Blue, June, 2' | .15 | .12 |
| Isatis tinctoria. Yellow, May, June, 6' | .15 | .12 |
| *Jasione humilis. Blue, July, Aug., 6" | .18 | .15 |
| *perennis. Blue, June, July, 6" | .18 | .15 |
| *Jeffersonia diphylla. White, May, 8" | .18 | .15 |
| Kniphofia pfitzeri. Coral, Aug., Sept., 4' | .20 | .18 |
| Towers of Gold. Ye'llow, Aug., Sept. 30" | .25 | |
| *Lactuca perennis. Blue, June, 15" | .20 | .18 |
| *Lamium maculatum. Purple, July, Aug., 8" | .20 | .18 |
| Lathyrus latifolius. Pink to Red, July, 6' | .15 | .12 |
| *Lavandula officinalis. (Sweet Lavender). July, | | |
| 2' | .18 | .15 |
| *nana. Lavender, Aug., 9" | .25 | .20 |
| *Leontopodium alpinum. Yellow, summer, 5" | .20 | .18 |
| *Lewisia rediviva. Pink, June, July, 3" | .40 | .35 |
| Liatris pycnostachya. Purple, Aug., Sept., 4' | .15 | .12 |
| spicata. Purple, Aug., 3' | .15 | .12 |
| Ligularia clivorum. Yellow, Aug., Sept., 3' | .18 | .15 |
| Lilium auratum. (Gold Band Lily). White | | |
| with gold band, July, Aug., 3' | .30 | .25 |
| auratum platyphyllum. White, spotted | | |
| yellow, July, Aug., 3' | .40 | .35 |
| batemanniae. Salmon red, July, 3' | .30 | .25 |
| browni. White, July, 3' | .65 | 10 |
| canadense. Yellow to red, June, July, 3' | .15 | .12 |
| candidum. White, June, 3' | .30 | .25 |

| | 5-24 each | 25&up each |
|---|--------------|---------------|
| Lilium | | |
| carolinianum. Orange, July, Aug., 3' | .35 | |
| concolor. Scarlet, July, 1' | .30 | .25 |
| elegans. Shades yellow and red, July, 2' | .25 | |
| elegans Alice Wilson. Lemon, June, July, | | |
| 2' | .45 | |
| elegans atrosanguineum. Dark crimson, | 40 | |
| June, July, 1' | .40 | |
| elegans Orange Queen. Orange, June, July, 18" | .35 | |
| grayi. Red, July, 3' | .25 | |
| hansoni. Orange, June, July, 4' | .45 | |
| henryi. Yellow, July, 2' | .35 | |
| leichtlini. Red, July, Aug., 4' | .50 | |
| longiflorum giganteum. Waxy white, 2' | .30 | .25 |
| pardalinum. Scarlet and yellow, 2' | .25 | .20 |
| phillippinense formosanum. White, June, | | V |
| July, 2' | .35 | |
| | .00 | |
| philadelphicum. Orange red, June, July, | 10 | 15 |
| 3' | .18 | .15 |
| regale. White, July, 4' | .30 | .25 |
| rubellum. Rose pink, June, July, 18" | .35 | .30 |
| speciosum album. White, Aug., 3' | .30 | .25 |
| speciosum longiflorum. White, Aug., 3' | .30 | .25 |
| speciosum melpomene. White, Aug., 3' | .30 | .25 |
| speciosum rubrum. Pinkish red, Aug., 3' | .30 | .25 |
| superbum. Orange, July, Aug., 5' | .15 | .12 |
| *tenuifolium. Scarlet, June, 18" | .20 | .18 |
| testaceum. Apricot, June, July, 5' | 2.50 | |
| tigrinum fl. pl. Orange, spotted, Aug. 4' | .25 | .20 |
| tigrinum. Orange, spotted, Aug., 4' | .20 | .18 |
| umbellatum. Scarlet red, July, 2' | .25 | .20 |
| washingtonianum. White, dotted purple, | | |
| June, July, 4' | .60 | |
| willmottiae. Orange, July, 4' | .75 | |
| Limonium auriculaefolium. Blue, June, July, | | |
| 6" | .20 | .18 |
| eximium. Lilac rose, Aug., 2' | .18 | .15 |
| *gmelini. Purplish blue, Aug., 18" | .20 | .18 |
| *latifolium. Blue, July, Aug., 2' | .15 | .12 |
| | | |

| | 5-24 each | 25&up each |
|---|--------------|---------------|
| *Linaria aequitriloba. Pale mauve, June, 1" | .20 | .18 |
| *alpina. Blue, summer, 6" | .18 | .15 |
| *alpina rosea. Rose, summer, 6" | .20 | |
| *cymbalaria. Lavender, summer, 4" | .18 | .15 |
| *origanifolia. Purple, June, 10" | .35 | |
| *purpurea. Purple, summer, 3' | .25 | .20 |
| Linum austriacum. Blue, summer, 2' | .25 | .20 |
| *alpinum. Blue, June, 10" | .20 | .18 |
| *flavum. Yellow, June, July, 1' | .18 | .15 |
| hirsutum. Lilac, summer, 2' | .18 | |
| *narbonnense. Blue, June, July, 2' | .18 | .15 |
| *perenne. Blue, June, July, 1½' | .15 | .12 |
| *salsoloides. White, summer, 8" | .35 | |
| *tenuifolium. Pink, summer, 1' | .25 | |
| *Lithospermum graminifolium. Blue, June, 4" | .35 | |
| *purpureo-caeruleum. Blue, May, 10" | .35 | |
| Lobelia cardinalis. Scarlet, Aug., Sept., 3' | .15 | .12 |
| siphilitica. Blue, Sept., 3' | .15 | .12 |
| | | 4 = |
| Lupinus polyphyllus. Blue, June, July, 3' | .18 | .15 |
| polyphyllus albus. White, June, July, 3'. | .18 | .15 |
| polyphyllus roseus. Pink, June, July, 3'. | .18 | .15 |
| *Lychnis alpina. Rose color, June, 1' | .18 | .15 |
| arkwrighti. Scarlet, summer, 15" | .18 | .15 |
| chalcedonica. Scarlet, July, 3' | .15 | .12 |
| coronaria. Crimson, July, 2' | .15 | .12 |
| coronaria alba. White, July, 2' | .15 | .12 |
| flos jovis. Pink, June, 18" | .15 | .12 |
| *haageana. Scarlet, June, July, 1' | .15 | .12 |
| *viscaria splendens fl. pl. Red, June, 1' | .20 | .18 |
| Lysimachia clethroides. White, July, Aug., 3' | .18 | .15 |
| *nummularia. Yellow, June, July, 6" | .15 | .12 |
| *nummularia aurea. Yellow leaves, 3" | .25 | |
| punctata. Yellow, June, 3' | .25 | .20 |
| vulgaris. Yellow, July, Aug., 3' | .20 | .18 |
| Lythrum alatum. Magenta, July, Aug., 3' | .15 | .12 |
| salicaria roseum. Rose, July, 4' | .15 | .12 |
| virgatum. Deep rose, July, Aug., 1½' | .18 | .15 |
| | | |

| | 5-24 | 25&up |
|--|-------------|-------------|
| Malva alcea. Rosy purple, July, Aug., 3' | each .15 | each .12 |
| moschata. Rose, July, Aug., 2' | .15 | .12 |
| moschata alba. White, July, Aug., 2' | .15 | .12 |
| Marrubium vulgare. White, summer, 3' | .25 | |
| Matricaria Golden Ball. Yellow, summer, 1' | .15 | .12 |
| parthenoides. White, May, 1' | .15 | .12 |
| *Mazus reptans. Lilac, April, 4" | .20 | .18 |
| Melissa officinalis. White, Aug., 2' | .15 | .12 |
| Mentha anisatus. Anise-flavored. 15" | .25 | |
| crispa. Curly mint. 12" | .25 | |
| piperita. Peppermint. Purple, 2' | .15 | .12 |
| *requieni. Mauve, July, Aug., 2" | .20 | .18 |
| rotundifolia. Apple mint. 30" | .25 | |
| *Mertensia virginica. Purplish blue, March, | | |
| April, 2' | .15 | .12 |
| *Micromeria rupestris. White, fall, 10" | .18 | .15 |
| *Mimulus luteus. Yellow, summer, 1' | .25 | .20 |
| Mitchella repens. White shaded pink, March, | | |
| 4" | .18 | .15 |
| Monardi didyma. Red, July, Aug., 3' | .15 | .12 |
| didyma Cambridge. Scarlet, July, Aug., | | |
| 3' | .15 | .12 |
| didyma Salmonea. Salmon, July, Aug., 3' | .20 | .18 |
| didyma Sunset. Mahogany, July, Aug., | | |
| 3' | .18 | .15 |
| didyma splendens. Scarlet, July, Aug., 3' | .15 | .12 |
| didyma violacea. Violet, July, Aug., 3' | .15 | .12 |
| fistulosa. Lilac, July, 3' | .15 | .12 |
| Mulgedium Bourgaei. Lilac, Summer, 5' | .25 | .20 |
| *Myosotis alpestris. Blue, April, May, 8" | .15 | .12 |
| *alpestris alba. White, May, June, 8" | .15 | .12 |
| *alpestris pink. May, June, 8" | .15 | .12 |
| *palustris. Blue, all summer, 6" | .15 | .12 |
| *palustris Pink Beauty. All summer, 6" | .18 | .15 |
| *Nepeta hederacea. Blue, May, 2" | .15 | .12 |
| macrantha. Lavender, summer, 2' | .18 | .15 |
| *mussini. Blue, June, July, 1' | .18 | .15 |
| nuda. Violet, Aug., 3' | .25 | .20 |
| *Six Hills Giant. Blue, summer, 1' | .30 | .25 |
| *Souv. de Andre Chaudron. Blue, summer, | ,00 | . 20 |
| 1' | .25 | .20 |
| *Nierembergia rivularis. Creamy white, sum- | + 24 17 | . 20 |
| mer, 4" | .18 | .15 |
| The face then the add the contract of the state of | , 10 | .10 |

| | 5-24 each | 25&up each |
|--|--------------|---------------|
| Oenothera fraseri. Yellow, summer, 1' | .15 | .12 |
| fruticosa major. Yellow, summer, 2' | .15 | .12 |
| fruticosa youngi. Lemon, June, July, 2' | .18 | .15 |
| lamarckiana. Yellow, July, Aug., 4' | .15 | .12 |
| *missouriensis. Yellow, July, Aug., 6" | .20 | .18 |
| rosea. Rose, summer, 15" | .25 | .20 |
| speciosa. White, July, Aug., 1½' | .18 | .15 |
| *taraxacifolia. Pink, summer, 6" | .30 | |
| trichocalyx. White, summer, 1' | .25 | .20 |
| Onoclea sensibilis. Sensitive Fern | .15 | .12 |
| struthiopteris. Ostrich Fern | .15 | .12 |
| Onopordon bracteatum. Pink, July, 5' | .20 | .18 |
| *Opuntia fragilis. Yellow, June, 4" | .25 | .20 |
| *humifusa. Yellow, June, 10" | .25 | .20 |
| megacantha. Yellow, June, 3' | .25 | .20 |
| Origanum vulgare. Pink, summer, 2' | .25 | |
| *Orobus vernus. Rose purple, May, 1' | .35 | |
| Osmunda cinnamonea. Cinnamon Fern | .15 | .12 |
| regalis, Royal Fern | .15 | .12 |
| Pachysandra terminalis. White, May, 3" | | |
| 2 year from pots | .12 | .10 |
| Paeonia officinalis rosea. Rose pink | .50 | .40 |
| officinalis rubra. Red | .50 | .40 |
| sinensis. Strong plants, 3-5 eyes. | | |
| Albert Crousse. Salmon pink | .50 | 8 |
| August Dessert. Velvety rose | .50 | |
| Beauty of France. Pale rose | .50 | .40 |
| Claire Dubois. Satiny pink | .60 | |
| Dr. Vandertak. Crimson | .50 | 0.0 |
| Duc de Wellington. White Duchess de Nemours. Creamy white | .35 $.50$ | $.30 \\ .40$ |
| Edulis. Deep rose | .30 | .25 |
| Felix Crousse. Brilliant Red | .40 | .35 |
| Festiva maxima. Finest early white | .40 | .35 |
| Karl Rosenfield. Early red | .50 | |
| Lady Alexander Duff. Pale pink | .75 | |
| Longfellow. Red | .75 | |
| Marie Crousse. Salmon pink | .60 | |
| Marie Lemoine. Creamy white | .60 | .50 |
| | | |

| | 5-24 each | 25&up each |
|---|--------------|---------------|
| Paeonia sinensis | cacii | ou on |
| Marquise of Lansdowne. Large, pink | .60 | |
| Mons. Martin Cahuzac. Dark purple | | |
| garnet | 1.00 | |
| Mons. Jules Elie. Pink with darker | | |
| guard petals | .60 | .50 |
| Mrs. Van Leeuwen. Light crimson | .50 | |
| Roem von Boskoop. Deep rose | .35 | .30 |
| Solange. White petals, golden brown | | |
| center | .75 | |
| Souv. de Louis Bigot. Bengal rose | .75 | |
| Therese. Violet rose | .75 | |
| Triumph de Paris. Light pink, yellow | | |
| center | .35 | .30 |
| Virginie. Lilae rose | .35 | .30 |
| Walter Faxon. Pure pink | .75 | 0.0 |
| Wm. Mesman. White | .35 | .30 |
| single. Named colors, red, white, pink | 1.00 | |
| single Japanese. Named varieties | 1.25 | |
| Alba Grandiflora. White. | | |
| Cleopatra. Red. | | |
| Eva. Bright lilac-crimson. | | |
| Jacqueline. Pure white. | | |
| L'Etincelante. Bright light red. | | |
| Mikado. Dark red. | | |
| Oitmatsu. Light pink changing to whit | ce. | |
| Shi-pen-kue. Nearest to blue in Peonic | es. | |
| suffruticosa. Tree Peony. (See Page 88) | | |
| *Papaver alpinum. Various, Summer, 6" | .18 | .15 |
| *nudicaule. All colors, summer, 8" | .15 | .12 |
| orientale bracteatum. Red, June, 2' | .18 | .15 |
| orientale. Orange scarlet, June, 2' | .15 | .12 |
| Beauty of Livermore. Crimson, June, | 110 | • |
| 3' | .25 | |
| Enfield Beauty. Salmon, June, 2' | .18 | |
| Fairy. Pale pink, June, 2' | .25 | .20 |
| Lulu A. Neeley. Ox-blood red, June, | | |
| 3' | .30 | |
| May Sadler. Salmon, June, 2' | .25 | |
| Mrs. Perry. Salmon pink, June, 3' | .20 | .18 |
| For less than five, add five cents per plant to the | ie 5-2 | 1 rate. |

| | 5-24 each | 25&up each |
|---|--------------|---------------|
| Papaver orientale | 040 | 3 5 |
| Olympia. Scarlet, June, 3' | .25 | .20 |
| Perry's White. White, June, 3' Princess Victoria Louise. Salmon, | .25 | |
| June, 2' | .20 | .18 |
| Wurtembergia. Rose-red, June, 2' | .25 | .20 |
| pilosum. Brick red, June, 3' | .20 | .18 |
| Pardanthus. (See Belamcanda). | | |
| *Paronychia serpyllifolia. White, July, 2" | .20 | .18 |
| Pennisetum japonicum. Fountain Grass | .20 | .18 |
| *Pentstemon alpinus. Bluish purple, June, 1' | .25 | .20 |
| *arizonicus. Purple, June, July, 8" | .20 | .18 |
| barbatus. Scarlet, July, 3' | .15 | .12 |
| barbatus coccineus. Scarlet, July, Aug., | .18 | .15 |
| barbatus Pink Beauty. Pink, summer, 2' | .20 | .18 |
| digitalis. White, August, 3' | .18 | .15 |
| glaber. Blue, summer, 2' | .20 | • • • |
| hirsutus. Rosy purple, July, Aug., 2' | .18 | .15 |
| ovatus. Blue, July, Aug., 3' | .18 | .15 |
| *procerus. Blue, July, 1' | .20 | |
| *pygmaeus. Purplish blue, summer, 6" | .20 | .18 |
| unilateralis. Blue, June, 2' | .18 | .15 |
| Phalaris arundinacea variegata. Ribbon Grass | .15 | .12 |
| *Phlox amoena. Pink, May, 4" | .15 | .12 |
| *arendsi Louise. Lilac, all summer, 1' | .30 | |
| *divaricata. Lavender, May, June, 1' | .15 | .12 |
| *divaricata laphami. Violet, June, 1' | .25 | .20 |
| glaberrima. Pink, June, 18" | .18 | .15 |
| maculata. Purplish red, May, June, 4' | .15 | .12 |
| *ovata. Red, May, June, 1' | .18 | |
| paniculata. 2-3' | | |
| Africa. Carmine, red eye | .18 | .15 |
| Antonin Mercie. Lilac, white center | .18 | .15 |
| Athis. Salmon pink | .12 | .10 |
| B. Compte. Rich French purple | .18 | .15 |
| Baron von Dedem. Salmon red Beacon. Cherry red | .18 | .15 |
| Beacon. Onerry red | .18 | .15 |

| | 5-24 each | 25&up each |
|--|--------------|---------------|
| Phlox paniculata. | | |
| Border Queen. Dwarf pink | .20 | • |
| Capt. Koehl. Blood red | .25 | |
| Caroline Vandenburg. Lavender blue | .25 | |
| Champs Elysees. Rich purplish crim- | | |
| son | .15 | .12 |
| Commander. Crimson | .18 | .15 |
| Count Zeppelin. White, red eye Daily Sketch. Salmon pink, carmine | .18 | |
| eye | .25 | |
| Enchantress. Salmon pink, dark eye | .18 | .15 |
| Elizabeth Campbell. Salmon pink | .18 | .15 |
| Evelyn. Salmon rose | .20 | .18 |
| Feuerbrand. Orange scarlet | .20 | .18 |
| Flancee. White lighter and | .20 | .18 |
| George Stipp. Salmon, lighter eye | .25 $.30$ | .20 |
| Gustave Lind. Deep salmon Johnson's Favorite. Salmon rose | .30 | .12 |
| Jules Sandeau. Large pink | .18 | .12 |
| Karl Foerster. Orange scarlet | .25 | .10 |
| Le Mahdi. Deep purple | .15 | .12 |
| Leo Schlageter. Bright scarlet | .35 | .30 |
| Lilian. Fine light pink | .25 | |
| Mad. Paul Dutrie. Soft pink | .18 | .15 |
| Maid Marian. Soft lavender | .18 | .15 |
| Mary Louise. Pure waxy white | .35 | |
| Mia Ruys. White | .25 | |
| Mrs. Jenkins. Pure white | .15 | .12 |
| Mrs. Milly van Hoboken. Soft pink | .20 | .18 |
| Miss Lingard. White | .18 | .15 |
| Miss Verboom. Rose | .35 | |
| Morgenrood. Bright rose, deeper eye | .25 | .20 |
| P. D. Williams. Apple blossom pink | .25 | |
| Peachblossom. Shell pink | .15 | .12 |
| Prof. Virchow. Orange scarlet | .18 | .15 |
| Rheinlander. Salmon pink, claret eye | .15 | .12 |
| Rokoko. Soft pink | .20 | .18 |
| R. P. Struthers. Carmine, claret red | | |
| eye | .15 | .12 |
| Salmon Glow. Salmon pink | .25 | |
| For less than five, add five cents per plant to the | ie 5-24 | 1 rate. |

| | 6-24 each | each |
|--|--------------|-------|
| Phlox paniculata | 4 = | 10 |
| Special French. Soft pink | .15 | .12 |
| Thor. Deep salmon pink | .18 | .15 |
| *pilosa. Lavender, May, 1' | .18 | .15 |
| *reptans. Lilac, May, 6-12" | .15 | .12 |
| *stellaria. Creeping, May, 4" | .15 | .12 |
| *subulata alba. White, April, May, 4" | .15 | .12 |
| *subulata atropurpurea. Purple, Apr., 4" | .20 | .18 |
| *subulata Blue Hills. Light blue, Apr., 4" | .20 | • •10 |
| *subulata Fairy. Blue, purple eye, Apr., 4" | .18 | .15 |
| *subulata G. F. Wilson. Lilac, May, 6" | .15 | .12 |
| *subulata lilacina. Light blue, April, May, | .10 | .12 |
| 4" | .15 | .12 |
| *subulata Little Dot. Lilac, April, 4" | .15 | .12 |
| *subulata nelsoni. White, May, 4" | .15 | .12 |
| *subulata Perfection. Rose, pink eye, | | , , , |
| April, 4" | .15 | .12 |
| *subulata rosea. Pink, May, 4" | .12 | .10 |
| *subulata The Bride. White, pink eye, | | |
| May, 5" | .15 | .12 |
| *subulata Vivid. Pink, red eye, April, 4" | .18 | .15 |
| Phygelius capensis. Red, Aug., Sept., 3' | .20 | |
| Physalis francheti. Red pods, Oct., 2' | .15 | .12 |
| Physostegia virginiana. Rose, August, 3' | .15 | .12 |
| virginiana alba. White, August, 3' | .15 | .12 |
| virginiana Vivid. Deep pink, Aug., 2' | .18 | .15 |
| *Phyteuma orbiculare. Purple, June, July, 2' | .25 | .20 |
| *scheuchzeri. Violet, June, 1' | .18 . | .15 |
| Platycoden grandiflorum. Blue, summer, 2' | .15 | .12 |
| grandiflorum album. White, summer, 2' | .15 | .12 |
| *mariesi. Deep blue, summer, 1' | .15 | .12 |
| *mariesi album. White, summer, 1' | .15 | .12 |
| Plumbago larpentae. (See Ceratostigma). | | |
| Podophyllum peltatum. White, May, June, 1' | .15 | .12 |
| For less than five, add five cents per plant to th | e 5-24 | rate. |

| | 5-24 each | 25&up each |
|--|--------------|---------------|
| *Polemonium caeruleum. Deep blue, June, | | |
| July, 1½' | .15 | .12 |
| *caeruleum album. White, June, July, 11/2' | .15 | |
| *confertum. Blue, June, July, 18" | .18 | .15 |
| *reptans. Blue, May, June, 6" | .18 | .15 |
| *richardsoni. Sky blue, May, June, 6" | 18 | .15 |
| Polygonum compactum. White, Aug., Sept., | | |
| 1½' | .15 | .12 |
| cuspidatum. White, Aug., Sept., 5' | .15 | .12 |
| oxyphyllum. Creamy white, Sept., 3' | .18 | .15 |
| spaethi. Pink, Sept., 6' | .35 | |
| Polystichum acrostichoides. Christmas Fern | .12 | .10 |
| *Potentilla atrosanguinea. Red, summer, 18" | .18 | .15 |
| *argentea. Yellow, summer, 18" | .20 | .18 |
| *crinita. Yellow, summer, 1' | .18 | .15 |
| *nepalensis. Showy red, May, June, 2' | .15 | .12 |
| *nepalensis Miss Willmott. Salmon pink, | | |
| summer, 12" | .20 | .18 |
| *pyrenaica. Yellow, summer, 18" | .15 | .12 |
| *tridentata. White, summer, 1' | .18 | .15 |
| *Primula acaulis. Yellow, May, 9" | .18 | .15 |
| *auricula alpina. Various, May, 6" | .18 | .15 |
| *beesiana. Purple, May, 18" | .25 | .20 |
| *bulleyana. Apricot, June, 18" | .25 | .20 |
| *bulleyana hybrids. Various, May, 18" | .25 | .20 |
| *cashmiriana. Light lilac, May, 8" | .25 | .20 |
| *cortusoides. Deep rose, June, 10" | .20 | .18 |
| *denticulata. Purple, yellow eye, May, | | |
| 6" | .25 | .20 |
| *denticulata alba. White, May, 6" | .25 | .20 |
| *elatior. Yellow, May, 8" | .25 | |
| *elatior atrocoerulea. Dark blue, May, 8" | .35 | |
| florindae. Yellow, May, 4' | .35 | .30 |
| *japonica atrosanguinea. Red, May, June, | | |
| 1' | .20 | .18 |
| *japonica pink. May, June, 1' | .20 | .18 |
| *moerheim hybrids. Various, May, 12" | .25 | .20 |
| *polyanthus. White or yellow, May, 10" | .25 | .20 |
| *saxatilis. Rose, May, 10" | .25 | .20 |
| *veris. Yellow, April, May, 9" | .18 | .15 |
| For less than five, add five cents per plant to th | e 5-24 | rate. |

| | 5-24 each | 25&up each |
|--|--------------|---------------|
| *Primula | | |
| *veris Giant Munstead. Various, May, 1' | .20 | .18 |
| *veris Gold Laced. Various, May, 9" | .25 | .20 |
| *Pulmonaria angustifolia. Blue, April, May, 8" | .20 | .18 |
| *saccharata. Pink, spring, 12" | .30 | |
| *Prunella grandiflora. Violet, summer, 8" | .18 | .15 |
| *incisa rubra. Red, summer, 6" | .18 | .15 |
| *webbiana. Purple, summer, 6" | .18 | .15 |
| Pyrethrum James Kelway. Sgl. red, June, 1'. | .20 | |
| Princess Margaret. Crested pink, June, 1' | .25 | • |
| Rose Glory. Dbl. rose, June, 1' | .25 | |
| roseum. Various, May, June, 1' | .15 | .12 |
| roseum double. Various, May, June, 2' | .35 | |
| roseum Rosy Morn. Pink, June, 2' | .20 | .18 |
| uliginosum. White, September, 5' | .15 | .12 |
| Ranunculus acris fl. pl. Yellow, June, 3' | .18 | .15 |
| *repens. Yellow, June, 4" | .18 | .15 |
| repens fl. pl. Yellow, June, 1' | .18 | .15 |
| Rosmarinus officinalis. Light blue, April, 4" | .20 | .18 |
| Rudbeckia Autumn Glory. Yellow, Aug., Sept., | | |
| 6' | .15 | .12 |
| hirta. Yellow, Aug., Sept., 3' | .15 | .12 |
| laciniata. (Golden Glow). Yellow, Aug., | | |
| 6' | .15 | .12 |
| nitida. Single yellow, Aug., Sept., 6' | .15 | .12 |
| Rayon d'Or. Yellow, Aug., 5' | .15 | .12 |
| speciosa. Yellow, July, Aug., 2' | .15 | .12 |
| subtomentosa. Lemon yellow, August, | | |
| Sept., 4' | .15 | .12 |
| *Ruta graveolens. Yellow, summer, 2½' | .15 | .12 |
| *Sagina subulata. White, July, Aug., 3" | .18 | .15 |
| | | |
| Salvia argentea. Pinkish white, June, 3' | .15 | .12 |
| azurea. Blue, August, 4' | .15 | .12 |
| azurea grandiflora. Blue, August, 4' | .18 | .15 |
| farinacea. Blue, July, 2-3' | .15 | .12 |
| glutinosa. Yellow, June, July, 3' | .15 | .12 |
| officinalis. Blue, summer, 18" pitcheri. (See azurea grandiflora). | .15 | .12 |
| pratensis. Deep blue, June, 3' | .15 | 10 |
| pratensis rubicunda. Rose, June, July, 3' | .13 | .12 |
| viscosa. Pink, July, 3' | .18 | .15 |
| viocosa. Link, outy, o | .10 | .10 |

| *Sanguinaria canadensis. White, April, 8" | 5-24 each .15 | 25&up each .12 |
|--|---------------------------------|--------------------------|
| *Santolina chamaecyparissus. Gray foliage, 1' | .18 | .15 |
| *Saponaria caespitosa. Rose, July, 3" *ocymoides. Pink, summer, 9" officinalis rosea pl. Pink, summer, 18" | .20 .15 .15 | .18 .12 .12 |
| *Saxifraga aizoides. Yellow, Aug., 4" | .25 .25 .25 .25 | |
| *cochlearis. White, May, June, 9" *cordifolia. Rose pink, May, June, 1' *cotyledon. White, May, June, 18" *crassifolia. Rosy pink, April, 1' | .18 .18 .25 .18 | .15 .15 .20 .15 |
| *decipiens. White, May, June, 4" *granulata. White, May, June, 1' *grisebachi. Purple, May, June, 8" *haussmani. Yellow, May, June, 8" | .20 .20 .40 .20 | .18 |
| *lantoscana. White, May, June, 1' *lingulata rosea. Pink, April, 1' *lingulata leichtlini. Rose, April, 1' *longifolia. White, May, June, 2' | .25 .18 .18 .35 | .20 .15 .15 |
| *marginata. White, May, June, 3' *McNabiana. White, May, June, 12" *purpurea. Rosy purple, April, 1' *sarmentosa. White, summer, 2' *umbrosa. Pink, May, June, 1' | .25 .20 .18 .30 .25 | .18 .15 .25 |
| Scabiosa caucasica. Lavender, all summer, 1' caucasica alba. White, summer, 1' caucasica House's Hybrids. Various, summer, 1' fischeri. Blue purple, summer, 2' japonica. Lavender, Aug., Sept., 18" | .20 .20 .25 .20 | .15 |
| *Schivereckia bornmulleri. White, summer, 4" | .20 | .18 |
| *Scutellaria alpina. Purple and white, summer, 6" | .18 .20 .20 | .15 .18 .18 |
| *Sedum acre. Yellow, June, July, 4" | .15 .15 .15 | .12 |
| For less than five, add five cents per plant to th | e 5-24 | rate. |

| | each | each |
|--|-----------|------------|
| *Sedum | 4.0 | |
| *altissimum. Yellow, July, Aug., 9" | .18 | .15 |
| *anglicum. Pink, July, Aug., 3" | .20 | |
| *douglasi. Yellow, July, 2" | .15 | .12 |
| *ewersi. Pink, Aug., Sept., 6" | .15 | .12 |
| *glaucum. Blue foliage, 2" | .15 | .12 |
| *kamtschaticum. Yellow, July, 6" | .15 | .12 |
| *maximowiczi. Yellow, July, Aug., 1' | .15 | .12 |
| *maximum. Pink, Sept., Oct., 18" | .15 | .12 |
| *middendorffianum. Yellow, June, July, | | |
| 4" | .18 | .15 |
| *murale. Pink, July, 1' | .18 $.20$ | .15 |
| *obtusatum. Yellow, July, Aug., 3" *reflexum. Yellow, July, Aug., 8" | .15 | .18 .12 |
| *sarmentosum. Yellow, July, 3" | .15 | .12 |
| *sexangulare. Yellow, June, July, 6" | .15 | .12 |
| *sieboldi. Pink, July, Aug., 1' | .18 | .15 |
| *spectabile. Pink, Aug., Sept., 1½' | .15 | .12 |
| *spectabile Brilliant. Crimson, Sept., 1½' | .15 | .12 |
| *spurium album. White, July, Aug., 6" | .15 | .12 |
| *spurium splendens. Rosy crimson, Aug., | | |
| 6" | .15 | .12 |
| *stoloniferum. Pink, July, Aug., 6" | .15 | .12 |
| *stoloniferum coccineum. | | |
| Crimson, Aug., 6" | .15 | .12 |
| *ternatum. White, May, June, 4" | .15 | .12 |
| *Sempervivum arachnoideum. Red, June, 4" | .18 | .15 |
| *arenarium. Yellow, July, 6" | .18 | .15 |
| *alberti. White, July, 8" | .20 | .18 |
| *atroviolaceum. Reddish purple, 8" | .25 | |
| *brauni. Bronze, July, 6" | .18 | |
| *doellianum. Red, June, July, 6" | .18 | .15 |
| *funcki. Brown, June, July, 6" | .18 | .15 |
| *fauconetti. Pink, June, 6" | .20 | .18 |
| | | |
| *fimbriatum. Pink, July, 8" | .20 | .18 |
| *glaucum. Pink, July, Aug., 6" | .20 | .18 |
| *globiferum. Yellow, June, 12" | .15 | .12 |
| *tectorum violaceum. Violet red, June, 4" | .15 | .12 |
| *Shortia galacifolia. White, June, 8" | .25 | .20 |
| For less than five add five cents nor plant to th | - F 04 | |

| | 5-24 each | 25&up each |
|---|-----------------|---------------|
| Sidalcea Rose Queen. Rose Pink, July, Aug., | | |
| 4' | .15 | .12 |
| *Silene alpestris. White, May, June, 6" | .18 | .15 |
| *maritima. White, summer, 1' | .18 | .15 |
| *maritima rosea. Pink, summer, 1' | .20 | .18 |
| *multicaulis. White, June, July, 1' | .25 | .20 |
| orientalis. Pink, July, 2' | .15 | .12 |
| *roemeri. White, July, Aug., 1' | .25 | 1 5 |
| *saxifraga. White, summer, 6" | .18 | .15 |
| *schafta. Bright pink, July, 6" Silphium perfoliatum. Yellow, July, 6' | .15 | .12 |
| | .10 | .10 |
| *Sisyrinchium angustifolium. Blue, June, July, | 10 | 1.5 |
| 6" | .18 | .15 |
| Smilacina racemosa. White, April, 2-3' | .15 | .12 |
| Solidago canadensis. Yellow, fall, 4-5' | .15 | .12 |
| rigida. Yellow, fall, 3-4' | .15 | .12 |
| shorti. Yellow, fall, 4' | .18 | .15 |
| Spigelia marilandica. Red, June, July, 2' | .25 | |
| Spirea aruncus. White, June, July, 3-5' | .20 | .18 |
| camtschatica. White, July, 6' | .18 | .15 |
| chinensis. Silvery pink, June, July, 2' | .15 | .12 |
| eximea. Pink, June, July, 2' | .18 | .15 |
| filipendula. Single, white, June, July, 1' | .18 | .15 |
| filipendula fl. pl. White, summer, 15" | .25 | |
| lobata. Pink, July, 4' | .18 | .15 |
| palmata. Rosy crimson, June, July, 2' | .15 | .12 |
| ulmaria fl. pl. White, June, 3-4' venusta magnifica. Deep pink, July, 3' | .18 .18 | .15 .15 |
| | | |
| Stachys lanata. Purple, June, July, 1½' | .15 | .12 |
| Statice. (See Limonium). | | |
| *Stellaria holostea. White, May, June, 1½' | .18 | .15 |
| Stenanthium robustum. White, Aug., 3' | .25 | |
| Stokesia laevis. Lavender, Aug., Sept. 1' laevis alba. White, Aug., Sept., 1' | .15 .15 | .12 .12 |
| Tanacetum vulgare. Yellow, summer, 3' | .15 | .12 |
| Teucrium chamaedrys. Rose, Aug., 1' | .18 | .15 |
| orientale. Blue, August, 10" | .20 | .18 |
| For less than five, add five cents per plant to the | ne 5-2 4 | rate. |

| | 5-24 each | 25&up each |
|---|--------------|---------------|
| Thalictrum adiantifolium. Yellow, June, 4' | .15 | .12 |
| aquilegifolium. White, June, 5' | .15 | .12 |
| aquilegifolium purpureum. | | |
| Purple, June, 3' | .20 | .18 |
| baicalens. Yellow, June, 4' | .18 | .15 |
| dipterocarpum. Lilac, August, 3' | .25 | .20 |
| glaucum. Golden-yellow, June, 4' | .18 | .15 |
| minus. Greenish yellow, June, July, 2' | .18 | .15 |
| rochelbrunianum. Lavender, July, Aug., 3' | .30 | .25 |
| Thermopsis caroliniana. Yellow, June, 6' | .20 | .18 |
| mollis. Yellow, June, July, 2-3' | .20 | .18 |
| *TI I I I I I I I I I I I I I I I I I I | .18 | .15 |
| *Thymus odoratissimus. Lilac, summer, 6" | .18 | .18 |
| *nitidus. Rose, June, July, 3" | .15 | .18 |
| *serpyllum citriodorus. | .10 | .14 |
| Purple, June, July, 3-5" | .15 | .12 |
| *serpyllum coccineus. Scarlet, June, 4" | .18 | .15 |
| *serpyllum lanuginosus. | .10 | •10 |
| Rosy purple, June, July, 5" | .18 | .15 |
| *serpyllum roseus. Rose, summer, 8" | .18 | .15 |
| *vulgaris. Lilac, June, July, 8" | .15 | .12 |
| *Tiarella cordifolia. Creamy white, June, 8" | .15 | .12 |
| Tradescantia virginiana. Blue, all summer, 2' | .15 | .12 |
| *Trientalis borealis. White, fall, 6" | .15 | .12 |
| *Trifolium rubens. Purplish red, summer, 1' | .18 | |
| *Trillium erectum. Purple, May, 1' | .15 | .12 |
| *grandiflorum. White, May, 1' | .15 | .12 |
| Tritoma. (See Kniphofia). | | |
| Trollius asiaticus. | | |
| Rich orange, July, Aug., 2' | .25 | .20 |
| *europeus. Citron yellow, July, Aug., 1' | * | .18 |
| *europeus Fire Globe. Orange, summer, 1' | | • 10 |
| europeus Orange Globe. | | |
| Orange, summer, 18" | .25 | .20 |
| *ledebouri. Orange, summer, 18" | .35 | |
| *ledebouri Golden Queen. Orange, sum- | | |
| mer, 18" | .35 | |
| | | |

| PAINESVILLE, OHIO | - 04 | 195 |
|--|--------------|---------------|
| | 5-24 each | 25&up each |
| *Tunica saxifraga. Light pink, June, July, 6" | .18 | .15 |
| *saxifraga alba. White, summer, 6" | .18 | |
| *saxifraga alba fl. pl. Summer, 6" | .30 | .25 |
| *saxifraga rosea fl. pl. Pink, summer, 6" | .30 | .25 |
| Valeriana officinalis. Rose, June, July, 5' | .18 | .15 |
| Verbascum chaixi. White, summer, 3' | .20 | .18 |
| densiflorum. Yellow, June, July, 6' | .15 | .12 |
| olympicum. Yellow, July, Aug., 5' | .15 | .12 |
| phoeniceum. Various, May, June, 3' | .18 | .15 |
| willmottiae. White, summer, 5' | .18 | .15 |
| *Verbena canadensis. Purple, Aug. 18" | .25 | .20 |
| *canadensis Attraction. Cerise, summer, | | |
| 3" | .30 | |
| *canadensis Brilliant. Red, summer, 3" | .30 | |
| hastata. Blue, Aug., Sept., 3' | .15 | .12 |
| Vernonia noveboracensis. Purple, Aug., Sept., | | |
| 5' | .15 | .12 |
| *Veronica allioni. Violet, June, 2" | .20 | .18 |
| *alpestris. Pale blue, June, 18" | .15 | .12 |
| *amethystina Royal Blue. | | |
| June, July, 12" | .18 | .15 |
| *Blue Spires. Blue, summer, 18" | .20 | .18 |
| *caucasica. White, July, 6" | .20 | .18 |
| *chamaedrys. Blue, May, June, 18" | .18 | .15 |
| *elegantissima. Blue, July, Aug., 2' | .15 | .12 |
| *erica. Pink, summer, 10" | .15 | .12 |
| *filiformis. Blue, May, 2" | .18 | .15 |
| *gentianoides. Pale blue, June, July, 1' | .20 | .18 |
| *incana. Pale blue, July, Aug., 1½' | .15 | .12 |
| *longifolia subsessilis. Blue, Aug., Sept., 2' | .20 | .18 |
| *orchidea. Blue, July, 18" | .18 | .15 |
| *pectinata rosea. Pink, May, June, 6" | .15 | .12 |
| *peduncularis. White, June, 6" | .18 | .15 |
| *pulchella. Blue, May, 1' | .15 | .12 |
| *repens. Pale blue, May, June, 2" | .15 | .12 |
| *rupestris. Blue, June, 6" | .15 | .12 |
| *rupestris alba. White, June, 4" | .20 | .18 |
| *rupestris nana. Dark blue, June, 2" | .20 | .18 |
| *rupestris pink. June, 4" | .20 | .18 |
| *saxatilis. Pale blue, July, 6" | .20 | .18 |
| *spicata. Blue, July, Aug., 2' | .15 | .12 |
| *spicata alba. White, Aug., 18" | .18 | |
| *spicata nana. Blue, June, 6" | .25 | . ~ |
| *spuria. Blue, June, 18" | .15 | .12 |
| THE PARTY OF THE P | | |

...

| | 5-24 each | 25&up each |
|--|--------------|---------------|
| Veronica | | |
| *teucrium prostrata. Blue, June, 1' | .15 | .12 |
| *True Blue. June, July, 12" | .18 | .15 |
| virginica. Pale blue, Aug., 4' | .18 | .15 |
| *Vesicaria utriculata. Yellow, Apr., May, 8" | .20 | .18 |
| Vinca minor. Blue, all summer, 6" | .10 | .08 |
| minor alba. White, all summer, 6" | .25 | .20 |
| minor Bowles. Blue, summer, 6" | .25 | .20 |
| minor rubra plena. Red, all summer, 6" | .40 | .30 |
| *Viola alba. White, May, 6" | .12 | .10 |
| *bosniaca. Rosy mauve, June, July, 4" | .18 | .15 |
| *cornuta Admiration. Purple, all summer, | | |
| 6" | .15 | .12 |
| *cornuta alba, type. White, all summer, | | |
| 6" | .15 | .12 |
| *cornuta Apricot. Apricot, summer, 6" | .20 | .18 |
| *cornuta Arkwright Beauty. Red, summer, | | |
| 6" | .25 | |
| *cornuta atropurpurea type. Purple, 6" | .15 | .12 |
| *cornuta Blue Perfection. Blue, all sum- | | |
| mer, 6" | .15 | .12 |
| *cornuta florariensis. Pale blue, summer, | •10 | |
| 6" | .20 | .18 |
| *cornuta G. Wermig. Violet, all summer, | .20 | •10 |
| 6" | .15 | .12 |
| *cornuta Lord Nelson. Blue, summer, 6" | .20 | .12 |
| *cornuta Lutea Splendens. Yellow, all | .20 | |
| - | .15 | .12 |
| summer, 6" | .10 | ,12 |
| *cornuta Mauve Queen. Mauve, all sum- | 1 5 | 10 |
| mer, 6" | .15 | .12 |
| *cornuta Papilio. Violet, all summer, 6" | .15 | .12 |
| *cornuta Primrose Dame. Yellow, summer, | 20 | 1.0 |
| 6" | .20 | .18 |
| *cornuta White Perfection. White, all | 4 = | 4.0 |
| summer, 6" | .15 | .12 |
| *Dbl. Russian. Blue, June, 4" | .30 | .25 |
| *gracilis. Deep violet, summer, 1' | .15 | .12 |
| *Jersey Gem. Rich violet, summer, 6" | .18 | .15 |
| *odorata. Blue, April, May, 6" | .15 | .12 |
| *odorata Gov. Herrick. Blue, May, 6" | .18 | .15 |
| *odorata Princess of Wales. Violet, May, | 10 | |
| 6" | .18 | .15 |
| *odorata Rosina. Pink, May, 4" | .25 | .20 |
| *pedata. Violet, May, June, 6" | .18 | .15 |
| For less than five, add five cents per plant to th | ie 5-24 | rate. |

| | | 25 & up Each |
|--|--------|-----------------|
| Viola | 130011 | 2300 |
| *primulifolia. Pale blue, summer, 6" | .20 | .18 |
| *Rohrbach's Everblooming. Violet, 4" | .50 | .45 |
| *wellsiana. Various, all summer, 6" | .18 | .15 |
| *White Jersey Gem. Summer, 6" | .20 | |
| Yucca filamentosa. White, June, July, 7' | | |
| 2 year | .15 | .12 |
| 3 year | .18 | .15 |
| glauca. White, June, July, 3' | .25 | .20 |

FRUIT GARDEN MATERIAL

We are able to supply all the leading varieties

| the 2 ° m² | | | Each 1-4 | $_{ m Each}^{5-24}$ | 25 & up Each |
|------------|-------------|-----------|-------------|---------------------|-----------------|
| Apples, | Crab, | 5 to 7 ft | 1.00 | .90 | |
| | Standard, | 5 to 7 ft | 1.00 | .90 | |
| Cherry | Sour, | 5 to 7 ft | 1.00 | .90 | |
| | Sweet, | 5 to 7 ft | 1.00 | .90 | |
| Peaches | , | 5 to 7 ft | .75 | .60 | |
| Pears, | Dwarf, | 5 to 6 ft | 1.00 | .90 | |
| | Standard, | 5 to 7 ft | 1.00 | .90 | |
| Plums, | | 5 to 7 ft | 1.00 | .90 | |
| Quinces | • | 4 to 5 ft | 1.00 | .90 | |
| Asparag | us | | | .05 | .03 |
| Blackbe | rries | | | .08 | .06 |
| Currant | s | | .30 | .25 | .20 |
| Goosebe | erries | | .30 | .25 | .20 |
| Grapes, | 3 yr. stron | g | .30 | .25 | .20 |
| Raspber | rries | | | .08 | .06 |
| Rhubar | ь | | | .10 | .08 |
| Strawb | erries | | | .06 | .05 |

CONIFEROUS EVERGREENS

Abies balsamea A. concolor A. c. violacca A. firma A. frascri A. homolepis A. nobilis glauca A. nordmanniana A. pectinata A. pectinata pyramidalis A. veitchi Cedrus deodara C. libani Chamaccyparis lawsoniana C. l. pendula C. l. Triomphe dc Boskoop C. nootkatensis C. obtusa compacta C. o. crippsi C. o. gracilis C. o. nana C. pisifera
C. p. aurea
C. p. filifera C. p. filifera aurea nova C. p. plumosa C. p. plumosa aurea C. p. plumosa lutescens
C. p. plumosa sulphurea
C. p. squarrosa
Cryptomeria japonica lobbi
Juniperus chinensis J. c. albovariegata J. c. columnaris J. c. globosa J. c. mas J. c. neaboriensis J. c. oblonga J. c. pfitzeriana J. c. sargenti J. c. smithi J. communis J. c. dayi J. c. depressa J. c. depressa aurea J. c. depressa plumosa J. c. hibernica J. c. kraccovica J. c. suecica J. c. succica nana J. conferta J. excelsa J. e. stricta J. horizontalis J. h. glauca J. japonica J. j. aurea J. recurva J. rigida J. sabina J. s. tamariscifolia J. s. von ehron J. scopulorum J. sphaerica J. squamata J. s. meyeri J. virginiana J. v. cannaiti J. v. elegantissima

J. v. glauca J. v. globosa J. v. keteleeri J. v. koste**ri** J. v. pendula J. v. schotti J. v. tripartita J. v. venusta Liboccdrus decurrens Picea alba P. a. gloriosa P. alcockiana P. canadensis
P. engelmanni
P. excelsa P. e. aurea P. e. clanbrasiliana P. e. maxwelli P. e. nana compacta P. c. nana pyramidalis P. e. pendula P. e. pygmaea P. e. remonti P. glauca conica P. mariana P. m. doumeti P. omorika P. orientalis P. polita
P. pungens
P. p. glauca
P. p. kosteri P. p. moerheimi P. rubra Pinus banksiana P. densiflora P. flexilis P. montana P. m. mughus P. nigra P. ponderosa P. resinosa P. strobus P. sylvestris P. thunbergi Pseudotsuga douglasi Sciadopitys verticillata Taxus baccata T. b. erecta
T. b. fastigiata
T. b. repandens
T. b. washingtoni
T. canadensis T. cuspidata T. c. brevifolia
T. c. brevifolia compacta
T. c. capitata Thuja occidentalis T. o. aurea douglasi
T. o. columbia
T. o. compacta T. o. compacta Parson's
T. o. elegantissima
T. o. ellwangeriana
T. o. ericoides T. o. globosa
T. o. hoveyi
T. o. lutea
T. o. pumila T. o. pyramidalis

Coniferous Evergreens Continued

T. o. douglasi pyramidalis
T. o. Little Gem
T. o. recurva nana
T. o. reevesi

T. o. reidi

T. o. riversi
T. o. rosenthali
T. o. spiralis

T. o. umbraculifera

T. o. vervaeneana T. o. wareana T. o. wareana lutescens

T. o. woodwardi

T. orientalis T. o. conspicua

T. o. elegantissima

T. o. nana aurea
T. o. sieboldi
T. plicata
T. standishi

Tsuga canadensis

T. caroliniana T. sieboldi

BROAD-LEAVED EVERGREENS

Arctostaphylos uva-ursi

Azalea amoena

A. a. hinodegiri

A. ledifolia

Berberis julianae

B. sargentiana

B. triacanthophora

B. verruculosa

Bruckenthalia spiculifolia

Buxus microphylla

B. m. koreana

B. sempervirens handsworthi

Calluna vulgaris

C. v. alba
C. v. alporti
C. v. aurea
C. v. carnea

Č. v. searlei

Chamaedaphne calyculata

Crataegus pyracantha lalandi C. p. coccinea

C. p. coccinea C. p. yunnanensis

Daphne cneorum

Erica carnea

E. darleyensis

E. vagans

Euonymus patens

E. radicans

E. r. acutus

E. r. argenteo-marginatus

E. r. carrieri

E. r. colorata E. r. kewensis

E, r. minima

E. r. vegetus

Ilex cornuta

I. crenata

I. c. bullata

I. c. latifolia I. c. microphylla

I. glabra I. opaca

Kalmia latifolia

Laurocerasus o. schipkaensis

Leiophyllum buxifolium pros-

tratum

Leucothoe catesbaei

Lonicera nitida

L. pileata

Mahonia aquifolium

Osmanthus aquifolium Pachistima canbyi

Pieris floribunda

P. japonica

Rhododendron carolinianum

R. catawbiense

 \mathbf{R} . maximum

Skimmia japonica

Stranvaesia davidiana

Viburnum rhytidophyllum

DECIDUOUS SHADE TREES

Acer campestre

A. cappadocicum

A. dasycarpum

A. d. pyramidale A. d. wieri

A. mandshuricum

A. negundo A. nigrum

A. platanoides

A. p. schwedleri

A. pseudoplatanus A. rubrum

A. saccharum

Aesculus carnea

A. glabra A. hippocastanum

A. h. baumanni

A. octandra A. turbinata

Ailanthus glandulosa-

A. vilmoriniana

Alnus cordata A. glutinosa

A. g. laciniata

A. incana

A. japonica

Betula alba

B. a. fastigiata B. a. laciniata

B. fontinalis

B. maximowicziana B. lenta

B. lutea

B. nigra

B. papyrifera
B. p. cordifolia

B. populifolia

Carpinus betulus

C. caroliniana
C. japonica
C. yedoensis

Deciduous Shade Trees Continued

Catalpa bignonioides nana C. speciosa Cedrela sinensis Celtis occidentalis C. sinensis Cercidiphyllum japonicum C. j. sinense Euocmmia ulmoides Davidia involucrata Fagus americana F. sylvatica
F. s. fastigiata
F. s. heterophylla
F. s. pendula
F. s. purpurea
F. s. riversi
Frayinus america Fraxinus americana Fraxinus america
F. chinensis
F. excelsior
F. lanceolata
F. mandshurica
F. nigra
F. pennsylvanica
Ginkgo biloba
Gleditsia elegant Gleditsia elegantissima G. japonica G. triacanthos G. t. inermis Gymnocladus dioica Hicoria ovata Juglans cineria J. nigra J. regia J. sieboldiana Larix europea L. laricina L. leptolepis Liquidambar formosana L. styraciflua Liriodendron chinense L. tulipifera L. t. pyramidale Magnolia acuminata M. conspicua M. fraseri M. hypoleuca M. tripetala Morus alba tatarica Ostrya virginica Paulownia tomentosa Phellodendron amurense P. chinense P. sachalinense Platanus occidentalis P. orientalis Populus alba P. a. nivea P. berolinensis P. bolleana P. certinensis P. maximowiczi P. nigra italica
P. nigra betulifolia
P. simoni
P. suaveoleus przewalski

P. tremuloides P. trichocarpa Prunus serotina Pseudolarix kaempferi Ptelia trifoliata Quercus alba Q. bicolor Q. coccinea Q. lyrata Q. macrocarpa Q. palustris Q. phellos Q. prinus Q. robur Q. rubra Q. texana Q. velutina Robinia pseudoacacia R. p. bessoniana R. p. decaisneana Salix babylonica S. b. crispa S. b. dolorosa S. b. salamoni S. elegantissima S. niobe S. pentandra S. sieboldiana S. vitellina S. v. britzensis S| v. pendula S. wentworthi Sassafras variifolium Sorbus aria latifolia S. aucuparia S. quercifolia Taxodium distichum Tilia americana T. cordata T. euchlora T. henryana T. heterophylla T. oliveri T. platyphyllus T. tomentosa T. vulgaris Ulmus americana U. a. moline
U. a. vase-shaped
U. campestris U. c. klemmeri U. c. latifolia U. c. monumentalis U. c. purpurea
U. c. vegeta
U. c. wheatleyi
U. fulva U. glabra U. g. camperdowni U. g. nana U. japonica U. parvifolia U. pumila U. racemosa Zelkova serrata

DECIDUOUS SMALL TREES

Acanthopanax ricinifolium A.r. maximowiczi Acer buergerianum A. ginnala A. griseum A. japonicum aureum A. nikoense A. palmatum A. p. atropurpureum
A. p. filicifolium
A. p. roseo-marginata
A. pennsylvanicum A. platanoides globosum A. spicatum
A. tartaricum
Albizzia julibrissin rosea
Alnus pendula
Amygdalus davidiana
A. d. alba
A persica albonlena A. persica alboplena
A. p. Clara Meyer
A. p. rosea plena
A. p. rubroplena
Aralia japonica
A. spinosa
Asimina trileha Asimina triloba Broussonetia papyrifera Cercis canadensis Cladrastis lutea Cornus florida C. f. plena C. f. rubra C. f. welchi C. kousa C. mas C. officinalis Crataegus aprica C. arkansana C. arnoldiana C. arnoldiana
C. carrieri
C. coccinea
C. coccinioides
C. cordata
C. crusgalli
C. cuneata
C. hupehensis
C. macracantha
C. mollis C. mollis C. mollis
C. monogyna
C. nitida
C. oxyacantha
C. o. plena
C. o. pauli
C. o. punicea
C. peregrina
C. persistens
C. pinnatifida C. pinnatifida major C. pruinosa C. prunifolia C. punctata C. succulenta C. tomentosa C. viridis Diospyros virginiana Gordonia alatamaha Halesia tetraptera Idesia polycarpa Koelreuteria paniculata Laburnum alpinum

L. vulgare

L. watereri Maackia amurensis Magnolia glauca M. kobus M. lennei M. soulangeana M. s. nigra Malus angustifolia M. arnoldiana
M. baccata
M. b. mandshurica
M. brevipes M. brevipes
M. coronaria
M. c. Charlotte
M. dolga
M. Elisa Rathke
M. florentina
M. floribunda
M. f. atrosanguinea
M. f. lemoinei
M. fusca M. fusca M. glaucescens
M. halliana
M. h. parkmani
M. hopa
M. icensis M. ioensis M. i. bechteli M. micromalus M. niedzwetzkyana M. Oekonemurat Echtermeyer M. Oekonemurat Ec M. purpurea M. p. aldenhamensis M. p. eleyi M. prunifolia rinki M. robusta M. r. fastigiata M. r. persicifolia M. sargenti M. scheideckeri M. sieboldi M. scheideckeri
M. sieboldi
M. spectabilis
M. s. alba plena
M. sublobata
M. theifera
M. t. rosea
M. toringoides
M. tschonoski
M. yunnanensis M. yunnanensis veitchi M. zumi M. z. calocarpa Morus alba pendula Nyssa aquatica N. sylvatica Oxydendrum arboreum Prunus americana P. a. Newport P. armeniaca sibirica P. avium plena P. cerasifera pissardi P. cistena P. hortulana P. hortulana
P. incisa
P. lannesiana
P. l. Amayadori
P. l. Jonioi
P. l. sirotae
P. maacki
P. moseri fl. pl. P. mume P. padus

Deciduous Small Trees Continued

P. pennsylvanicum P. serrulata

P. s. Amanogawa

P. s. Giqiko
P. s. Hata-zakura
P. s. Horaisan
P. s. Hogantakura

P. s. Higantakura
P. s. Hisakura
P. s. Jas. H. Veitch
P. s. Kuramayami
P. s. Kwansan
P. s. Miyako

P. s. Miyako
P. s. sachalinensis
P. s. Shirofugen

P. s. Shogetsu P. s. Sumizome

P. sieboldi syn. Naden P. spinosa

P. subhirtella

P. s. ascendens

P. s. autumnalis P. s. pendula

P. virginiana

P. yedoensis P. y. taizanfukun

Pterostyrax corymbosa

Pyrus calleryana

P. salicifolia P. serrulata

Rhus cotinus

R. javanica syn. osbecki

Robinia fertilis

R. hispida R. holdti

R. pseudoacacia Marguerite

Salix caprea

S. matsudana S. m. tortuosa

S. regalis

Sophora japonica

Sorbus americana

S. commixta

S. spuria

Styrax japonica

S. obassia

Syringa japonica

S. pekinensis

DECIDUOUS SHRUBS

Abelia grandiflora

A. schumanni

pentaphyllum Acanthopanax

Aesculus parviflora

Alnus rugosa

A. viridis

Amelanchier alnifolia

A. asiatica

A. canadensis

A. laevis
A. l. rosea
A. oblongifolia
A. rotundifolia syn. vulgaris

A. sanguinea

A. stolonifera Amorpha brachycarpa

A. canescens

A. fruticosa

Amygdalus nana georgica

Aronia arbutifolia

A. atropurpurea

A. melanocarpa

A. m. elata

Artemisia abrotanum Azalea calendulacea

A. canescens A. kaempferi A. lutea

A. mollis

A. nudiflora

A. poukhanensis

A. viscosa A. yodogawa

Baccharis halimifolia

Benzoin aestivale

B. koreana

B. thunbergi

B. t. atropurpurea
B. t. minor
B. t. pluriflora
B. t. p. erecta
Berchemia racemosa

Bischoffia trifoliata Buddleia Charming

B. davidi

B. d. superba B. d. veitchi

B. farquhari B. Ile de France

B. intermedia B. lindleyana

B. paniculata

Callicarpa americana

C. giraldiana C. japonica C. purpurea

Calycanthus floridus

C. occidentalis Caragana arborescens

C. boisi C. frutex

Caryopteris incana C. tangutica

Ceanothus americanus

Cephalanthus occidentalis

Cercis chinensis Chionanthus virginica Clerodendron trichotomum

Clethra alnifolia

C. barbinervis C. paniculata

Colutea arborescens

C. cilicica C. media

Comptonia asplenifolia

Cornus alba

C. a. elegantissima
C. a. sibirica
C. a. spaethi
C. alternifolia C. anomum syn. sericea
C. baileyi
C. paniculata
C. pubescens

D. r. venusta C. rugosa C. sanguinea C. s. viridissima D. scabra D. s. candidissima
D. s. Pride of Rochester
D. s. rosea plena C. stolonifera C. s. flaviramea D. s. watereri D. s. wellsi Corylus americana C. a. atropurpurea D. Schneideriana laxiflora C. heterophylla setchuenensis D. vilmorinae Diervilla sessilifolia C. rostrata Cotoneaster acutifolia C. a. villosula C. adpressa D. trifida Dirca palustris Eleagnus angustifolia E. argentea E. longipes C. ambigua C. apiculata C. dammeri C. dielsiana E. parvifolia E. umbellata C. divaricata
C. foveolata
C. francheti
C. himalaicus
C. horizontalis Elsholtzia stauntoni Enkianthus campanulatus E. perulatus Euonymus alatus E. a. compacta C. h. perpusilla C. hupehensis C. integerrima C. lucida E. americanus E. atropurpureus E. bungeanus E. europaeus E. e. fructu-coccineus E. latifolius E. maacki C. melanocarpa C. microphylla C. moupinensis C. multiflora E. nanus C. nitens
C. obscura
C. racemiflora soongarica
C. rotundifolia
C. rosea E. obovatus E. oxyphyllus E. yedoensis Euptelea polyandra Evodia hupehensis C. salicifolia C. s. floccosa C. simonsi C. tenuipes Exochorda grandiflora E. g. wilsoni Fontanesia fortunei Forsythia europea C. tenuipes
C. wilsoni
C. zabeli
Cydonia cathayensis
C. japonica
C. j. alba
C. j. alpina
C. j. Columbia F. intermedia
F. i. primulina
F. i. spectabilis
F. ovata F. suspensa F. s. atrocaulis F. s. fortunei F. s. sieboldi F. visidssima C. j. alpina
C. j. Columbia
C. j. Falconet Charlet
C. j. pygmaea
C. j. rosea plena
C. j. umbilicata
C. j. Vermilion
C. kermesiana semi-plena
C. maulei
Cytisus nigricans Fothergilla gardeni Gaylussacia baccata Genista juncea G. pilosa G. sagittalis Cytisus nigricans G. tinctoria C. scoparius
C. s. andreanus
C. supinus Hamamelis japonica H. j. rubra H. vernalis H. v. tomentella H. virginiana Daphne mezereum D. m. alba Deutzia gracilis D. lemoinei Helwingia japonica Hibiscus syriacus D. l. avalanche D. I. compacta H. variegatus H. v. meehani Hippophae rhamnoides Holodiscus d. ariaefolius Hovenia dulcis D. myriantha Boule Rose D. ningpoense D. parviflora Hydrangea arborescens D. rosea H. a. grandiflora H. cineria sterilis D. rosea campanulata D. r. carminea D. r. eximea H. o. Otaksa

H. o. Thos. Hogg H. paniculata H. p. grandiflora H. p. praecox H. quercifolia H. radiata Hypericum arnoldiana H. aureum H. bucklei H. densiflorum H. kalmianum H. lobocarpum H. moserianum H. patulum H.p. henryi H. prolificum Ilex geniculata I. laevigata I. monticola I. serrata syn. sieboldi I. verticillata I. v. chrysocarpa Indigofera amblyantha I. kirilowi I. potanini Itea virginica Jamesia americana Jasminum nudiflorum J. stephanense Kerria japonica K. j. florepleno Kolkwitzia amabilis Lagerstroemia indica rubra Lespedeza bicolor L. formosa syn. penduliflorum L. f. albiflora Ligustrum acuminatum L. a. macrocarpum L. amurense L. ibolium L. ibota L. i. nanum L. i. regelianum L. lodense L. ovalifolium L. o. variegatum L. vulgare L. v. foliosum L. v. leucocarpum Lonicera bella albida L. bella rosea L billardi L. chrysantha L. conjugialis L. dioica L. fragrantissima L. gracilipes L. Kesselringi L. kohneana L. korolkowi floribunda L. ledebouri L. maacki L. m. podocarpa L. morrowi L. muendeniensis L. quinquelocularis L. ruprechtiana L. saccata L, spinosa alberti L. standishi

L. syringantha L. s. wolfi L. tatarica L. t. alba
L. t. grandiflora
L. t. lutea
L. t. sibirica L. virginalis alba L. xylosteum Lycium chinense L. halimifolium Lyonia ligustrina Magnolia parviflora M. stellata M. s. rosea Myrica carolinensis M. cerifera M. gale Nandina domestica Neillia longeracemosa N. sinensis Nemopanthus mucronatus Neviusia alabamensis Paeonia suffruticosa Perowskia atriplicifolia Philadelphus Albatre P. Argentine P. Avalanche
P. Banniere
P. Bouquet Blanc P. coronarius P. c. aureus
P. c. nanus
P. c. multiflorus plenus
P. Diamehidanus P. dianthiflorus plenus P. falconeri P. Favorite P. Gerbe de Neige P. Glacier P. gordonianus P. grandiflorus P. incanus P. lemoinei erectus
P. lewisi
P. Magdalene
P. nepalensis P. nivalis
P. Norma
P. Ophelia
P. Pavillon Blanc P. pyramidale P. sericanthus P. Sybille
P. virginal
P. Voie Lactee
P. zeyheri Photinia villosa P. v. laevis Physocarpus intermedius parvifolius P. monogynus P. opulifolius P. o. luteus P. o. nanus Pieris mariana Potentilla fruticosa Prinsepia sinensis

Prunus besseyi

P. demissa

R. hybrid perpetuals R. hybrid tea P. dunbari P. glandulosa P. g. albiplena P. g. sinensis R. climbing R. polyantha hybrids P. japonica Rubus deliciosus P. maritima R. odoratus P. pumila R. phoenicolasius P. tomentosa
P. triloba
P. t. plena
Rhamnus caroliniana Salix discolor S. doniana S. incana S. irrorata S. jessoensis R. cathartica R. dahurica R. frangula S. mutabilis S. myricoides rigida R. f. asplenifolia S. nigricans cotinifolia R. koraiensis R. purshiana S. purpurea nana S. uralensis S. vitellina glauca Sambucus canadensis R. utilis R. Wilsoni S. c. acutiloba S. nigra Rhodora canadensis Rhodotypos kerrioides S. n. aurea S. n. variegata Rhus canadensis R. copallina R. glabra S. pubens S. p. leucocarpa S. racemosus R. typhina R. t. laciniata Shepherdia argentea Ribes alpinum Smilax rotundifolia R. aureum Sophora vicifolia Sorbaria aitchisoni R. fasciculatum R. gordonianum S. arborea glabrata R. sanguineum S. lindleyana Robinia Ellioti S. sorbifolia R. kelseyi R. pseudoacacia umbraculi-Spirea arguta S. billiardi S. bumalda R. viscosa S. b. Anthony Waterer S. b. walluffi Rosa acicularis R. blanda S. chamaedryfolia ulmifolia R. canina R. coriifolia froebeli S. dasyantha R. davurica S. douglasi S. fortunei R. ecae R. foetida R. f. persiana R. fujisanensis S. froebeli S. japonica S. j. ovalifolia S. j. ruberrima R. helenae R. hugonis S. latifolia R. humilis R. lucida S. margaritae S. nipponica rotundifolia R. marreti S. prunifolia S. pubescens S. reevesiana R. moyesi R, multiflora R. m. cathayensis R. nitida S. r. lanceata S. salicifolia S. superba R. palustris R. pendulina R. rouletti S. syringiflora S. thunbergi R. rubiginosa S. tomentosa R. r. hybrids S. trichocarpa R. rubrifolia S. van houttei S. veitchi R. rugosa R. r. alba R. r. hybrids S. wilsoni Staphylea bumalda S. colchica R. sericea S. pinnata S. trifolia R. setigera R. spinosissima altaica R. s. hispida R. s. hybrids Stephanandra flexuosa Stewartia pentagyna S. p. grandiflora R. wichuraiana R. w. hybrids S. pseudocamellia

Symphoricarpos chenaulti S. mollis S. occidentalis S. o. heyeri S. racemosus S. vulgaris Symplocos paniculata Syringa affinis S. a. giraldi S. chinensis S. c. alba S. c. metensis S. c. saugeana S. emodi S. henryi eximea S. h. lutece S. josikea S. microphylla S. oblata S. o. dilatata S. palibiniana S. persica S. p. alba S. velutina S. villosa S. vulgaris S. vulgaris alba S. v. hybrids S. yunnanensis Tamarix africana T. gallica
T. g. indica
T. juniperina
T. odessana
T. pentandra
T. tetandra purpurea Ulex europeus Vaccinium corymbosum V. vacillans Viburnum acerifolium V. americanum V. bitchuiense V. carlesi V. cassinoides V. dentatum

V. dilatatum V. hupehense V. lantana V. l. rugosum V. lentago V. molle V. nudum
V. opulus
V. o. nanum
V. o. sterile V. ovatifolium V. prunifolium
V. pubescens
V. rufidulum
V. sargenti V. sieboldi V. theiferum V. tomentosum V. t. plicatum V. veitchi
V. venosum canbyi
V. wrighti
Vitex agnus castus V. a. c. alba
V. macrophylla
V. negundo incisa
Weigela Abel Carriere W. amabilis W. candida W. desboisi W. Eva Rathke W. Eva Rathre
W. floribunda
W. groenewegeni
W. Gustav Mallot
W. hortensis rubra
W. japonica
W. rosea W. rosea W. rosea nana variegata W. sieboldi argenteomarginata W. styriaca
W. Van Houtte
Xanthoceras sorbifolia
Zanthorhiza apiifolia

VINES

Actinidia arguta Akebia lobata A. quinata Ampelopsis aconitifolia A. henryana A. heterophylla A. h. amurensis A. h. elegans A. quinquefolia A. q. engelmanni A. q. murorum A. q. saintpauli A. tricuspidata veitchi A. t. lowi Aristolochia sipho A. tomentosa Bignonia grandiflora B. g. Mad. Gallen B. radicans B. speciosa Celastrus orbiculatus

C. scandens Clematis apiifolia C. chrysocoma sericea C. crispa C. fargesi C. flammula C. hybrids C. ligusticifolia C. montana rubens C. m. undulata C. m. wilsoni C. m. wilsoni C. orientalis C. paniculata C. serratifolia C. tangutica C. tangutica
C. texensis syn. coccinea
C. veitchi
C. viorna
C. virginiana
C. vitalba
C. viticella

Zanthoxylum americanum

Vines Continued

Decumaria barbara

Hedera helix
H. h. Albany
H. h. baltica
H. h. conglomerata
H. h. gracilis

Hydrangea petiolaris Lonicera alseusmoides L. browni plantierensis L. caprifolium

L. fuchsoides

L. heckrotti L. henryi L. hirsuta

L. japonica

L. j. halleana L. j. reticulata aurea L. periclymenum belgica L. prolifera syn. sullavanti

L. sempervirens L. tellmanniana

L. thibetica L. verna

Periploca graeca

P. sepium

Polygonum auberti Pueraria thunbergiana

Schizophragma hydrangoides

Solanum dulcamara Tripterygium regeli

Vinca minor

V. m. alba V. m. rubra plena Vitis aestivalis V. amurensis V. coignetae V. cordifolia V. labrusca

V. rotundifolia V. vulpina Wistaria frutescens

W. f. magnifica W. multijuga W. sinensis W. s. alba W. venusta

LARGE SPECIMEN MATERIAL

We have a large collection of specially grown, heavy specimen plants in a wide range of sizes. Prices will be quoted on application. We are prepared to deliver B&B on platforms where necessary.

PLANTS FOR SPECIAL PURPOSES

In the following pages we undertake to suggest plants for special purposes which often present a problem to the landscape architect in making up a planting list.

Woody Plants for August and September Flowering

Baccharis halimifolia Bignonia grandiflora Buddleia in variety Clematis paniculata Elscholtzia stauntoni Hamamelis virginiana Hibiscus syriacus in variety

Hydrangea in variety Hypericum in variety Lonicera heckrotti Spirea tomentosa Tamarix aestivale Vitex agnus castus Vitex macrophylla

Woody Plants with Fruits Attractive to Birds

Varieties marked with an asterisk furnish either fruit or seeds as food for birds in winter.

Ampelopsis quinquefolia Ampelopsis tricuspidata veitchi Aronia arbutifolia Aronia atropurpurea Benzoin aestivale

*Betula papyrifera
*Betula populifolia
*Betula lenta
*Betula lutea Cornus in variety
*Crataegus in variety
Euonymus in variety

*Hypericum prolificum *Juniperus virginiana *Juniperus communis *Ligustrum in variety Lonicera in variety Morus alba

*Myrica carolinensis Nyssa sylvatica *Pinus in variety Photinia villosa Prunus besseyi Prunus padus Prunus pennsylvanicum Prunus serotina *Rhamnus in variety *Rhus copallina *Rhus glabra *Rhus typhina

Sambucus in variety *Symphoricarpus in variety Vaccinium corymbosum Viburnum in variety

Ribes in variety

Vitis in variety *Weigela hybrida in variety

Low Woody Plants for Rock Gardens

Chamaecyparis obtusa compacta Chamaecyparis obtusa nana Cotoneaster adpressa Cotoneaster horizontalis Cotoneaster horizontalis perpusilla Cotoneaster rotundifolia Daphne cneorum Daphne mezereum Euonymus radicans minima

Hypericum henryi Jasminum nudiflorum Juniperus horizontalis Juniperus horizontalis glauca
Juniperus suecica nana
Juniperus sabina
tamariscifolia Lonicera spinosa alberti Lonicera syringantha Lonicera thibetica

Woody Plants Enduring Shade

For Dry Soil

Ailanthus glandulosa Celastrus scandens Gleditsia triacanthos Hamamelis virginiana Ligustrum amurense Ligustrum ibota

Ligustrum vulgare Ribes alpinum Rhus canadensis Rubus odoratus Symphoricarpus vulgaris Vinca minor

For Moist Soil

The above plants will do well in moist soil and may be considered with the following plants:

Acer pennsylvanicum Acer spicatum Alnus glutinosa Alnus incana Cornus florida Euonymus radicans and varieties Fagus americana Hedera helix Kalmia latifolia

Amelanchier in variety Benzoin aestivale Carpinus in variety Cercis canadensis Ostrya virginica Pachysandra terminalis Rhododendron in variety Tsuga canadensis Viburnum acerfolium Zanthorhiza apiifolia

Woody Plants for Bank Planting

Those kinds marked with an asterisk are excellent binders for a steep bank.

Ailanthus glandulosa Celastrus scandens Cornus alba Cornus amomum Cornus stolonifera Eunonymus radicans acutus

*Lonicera halleana *Lonicera japonica Lonicera tatarica

Physocarpus opulifolius

*Rhus typhina Robinia pseudacacia *Rosa setigera

*Rosa wichuraiana *Rubus odoratus Salix caprea Salix discolor Salix incana

*Symphoricarpus vulgaris Vinca minor Vitis vulpina

Plants for the Herb Garden

Achillea millefolium Allium schoenoprasum Anthemis nobilis Artemisia abrotanum Artemisia absinthium Artemisia dracunculus Artemisia pontica Artemisia stelleriana Asarum canadense Asperula odorata Calamintha alpina Cedronella cana Chrysanthemum balsamita Foeniculum atrosanguineum Hyssopus officinalis Lavandula officinalis Marrubium vulgare

Melissa officinalis Mentha piperita Mentha requieni Monardi didyma Monardi fistulosa Nepeta hederacea Origanum vulgare Rosmarinus officinalis Ruta graveolens Salvia officinalis Santolina chamaecyparissus Tanecetum vulgare Thymus serpyllum Thymus serpyllum citriodorus Thymus vulgaris Valeriana officinalis

SCHEDULE OF B&B CHARGES

Schedule of charges for balling and burlapping deciduous trees and shrubs of various sizes, including those marked by an (*) asterisk. Where items are listed "B&B", this charge is included in the printed price.

| 18-2 | 4" | | .\$.25 | |
|---------------|-------------------|---------------|---------|---------------------|
| 2- | 3' | | 35 | |
| 3- | 4' | | 50 | |
| 4- | 5' | | 75 | |
| 5- | 6' | | . 1.00 | |
| | | | | Diameter of Ball |
| 6- 8 1" | ' Shrubs Trees | | \$ 1.50 | 16" |
| 8-10 1 ¼ " | | } | 2.25 | 18" |
| 1 ½ ′ | Trees | | 3.00 | 20" |
| 1 3/4 " | | • • • • • • • | 4.00 | 22" |
| 2" | " | | 5.00 | 24" |
| 2 ½ " | • 66 | • • • • • • • | 6.50 | 3 0" |
| 3" | " | | 9.00 | 36 " |
| 3 ½ " | • " | | 12.50 | 42" |
| 4" | " | | 18.00 | 48" |
| 4 ½ ′′ | • " | | 24.00 | 54" |
| 5" | " | | 32.00 | 60" |
| | | | | |

The depth of the ball will be no less than two thirds of the given diameter. The larger balls may be mounted on platforms. An extra charge will be made for the platforms but this will be cancelled upon their return to us by prepaid freight.

